

Makita®

2025 - 2026 ACCESSORY CATALOGUE



Safety Precautions

When using electric tools, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and personal injury, including the following.

/// KEEP WORK AREA CLEAN.

Cluttered areas and benches invite injuries.

/// CONSIDER WORK AREA ENVIRONMENT.

Don't use power tools in damp or wet locations. Keep work area well lit. Don't expose power tools to rain. Don't use power tool in presence of flammable liquids or gases.

/// KEEP CHILDREN AWAY.

All visitors should be kept away from work area. Don't let visitors touch the tool or extension cord.

/// STORE IDLE TOOLS.

When not in use, tools should be stored in a dry, high of locked up place, out of reach of children.

/// DON'T FORCE THE TOOL.

It will do the job better and safer at the rate for which it was intended.

/// USE THE RIGHT TOOL.

Don't force small tools or attachments to do the job of a heavy-duty tool. Don't use tools for purposes not intended.

/// DRESS PROPERLY.

Don't wear loose clothing or jewelry. They can be caught in moving parts. Rubber gloves and non-skid footwear are recommended when working outdoors. Wear protective hair covering to contain long hair.

/// USE SAFETY GLASSES.

Also use face or dust mask if the cutting operation is dusty.

/// DON'T ABUSE THE CORD.

Never carry the tool by the cord or yank it to disconnect it from the socket. Keep the cord away from heat, oil, and sharp edges.

/// SECURE WORK.

Use clamps or a vise to hold the work. It's safer than using your hand and it frees both hands to operate the tool.

/// DON'T OVERREACH.

Keep proper footing and balance at all times.

/// MAINTAIN TOOLS WITH CARE.

Keep cutting tools sharp and clean for better and safer performance. Follow instructions for lubrication and changing accessories. Inspect tool cord periodically and if damaged, have it repaired by an authorized service facility. Inspect extension cords periodically and replace, if damaged. Keep handles dry, clean and free from oil and grease.

/// DISCONNECT TOOLS.

When not in use, before servicing and when changing accessories such as blades, bits and cutters.

/// REMOVE ADJUSTING KEYS AND WRENCHES.

Form the habit of checking to see that keys and adjusting wrenches are removed from the tool before turning it on.

/// AVOID UNINTENTIONAL STARTING.

Don't carry a plugged-in tool with a finger on the switch. Ensure switch is OFF when plugging in.

/// USE OUTDOOR EXTENSION CORDS.

When tool is used outdoors, use only extension cords intended for outdoor use.

/// STAY ALERT.

Watch what you are doing. Use common sense. Don't operate tool when you are tired.

/// CHECK DAMAGED PARTS.

Before further use of the tool, a guard or other part that is damaged should be carefully checked to determine that it will operate properly and perform its intended function. Check for alignment of moving parts, free running of moving parts, breakage of parts, mounting and any other conditions that may affect its operation. A guard or other part that is damaged should be properly repaired or replaced by an authorized service center unless otherwise indicated in this instruction manual. Have defective switches replaced by an authorized service facility. Don't use the tool if the switch does not turn it on and off.

/// GUARD AGAINST ELECTRIC SHOCK.

Avoid body contact with earthed or grounded surfaces (e.g. pipes, radiators, ranges, refrigerators).

/// REPLACEMENT PARTS.

When servicing a tool, use only identical replacement parts.

/// VOLTAGE WARNING:

Before connecting the tool to a power source (receptacle, outlet, etc.) Be sure the voltage supplied is the same as that specified on the nameplate of the tool. A power source with voltage greater than that specified for the tool can result in SERIOUS INJURY to the user V as well as damage to the tool. If in doubt, DO NOT PLUG IN THE TOOL. Using a power source with voltage less than the nameplate rating is harmful to the motor.

Note

- Makita reserves the right to change specifications of parts and accessories without notice.
- Items of standard equipment and specifications may vary by country or area.
- Net weight and dimensions may differ by the type of battery.
- Standard export color for motor housing is Makita industrial green (blue).
- Please state required voltage when ordering. These offers are subject to availability in each country. Actual product color may differ slightly from color reproduced here.
- The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014

Guarantee

Every Makita tool is thoroughly inspected and tested before leaving the factory. It is guaranteed against defective workmanship and materials. Should any trouble develop, return the COMPLETE tool prepaid to Makita or point of purchase. If inspection shows trouble is caused by defective workmanship of material, all repairs will be made without charge. The guarantee does not apply where repairs have been made or attempted by others; repairs are due to normal wear; the tool has been abused or in an accident; misuse is evident – caused by overloading the tool beyond its capacity, use of the tool after partial failure or use with improper accessories.

Safety



Wear eye protection



Wear ear protection



Wear a mask



Wear protective gloves



Wear protective shoes



Remove plug from socket



Read the instruction manuals

Materials

Masonry



Reinforced concrete



Concrete



Aerated concrete



Brick



Soft brick



Stone



Limestone



Marble



Granite

Wood



Wood



Wood with nails



Laminate board



Plywood



Chipboard



MDF

Metal



Metal



Sheet metal



Non-ferrous metals



Aluminum



Stainless steel



Cast iron

Other Materials



Glass fibre reinforced plastic, epoxy



Glass



Plastic



Ceramic tiles



Soft Tile



Fiber cement board



Plaster board



Epoxy



Cardboard



Cork



Asphalt



Rubber



Leather



Ice

Drilling (Wood/ Metal) 6



Drilling (Masonry) 19



Fastening 33



Drill and Screw Bit Sets 42



Cutting 44



Jigsaw/ Reciprosawing 56



Brushing 68



Bonded Abrasive 72



Coated Abrasive 77



Multi Tool 84



Diamond 95



Planing/ Routing 110



Outdoor Power Equipment 114



Miscellaneous 128



Screwing/ Drilling

	Fastening P.33
	Screw bit Socket bit
	Drilling (Wood/Metal) P.6
	Drill bit
	Step drill bit & Countersink bit
	Hole saw
	Brushing P.68
	Nylon brush & Wire brush
	Drilling (Masonry) P.19
	Masonry bit with straight shank (Tungsten carbide-tipped bit)
	Diamond P.109
	Diamond core bit (Dry type) *For Model 8406, 8406C
	Fastening P.33
	Screw bit Socket bit
	Drilling (Wood / Metal) P.6
	Drill bit with 1/4" Hex shank
	Drilling (Masonry) P.19
	Masonry bit with 1/4" hex shank
	Fastening P.33
	Socket Extension bar Universal joint Bit adapter assembly
	Screw bit Socket bit
	Fastening P.33
	Screw bit

Hammer drilling/ Chiselling

	Drilling (Wood/Metal) P.6
	Drill bit
	Step drill bit & Countersink bit
	Hole saw
	Diamond P.109
	Diamond core bit (Dry type)
	Drilling (Masonry) P.19
	Tungsten carbide-tipped bit
	Bull point
	Cold chisel
	Grooving chisel
	Scaling chisel
	Scraper assembly 100 (SDS-PLUS only)
	Clay spade
	Bushing tool
	Rammer
	Ground rod adapter
	Drilling / (Metal) P.6
	Broach Cutter
	Cutting
	Diamond P.95
	Diamond wheel
	Bonded Abrasive P.72
	Cut-off wheel
	Cutting P.44
	Carbide-tipped saw blade for Metal
	Grooving TCT Saw Blade

Portable Band Saw | **Jigsaw/ Reciprosawing P.56**
 Band saw blade

Grinding/ Sanding/ Polishing

Angle Grinder | **Bonded Abrasive P.72**

Grinding wheel Flexible grinding wheel
 Cut-off wheel Thin Cut-off wheel

Coated Abrasive P.77

Flap Disc Fiber sanding disc

Brushing P.68

Wire brush

Diamond P.95

Diamond wheels

Die Grinder | **Bonded Abrasive P.72**

Wheel point Tungsten carbide burrs

Coated Abrasive P.77

Fiber sanding disc

Abrasive belt

Abrasive paper

Abrasive disc

Brushing P.68

Wool bonnet

Sponge pad Wool pad

100 mm Diamond polishing pad

100 mm Diamond polishing pad

Bonded Abrasive P.72

Grinding wheel

Bench Grinder | **Bonded Abrasive P.72**
 Straight Grinder

Multifunction

Multi Tool P.84

Multi Tool Accessories

Sawing

Slide Compound Miter Saw P.44

Circular Saw Table Saw Cutting Saw blade

Jigsaw / Reciprosawing P.56

Jig saw Jig saw blade
 Reciprosaw Reciprosaw blade
 Band saw Band saw blade

Milling/ Planing

Planer P.110

Planer blade Mini planer blade

Trimmer Router P.110

Router bit

Concrete Planer P.95

Diamond Offset diamond wheel

ACCESSORIES

Drilling (Wood/ Metal)



Metal, mild steel



Stainless steel



Aluminum



Non-ferrous metal



Wood



Wood with nails



MDF



Plywood



Soft Tile



Brick



Soft brick



Marble



Limestone



Plaster board



Plastic



Fiberglass



Sheet metal



Tungsten carbide tip for glass bit



Glass



Long life



Fast cut



Do not drill with impact



Oil



Wet



n max. 10000



Chisel edge



M shape



Split point



Cylindrical shank



Three flat shank



Hex shank



6.35 Hex shank C-form



6.35 Hex shank MZ

Metal Drill Bit HSS-R



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	4.8	86	52	1	D-38392	
	5.2	86	52	1	D-46729	
	5.3	86	52	1	D-46947	
	8.8	125	81	1	D-46969	
	10.3	133	87	5	D-46919	
	10.5	133	87	5	D-38750	
	10.8	142	94	5	D-46925	
	11	142	94	5	D-38766	
	11.5	142	94	5	D-38772	
	12	151	101	5	D-38788	
	12.5	151	101	5	D-38794	
	13	151	101	5	D-38803	

Metal Drill Bit HSS-TiN



Range	Diameter mm	Length mm	Working length mm	Shank dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	1	34	12	1	2	D-42955	
	1.5	40	18	1.5	2	D-42961	
	2	49	24	2	2	D-42977	
	2.5	57	30	2.5	2	D-42983	
	3	61	33	3	2	D-43000	
	3.2	65	36	3.2	2	D-43016	
	3.3	65	36	3.3	2	D-43022	
	3.5	70	39	3.5	2	D-43038	
	4	75	43	4	2	D-43044	
	4.1	75	43	4.1	1	D-43050	
	4.2	75	43	4.2	1	D-43066	
	4.5	80	52	4.5	1	D-43072	
	4.8	86	52	4.8	1	D-43088	
	5.2	86	52	5.2	1	D-43103	
	5.5	93	57	5.5	1	D-43119	
	6.5	101	63	6.5	1	D-43131	
	6.5	101	63	6.5	10	D-43418	
	7	109	69	7	1	D-43147	
	7	109	69	7	10	D-43424	
	7.5	109	69	7.5	1	D-43153	
	7.5	109	69	7.5	10	D-43430	
	8	117	75	8	10	D-43446	
	8.5	117	75	8.5	1	D-43175	
	8.5	117	75	8.5	10	D-43452	
	9	125	81	9	1	D-43181	
	9	125	81	9	10	D-43468	
	9.5	125	81	9.5	1	D-43197	
10	133	87	10	10	D-43480		
10.5	133	87	10.5	1	D-45375		
11	142	94	11	5	D-43505		
11.5	142	94	11.5	1	D-45381		
12	151	101	12	5	D-43527		
12.5	151	101	12.5	1	D-45397		
★★☆☆☆	1	34	12	1	2	D-64004	
	1.5	40	18	1.5	2	D-64010	
	2	49	24	2	2	D-64026	
	2.5	57	30	2.5	2	D-64032	
	3	61	33	3	2	D-64048	
	3.5	70	39	3.5	2	D-64054	
	4	75	43	4	2	D-64060	
	4.5	80	47	4.5	1	D-64076	
	5	86	52	5	1	D-64082	
	5.5	93	57	5.5	1	D-64098	
6	93	57	6	1	D-64107		
6.5	101	63	6.5	1	D-64113		

Range	Diameter mm	Length mm	Working length mm	Shank dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	7	109	69	7	1	D-64129	
	7.5	109	69	7.5	1	D-64135	
	8	117	75	8	1	D-64141	
	8.5	117	75	8.5	1	D-64157	
	9	125	81	9	1	D-64163	
	9.5	125	81	9.5	1	D-64179	
	10	133	87	10	1	D-64185	
	10.5	133	87	10.5	1	D-64191	
	11	142	94	11	1	D-64200	
	11	142	94	11	5	D-64456	
	11.5	142	94	11.5	1	D-64216	
	12	151	101	12	1	D-64222	
	12	151	101	12	5	D-64478	
	12.5	151	101	12.5	1	D-64238	
	13	151	101	13	1	D-64244	
	19	198	135	13	1	D-65791	
	20	205	140	13	1	D-65800	

Metal Drill Bit HSS-TiN Assortment in Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	1 to 10	10	D-43561	
	1 to 10	19	B-67795	
★★☆☆☆	1.5 to 6.5	13	D-72855	
	2 to 8	6	D-72833	
	1 to 10	19	D-67527	

Metal Drill Bit HSS-TiN Coated Flute Assortment in Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	4, 5, 6, 8, 10	5	D-30514	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Metal Drill Bit HSS-TiN with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	91	33	1/4 inch Hex NZ	1	D-31114	
	3.2	95	36		1	D-31120	
	3.3	95	36		1	D-31136	
	4	105	43		1	D-31142	
	4.1	105	43		1	D-31158	
	5	116	52		1	D-31170	
	5.2	102	52		1	D-46545	
	6	123	57		1	D-31186	
	6.5	131	63		1	D-31192	
	8	117	75		1	D-31201	
	10	133	87		1	D-31217	
	12	151	101		1	D-31223	
	13	151	101		1	D-31239	

Metal Impact Drill Bit HSS-TiN with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	5	78	33	1/4 inch Hex NZ	1	B-51150	

Metal Drill Bit HSS-TiN for SDS-PLUS Hammers



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	90	33	SDS-PLUS	1	B-57401	
	3.5	100	39		1	B-57417	
	4	105	43		1	B-57423	
	4.5	110	47		1	B-57439	
	5	116	52		1	B-57445	
	5.5	123	57		1	B-57451	
	6	123	57		1	B-57467	
	6.5	131	63		1	B-57473	


Metal Drill Bit HSS-G



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1.5	40	18	10	D-06236	
	1.75	46	22	10	D-06242	

Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
	2	49	24	10	D-06258	
	2.5	57	30	10	D-06270	
	2.75	61	33	10	D-06286	
	3	61	33	1	D-09684	
	3	61	33	10	D-06292	
	3.25	65	36	10	D-06301	
	3.5	70	39	10	D-06317	
	3.75	70	39	10	D-06323	
	4	75	43	1	D-09709	
	4	75	43	10	D-06339	
	4.2	75	43	10	D-17762	
	4.25	75	43	10	D-06345	
	4.5	80	47	10	D-06351	
4.75	80	47	10	D-06367		
5	86	52	10	D-06373		
5.2	86	52	10	D-34986		
5.25	86	52	10	D-06389		
5.3	86	52	10	D-46654		
5.5	93	57	1	D-09737		
5.5	93	57	10	D-06395		
5.75	93	57	10	D-06404		
6	93	57	1	D-09743		
6	93	57	10	D-06410		
6.25	101	63	10	D-06426		
6.5	101	63	10	D-06432		
6.75	109	69	10	D-06448		
6.8	109	69	10	D-46779		
7	109	69	10	D-06454		
7.25	109	69	10	D-06460		
7.5	109	69	1	D-09771		
7.5	109	69	10	D-06476		
7.75	117	75	10	D-06482		
8	117	75	1	D-09787		
8	117	75	10	D-06498		
8.25	117	75	5	D-06507		
8.5	117	75	1	D-09793		
8.5	117	75	5	D-06513		
8.75	125	81	5	D-06529		
8.8	125	81	5	D-46785		
9	125	81	5	D-06535		
9.25	125	81	5	D-06541		
9.5	125	81	1	D-09818		
9.5	125	81	5	D-06557		
9.75	133	87	5	D-06563		
10	133	87	1	D-09824		
10	133	87	5	D-06579		
10.3	133	87	1	D-46850		
10.3	133	87	5	D-46791		
10.5	133	87	5	D-06591		
10.8	142	94	5	D-46800		
11	142	94	5	D-06600		
11.5	142	94	1	D-09852		
11.5	142	94	5	D-06616		
12	151	101	1	D-09868		
12	151	101	5	D-06622		
12.5	151	101	1	D-09874		
12.5	151	101	5	D-06638		
13	151	101	1	D-09880		
13	151	101	5	D-06644		


Metal Drill Bit HSS-G Assortment in Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1 to 10	19	D-29941	
	1 to 13	25	D-67555	


*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Metal Drill Bit HSS-G Assortment in Metal Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1.5 to 6.5	13	D-54019	
	1 to 10	19	D-54025	
	1 to 13	25	D-54031	

Metal Drill Bit HSS M-Force



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3.2	65	36	1	D-37633	
	4.5	80	47	1	D-29664	
	5	86	52	1	D-29670	
	5.5	93	57	1	D-29686	
	6	93	57	1	D-29692	
	6.5	101	63	1	D-29701	
	10	133	87	1	D-29773	
	11	142	94	1	D-29795	
	12	151	101	1	D-29810	

Metal Drill Bit HSS M-Force Assortment in Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4, 5, 6, 8, 10	5	D-30508	
	1 to 10	19	D-29876	
	1 to 13	25	D-29882	

Metal Drill Bit HSS-Co Cobalt 5%



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	1.5	40	18	5	D-16617	
	2	49	24	5	D-16623	
	3	61	33	5	D-16645	
	3.5	70	39	5	D-16667	
	4	75	43	5	D-16673	
	5	86	52	5	D-16695	
	5.2	86	52	5	D-34992	
	5.5	93	57	5	D-16704	
	6	93	57	1	D-17382	
	6	93	57	5	D-16710	
	6.5	101	63	5	D-16726	
	7	109	69	5	D-16732	
	7.5	109	69	5	D-16748	
	8	117	75	5	D-16754	
	8.5	117	75	5	D-16760	
	9	125	81	5	D-16776	
	9.5	125	81	5	D-16782	
	10	133	87	5	D-16798	
	10.5	133	87	5	D-16807	
	11	142	94	5	D-16813	
11.5	142	94	5	D-16829		
12	151	101	5	D-16835		
12.5	151	101	5	D-16841		
13	151	101	5	D-16857		

Metal Drill Bit HSS-Co Cobalt 5% Assortment in Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	2 to 8	6	D-57168	
	2 to 8	6	D-75758	
	1 to 10	19	D-50463	
	1 to 13	25	D-50479	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Metal Double Ended Drill Bit



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	2	38	7.5	10	B-26652	
	2.5	43	10	10	B-33772	
	3	46	10.6	10	B-26668	
	3.1	49	11	10	B-26674	
	3.2	49	11	10	B-26680	
	3.3	49	11	10	B-26696	
	3.5	52	13	10	B-26705	
	3.8	55	14	10	B-26711	
	4	55	14	10	B-26727	
	4.1	55	14	10	B-26733	
	4.2	55	14	10	B-26749	
	4.3	55	14	10	B-26755	
	4.5	58	16	10	B-26761	
	4.8	62	17	10	B-26777	
	4.9	62	17	10	B-26783	
	5	62	17	10	B-26799	
	5.1	62	17	10	B-26808	
	5.2	62	17	10	B-26814	
	5.5	66	19	10	B-26820	
	6	66	19	10	B-26836	
6.5	70	21	10	B-33788		
8	79	25	10	B-26842		
10	89	25	10	B-26858		

Metal Step Drill Bit with 1/4 inch Hex Shank Straight Flute



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 12	65	1/4 inch	1	D-40082	
	4 ~ 20	75	Hex MZ	1	D-40098	
	4 ~ 12	65	1/4 inch	1	D-46414	
	4 ~ 20	75	Hex NZ	1	D-46420	

Metal Step Drill Bit with 1/4 inch Hex Shank Straight Flute Titanium Coating




Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 12	65	1/4 inch	1	D-40113	
	4 ~ 20	75	Hex MZ	1	D-40129	
	4 ~ 12	65	1/4 inch	1	D-46436	
	4 ~ 20	75	Hex NZ	1	D-46442	

Metal Cone Drill Bit



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3 ~ 14	58	Straight	1	D-40048	
	4 ~ 20	71		1	D-40054	
	16 ~ 30.5	76		1	D-40060	
	24 ~ 40	89		1	D-40076	

Metal Step Drill Bit Spiral Flute




Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 32	102	Straight	1	D-40163	

Metal Step Drill Bit Straight Flute Titanium Coating



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 32	102	Straight	1	D-40135	

Metal Step Drill Bit Spiral Flute Titanium Coating



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 32	102	Straight	1	D-40191	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Metal Step Drill Bit with 1/4 inch Hex Shank Spiral Flute



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 20	75	1/4 inch Hex NZ	1	D-46464	

Metal Step Drill Bit with 1/4 inch Hex Shank Spiral Flute Titanium Coating




Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 12	65	1/4 inch	1	D-40179	
	4 ~ 20	75	Hex MZ	1	D-40185	
	4 ~ 12	65	1/4 inch	1	D-46470	
	4 ~ 20	75	Hex NZ	1	D-46486	

Metal Step Drill Bit Spiral Flute Titanium Coating Assortment in Plastic Case



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 to 12, 4 to 20, 4 to 32	65-102	1/4 inch Hex MZ, Straight	3	D-41872	

Metal Countersink Bit Slanting Hole




Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	2 ~ 5	45	Straight	1	D-37502	
	5 ~ 10	48		1	D-37518	
	10 ~ 15	65		1	D-37524	
	15 ~ 20	85		1	D-37530	

Countersink Bit Three Cutting Edges 90°



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6.3	45	Straight	1	D-37437	
	8.3	50		1	D-37443	
	10.4	50		1	D-37459	
	12.4	56		1	D-37465	
	16.5	60		1	D-37471	
	20.5	63		1	D-37487	
	25	67		1	D-37493	

Countersink Bit Three Cutting Edges 90° Assortment in Metal Case



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6.3, 8.3, 10.4, 12.4, 16.5, 20.5	45, 50, 50, 56, 60, 63	Straight	6	D-42204	

Countersink Bit with 1/4 inch Hex Shank Three Cutting Edges 90°



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6.3	31	1/4 inch Hex C-form	1	D-37312	
	8.3	31		1	D-37328	
	10.4	34		1	D-37334	
	12.4	35		1	D-37340	
	16.5	40		1	D-37356	
	20.5	41		1	D-37362	


*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Countersink Bit Five Cutting Edges 90°



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	48	Straight	1	D-37378	
	8	48		1	D-37384	
	10	40		1	D-37390	
	12	40		1	D-37409	
	16	43		1	D-37415	
	20	45		1	D-37421	

Countersink Bit Seven Cutting Edges 90°



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	13	50	Straight	1	D-37306	

Broach Cutter for Magnetic Drilling Machine



Short = 35 mm Depth				
Diameter	Part No.	RSP (RM)		
14 mm	UD00UPC14S			
15 mm	UD00UPC15S			
16 mm	UD00UPC16S			
17 mm	UD00UPC17S			
18 mm	UD00UPC18S			
19 mm	UD00UPC19S			
20 mm	UD00UPC20S			
21 mm	UD00UPC21S			
22 mm	UD00UPC22S			
23 mm	UD00UPC23S			
24 mm	UD00UPC24S			
25 mm	UD00UPC25S			
26 mm	UD00UPC26S			
27 mm	UD00UPC27S			
28 mm	UD00UPC28S			
29 mm	UD00UPC29S			
30 mm	UD00UPC30S			
31 mm	UD00UPC31S			
32 mm	UD00UPC32S			
33 mm	UD00UPC33S			
34 mm	UD00UPC34S			
35 mm	UD00UPC35S			
36 mm	UD00UPC36S			
37 mm	UD00UPC37S			
38 mm	UD00UPC38S			
39 mm	UD00UPC39S			
40 mm	UD00UPC40S			
41 mm	UD00UPC41S			
42 mm	UD00UPC42S			
43 mm	UD00UPC43S			
44 mm	UD00UPC44S			
45 mm	UD00UPC45S			

Short = 35 mm Depth		
Diameter	Part No.	RSP (RM)
46 mm	UD00UPC46S	
47 mm	UD00UPC47S	
48 mm	UD00UPC48S	
49 mm	UD00UPC49S	
50 mm	UD00UPC50S	

Description	Part No.	RSP (RM)
Pilot Pin 14-17 x 35 mm	UDPILOTU1A	
Pilot Pin 18-50 x 35 mm	UDPILOTU1B	

Long = 55 mm Depth		
Diameter	Part No.	RSP (RM)
14 mm	UD00UPC14L	
15 mm	UD00UPC15L	
16 mm	UD00UPC16L	
17 mm	UD00UPC17L	
18 mm	UD00UPC18L	
19 mm	UD00UPC19L	
20 mm	UD00UPC20L	
21 mm	UD00UPC21L	
22 mm	UD00UPC22L	
23 mm	UD00UPC23L	
24 mm	UD00UPC24L	
25 mm	UD00UPC25L	
26 mm	UD00UPC26L	
27 mm	UD00UPC27L	
28 mm	UD00UPC28L	
29 mm	UD00UPC29L	
30 mm	UD00UPC30L	
31 mm	UD00UPC31L	
32 mm	UD00UPC32L	
33 mm	UD00UPC33L	
34 mm	UD00UPC34L	
35 mm	UD00UPC35L	
36 mm	UD00UPC36L	
37 mm	UD00UPC37L	
38 mm	UD00UPC38L	
39 mm	UD00UPC39L	
40 mm	UD00UPC40L	
41 mm	UD00UPC41L	
42 mm	UD00UPC42L	
43 mm	UD00UPC43L	
44 mm	UD00UPC44L	
45 mm	UD00UPC45L	
46 mm	UD00UPC46L	
47 mm	UD00UPC47L	
48 mm	UD00UPC48L	
49 mm	UD00UPC49L	
50 mm	UD00UPC50L	

Description	Part No.	RSP (RM)
Pilot Pin 14-17 x 55 mm	UDPILOTU2A	
Pilot Pin 18-50 x 55 mm	UDPILOTU2B	

Wood Brad Point Drill Bit




Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	61	33	1	D-07026	
	3	61	33	10	D-71722	
	4	75	43	1	D-07032	
	4	75	43	10	D-71738	
	5	86	52	10	D-71744	
	6	93	57	1	D-07054	
	6	93	57	10	D-71750	
	8	117	75	1	D-07076	
	8	117	75	10	D-71766	
	10	133	87	5	D-71772	
	12	151	96	1	D-07107	
	12	315	150	1	D-07185	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.


Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	16	160	100	1	D-07129	
	18	180	120	1	D-07135	
	18	335	150	1	D-07216	
	20	200	130	1	D-07141	
	20	335	150	1	D-07222	

Wood Flat Bit



Range	Diameter mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	10	150	1	D-07696	
	12	150	1	D-07705	
	13	150	1	D-67614	
	14	150	1	D-07711	
	16	150	1	D-07733	
	18	150	1	D-07749	
	20	150	1	D-07755	
	22	150	1	D-07761	
	24	150	1	D-07777	
	25	150	1	D-07783	
	28	160	1	D-07808	
	30	160	1	D-07814	
	32	160	1	D-07820	
	35	160	1	D-07842	
	36	160	1	D-07858	

Wood Brad Point Drill Bit Assortment in Plastic Case




Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 to 10	5	D-72861	

Wood Brad Point Drill Bit with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	80	33	1/4 inch Hex NZ	1	D-31245	
	4	95	43		1	D-31251	
	5	105	52		1	D-31267	
	6	115	57		1	D-31273	
	8	117	75		1	D-31289	
	10	133	87		1	D-31295	
	12	151	96		1	D-31304	
	15	162	100		1	D-31310	

Wood Single Spur Auger Bit with Hex Shank



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	200	130	1	D-07238	
	6	250	180	1	D-07331	
	8	200	130	1	D-07244	
	8	250	180	1	D-07347	
	8	450	380	1	D-07559	
	10	200	130	1	D-07250	
	10	250	180	1	D-07353	
	12	450	380	1	D-07571	
	14	200	130	1	D-07272	
	14	250	180	1	D-07375	
	16	200	130	1	D-07288	
	16	250	180	1	D-07381	
	16	400	330	1	D-07478	
	18	200	130	1	D-07294	
	18	400	330	1	D-07484	
	18	450	380	1	D-07602	
	20	200	130	1	D-07303	
	20	250	180	1	D-07406	
	20	400	330	1	D-07490	
	20	450	380	1	D-07618	
	22	200	130	1	D-07319	
	22	250	180	1	D-07412	
	22	400	330	1	D-07509	
	22	450	380	1	D-07624	
	24	200	130	1	D-07325	
	24	250	180	1	D-07428	
	24	400	330	1	D-07515	
	26	400	330	1	D-07521	
	28	400	330	1	D-07537	
	30	400	330	1	D-07543	

Wood Brad Point Drill Bit for SDS-PLUS Hammers



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4	105	43	SDS-PLUS	1	B-57489	
	5	116	52		1	B-57495	
	6	123	57		1	B-57504	
	8	147	75		1	B-57510	
	10	163	87		1	B-57526	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Wood Single Spur Auger Bit with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	200	130	1/4 inch Hex NZ	1	D-31326	
	8	200	130		1	D-31332	
	10	200	130		1	D-31348	
	12	200	130		1	D-31354	
	14	200	130		1	D-31360	
	16	200	130		1	D-31376	
	18	200	130		1	D-31382	
	20	200	130		1	D-31398	
	21	200	130		1	D-31407	

Wood Ship Auger Bit with 7/16 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	10	165	100	5/16 inch Hex	1	D-36055	
	12	165	100		1	D-36061	
	10	470	395		1	D-36192	
	12	470	395		1	D-36201	
	14	165	100		1	D-36077	
	16	60	100		1	D-36083	
	18	165	100		1	D-36099	
	20	165	100		1	D-36108	
	22	165	100		1	D-36114	
	24	165	100		1	D-36120	
	26	165	100	1	D-36136		
	28	165	100	1	D-36142		
	30	165	100	1	D-36158		
	32	165	100	1	D-36164		
	32	470	395	1	D-36304		
	35	165	100	1	D-36170		
	35	470	395	1	D-36310		
	38	165	100	1	D-36186		

Wood Self Feeding Bit with 7/16 inch Hex Shank




Range	Diameter (inch)	Length	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1-1/2)	(4-1/2)	7/16 inch Hex	1	D-29985	
	(2-1/8)			1	D-30019	

Wood Forstner Bit



Range	Diameter mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	50	90	1	D-42307	

Wood Shiitake Drill Bit



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	12	76	45	1	B-49753	
	12	80	45	1	B-49747	

Masonry TCT Drill Bit with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	80	35	1/4 inch Hex NZ	1	D-31463	
	4	80	35		1	D-31479	
	5	90	45		1	D-31485	
	6	100	55		1	D-31491	
	6.5	100	55		1	D-55061	
	8	100	55		1	D-31500	


Drill Bit Assortment In Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal 5, 6, 8, Wood 6, 8	5	D-30106	
	Masonry 5, 6, 8, Metal 5, 6, 8, Wood 5, 6, 8	9	D-71962	

Drill & Screw Bit Set 17 pcs Assortment


Screw Bits:
PH1, PH2, PH3, PZ2, H4, H5, SL5
& Sleeve Chuck Bit Holder



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry 5, 6, 8, Metal 5, 6, 8, Wood 5, 6, 8	17	D-77207	


*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Drill Bit with 1/4 inch Hex Shank Assortment in Plastic Case



Range	Diameter mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal 5, 6, 8, Wood 5, 6	1/4 inch Hex NZ	5	D-31516	
	Masonry 6, Metal 5, 6, Wood 5, 6		5	D-31522	

Adjustable Circle Cutter



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	30 ~ 120	1	D-57093	
	30 ~ 200	1	D-57102	

Adjustable Circle Cutter Spare Part



Range	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	2	D-57118	

Glass Bit



Range	Diameter mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	5	51	1	D-78427	
	8	58	1	D-78455	
★★★★☆	3	65	1	D-25111	
	4	65	1	D-25127	
	5	65	1	D-25133	
	6	65	1	D-25149	
	8	70	1	D-25155	
	10	80	1	D-25161	
	12	80	1	D-25177	

Glass Bit with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4	65	1/4 inch Hex NZ	1	D-31413	
	5	65		1	D-31429	
	6	65		1	D-31435	
	8	70		1	D-31441	
	10	80		1	D-31457	

Earth Auger Drill Bit with 3/4 inch SQ Shank



Range	Diameter mm	Length mm(inch)	Working length mm(inch)	Shank type	Sales pkg qty	Part No.	RSP (RM)
Specialized	20	600 (23-5/8)	530 (22-7/8)	3/4 inch SQ	1	B-54302	
	25				1	B-54318	
	30				1	B-54324	
	35				1	B-54330	
	40				1	B-57576	

Earth Auger Drill Bit with Adapter D Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
Specialized	100	800	550	Adapter D	1	E-07294	
	150	800	550		1	E-07303	
	200	800	550		1	E-07319	

Earth Auger Drill Bit with Adapter D Shank Extension Bar



Range	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
Specialized	540	Adapter D	1	E-07325	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Earth Auger Drill Bit with Adapter D Shank Spare Part



Range	Note	Sales pkg qty	Part No.	RSP (RM)
Specialized	Spare blade for Earth auger bit 100 x 800 mm	1	E-07630	
	Spare blade for Earth auger bit 150 x 800 mm	1	E-07646	
	Spare blade for Earth auger bit 200 x 800 mm	1	E-07652	
	Spare pin	1	E-07331	

Ezychange BiM Holesaw Assortment

Ezychange



Range	Shank dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	8.7	7	B-11972	

Ezychange BiM Holesaw

Ezychange



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	25	Cutting depth 40 mm	1	B-11318	
	38		1	B-11368	
	40		1	B-16754	
	52		1	B-31740	
	68		1	B-11449	
	114		1	B-31815	

BiM Holesaw



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	14	Cutting depth 38 mm	1	D-35368	
	16		1	D-16994	
	17		1	D-35374	
	19		1	D-17005	
	20		1	D-17251	
	21		1	D-35380	
	22		1	D-17011	
	24		1	D-17027	
	25		1	D-17033	
	27		1	D-35396	
	32		1	D-17049	
	33		1	D-35411	
	35		1	D-17055	
	37		1	D-35427	
	38		1	D-17061	
	41		1	D-35433	
	44		1	D-17077	
	52		1	D-35477	
	54		1	D-24876	
	56		1	D-35483	
	57		1	D-17099	
	59		1	D-35499	
	60		1	D-25688	
	64		1	D-30140	
	65		1	D-24882	
	67		1	D-35508	
	68		1	D-17108	
	70		1	D-25694	
	76		1	D-17114	
	79		1	D-35520	
	80		1	D-33869	
	83		1	D-17120	
	89		1	D-35542	
	92		1	D-17136	
98	1	D-35564			
102	1	D-35570			
105	1	D-17142			
108	1	D-35586			
111	1	D-35592			
114	1	D-35601			
121	1	D-35617			
127	1	D-17158			
140	1	D-35623			
152	1	D-17164			

Ezychange BiM Holesaw Adapter

Ezychange



Range	Shank dia. mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	9.5	With HSS-G Pilot Drill Bit	1	B-11536	
★★★★☆	-	Ezychange Transition Adapter	6	B-16271	

Ezychange BiM Holesaw Pilot Drill

Ezychange



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	80	For Ezychange BiM Holesaw	1	B-11542	

BiM Holesaw Adapter



Range	Type	Shank dia. mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Adapter	9.5	For 14-30 mm, with pilot drill bit	1	D-17170	
		11	For 32-152 mm, with pilot drill bit	1	D-17186	
	SDS-PLUS adapter	-	For 14-30 mm, with pilot drill bit	1	D-17603	
		-	For 32-76 mm, with pilot drill bit	1	D-17619	

BiM Holesaw Pilot Drill




Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	71	1	D-17192	

BiM Holesaw Assortment



Range	Shank dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	9.5, 11	9	D-47117	
	9.5, 11	9	D-47123	
	9.5, 11	9	D-47139	
	9.5, 11	12	D-47282	
	9.5, 11	14	D-47298	
	9.5, 11	14	D-50572	

BiM Holesaw for Sheet Metal



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	60	Cutting depth 20 mm	1	B-29882	
	64		1	B-29898	
	65		1	B-35994	
	67		1	B-36005	
	68		1	B-36011	
	70		1	B-36027	
	73		1	B-36033	
	76		1	B-36049	
	79		1	B-36055	
	83		1	B-36061	
	86		1	B-36077	
	89		1	B-36083	

Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	102	Cutting depth 20 mm	1	B-36099	
	127		1	B-36108	
	152		1	B-36114	

TCT Holesaw



Range	Size mm	Shank dia. mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★★	16	6	with pilot drill bit	1	B-00898	
	18	6		1	B-00907	
	21	6		1	B-00929	
	22	6		1	B-00935	
	25	10		1	B-00941	
	27	10		1	B-00957	
	28	10		1	B-00963	
	30	10		1	B-00979	
	35	10		1	B-00991	
	38	10		1	B-01002	
	48	10		1	B-01030	
	50	10		1	B-01046	
	55	10		1	B-01052	
	60	13		1	B-01068	
	65	13		1	B-01074	
	68	13		1	B-02652	
	70	13		1	B-01080	
	75	13		1	B-01096	
	80	13		1	B-01105	
	85	13		1	B-01111	
	90	13		1	B-01127	
	95	13		1	B-01133	
	100	13		1	B-01149	
	110	13		1	B-01155	
120	13	1	B-01161			


TCT Holesaw Pilot Drill



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★★	48	for 16-55 mm, for FRP, resin, etc.	1	B-01199	
	48	for 60-120 mm, for FRP, resin, etc.	1	B-01208	
	48	for 60-120 mm, for metal, etc.	1	B-01183	
	48	for 16-55 mm, for metal, etc.	1	B-01177	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Multi Purpose TCT Holesaw




Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	80	Cutting depth 60 mm	1	D-45331	
	83		1	D-45347	
	85		1	D-45353	
	89		1	D-45369	
	95		1	D-50304	
	102		1	D-50310	
	105		1	D-50326	

Multi Purpose TCT Holesaw Adapter



Range	Type	Shank dia. mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Adapter	11	For 22-105 mm, With HSS pilot drill bit	1	D-50376	
		11	For 22-105 mm, With TCT pilot drill bit	1	D-50332	
	SDS PLUS adapter	-	For 22-32 mm, With HSS pilot drill bit	1	D-50382	

Multi Purpose TCT Holesaw Assortment




Range	Shank dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	11	9	D-51297	
	11	10	D-51281	

Tungsten Carbide Grit Holesaw



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	83	Cutting depth 64 mm	1	D-51247	

Vacuum Brazed Diamond Holesaw



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	19	Cutting depth 40 mm	1	B-46006	
	25		1	B-46012	
	30		1	B-46028	
	32		1	B-46034	
	35		1	B-46040	
	38		1	B-46056	
	45		1	B-46062	

Vacuum Brazed Diamond Holesaw Adapter



Range	Type	Shank dia. mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Adapter	12.7	-	1	B-46137	
		12.7	with TCT pilot drill bit	1	B-46115	

Vacuum Brazed Diamond Holesaw Pilot Drill



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	59	TCT	1	B-46121	

ACCESSORIES

▣ Drilling (Masonry)



Aluminum



Wood



Tile



Concrete



Asphalt



Reinforced
concrete



Brick



Stone



For SDS-PLUS
hammers



For SDS-MAX
hammers



Mine



2 cutter



4 cutter



Centering tip



Self sharpening



Tungsten
carbide tip



Dustless



Tungsten
carbide tip




Chuck 10-13
mm




Cylindrical
shank

TCT Drill Bit with Straight Shank




Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	3	60	30	1	D-05228	
	4	70	35	1	D-05234	
	5	85	45	1	D-05240	
	6	100	60	1	D-05256	
	6	150	90	1	D-05262	
	7	100	55	1	D-05278	
	8	110	60	1	D-05290	
	8	150	90	1	D-05309	
	9	150	90	1	D-05315	
	10	150	90	1	D-05321	
	10	400	315	1	D-18960	
	11	150	90	1	D-05337	
	12	150	90	1	D-05343	
	12	400	315	1	D-17697	
	12	600	505	1	D-17728	
	13	150	85	1	D-05359	
	14	150	85	1	D-05365	
	14	400	315	1	D-18976	
	16	150	85	1	D-05387	
	16	400	315	1	D-17706	
16	600	505	1	D-17734		
18	400	315	1	D-18982		
20	400	315	1	D-17712		
20	600	505	1	D-17740		

TCT Drill Bit with Straight Shank Brick




Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	3	60	30	1	D-40727	
	4	75	40	1	D-40749	
	5	85	55	1	D-40761	
	5	150	100	1	D-40777	
	6	100	60	1	D-40808	
	6	150	100	1	D-40814	
	6	200	130	1	D-40820	
	6	400	350	1	D-40836	
	7	100	60	1	D-40870	
	7	150	100	1	D-40886	
	7	400	350	1	D-40892	
	8	120	80	1	D-40901	
	8	150	100	1	D-40917	
	8	200	130	1	D-40923	
	8	400	350	1	D-40939	
	9	120	80	1	D-40945	
	10	120	80	1	D-40951	
	10	200	130	1	D-40973	
	10	400	350	1	D-40989	
	11	150	100	1	D-40995	
	12	150	100	1	D-41006	
	12	200	130	1	D-41012	
	12	400	350	1	D-41028	

TCT Drill Bit with Straight Shank Multiple



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	3	60	30	5	D-71788	
	4	70	35	5	D-71794	
	5	85	45	5	D-71803	
	6	100	60	5	D-71819	
	6	150	90	5	D-71825	
	6.5	100	55	5	D-71831	
	7	100	60	5	D-16508	
	8	110	60	5	D-16514	
	8	110	60	5	D-71847	
	8	150	90	5	D-71853	
	10	150	90	5	D-71869	

TCT Drill Bit with Straight Shank Brick Assortment



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	5x85, 6x100, 8x120	3	D-41034	

TCT Drill Bit with Straight Shank Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	5x85, 5.5x100, 6.5x100, 8x150, 10x150	5	D-36762	
	5x110, 6x110, 7x110, 8x110, 10x110	5	D-20719	

TCT Drill Bit with Straight Shank Brick Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	4x75, 5x85, 6x100, 8x120, 10x120	5	D-41040	
	4x75, 5x85, 6x100, 8x120, 10x120	5	D-72877	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

TCT Drill Bit with Straight Shank Multi Material

Range:
Work material: brick, wood, tile, plastic



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	60	28	1	D-30287	
	4	70	35	1	D-30293	
	5	85	43	1	D-30302	
	5.5	85	43	1	D-31027	
	5.5	100	58	1	D-31033	
	5.5	150	108	1	D-31049	
	6	100	58	1	D-30318	
	6	150	108	1	D-30324	
	6.5	85	43	1	D-31055	
	6.5	100	58	1	D-31061	
	6.5	150	108	1	D-31077	
	7	100	53	1	D-30330	
	7	150	103	1	D-30346	
	8	110	57	1	D-30352	
	8	150	97	1	D-30368	
	9	150	97	1	D-30374	
	10	150	97	1	D-30380	
	10	400	300	1	D-30396	
11	150	93	1	D-30405		
12	150	93	1	D-30411		
12	600	500	1	D-30433		
13	150	85	1	D-30449		
14	150	85	1	D-30455		

TCT Drill Bit with Straight Shank Multi Material Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4x70, 5x85, 6x100, 8x150, 10x150	5	D-36712	
★★★★☆	5x85, 6x100, 8x110, 10x150, 12x150	5	D-30477	

TCT Drill Bit with Straight Shank Multi Material Multiple



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	60	28	5	D-71875	
	4	70	35	5	D-71881	
	5	85	43	5	D-71897	
	6	100	58	5	D-71906	
	6	150	108	5	D-71912	
	8	110	57	5	D-71928	
	8	150	97	5	D-71934	
	10	150	97	5	D-71940	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

TCT Drill Bit for SDS-PLUS Hammers



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	3.5	90	30	1	D-16950	
	3.5	110	50	1	D-15665	
	4	110	50	1	D-00016	
	5	110	50	1	D-00022	
	5	160	100	1	D-00038	
	5.5	110	50	1	D-00044	
	5.5	160	100	1	D-16106	
	5.8	110	50	1	D-03268	
	6	110	50	1	D-00050	
	6	160	100	1	D-00066	
	6	210	150	1	D-00072	
	6	260	200	1	D-25666	
	6.5	110	50	1	D-00088	
	6.5	160	100	1	D-00094	
	6.5	210	150	1	D-45082	
	7	110	50	1	D-00103	
	7	160	100	1	D-00119	
	8	110	50	1	D-00125	
	8	160	100	1	D-00131	
	8	210	150	1	D-00147	
	8	260	200	1	D-00153	
	8	460	400	1	D-29206	
	9	110	50	1	D-08040	
	9	160	100	1	D-08056	
	9	210	150	1	D-00169	
	9.5	210	150	1	D-03274	
	10	110	50	1	D-09117	
	10	160	100	1	D-00175	
	10	210	150	1	D-00181	
	10	260	200	1	D-00197	
	10	310	250	1	D-00206	
	10	460	400	1	D-17538	
	11	160	100	1	D-00212	
	12	160	100	1	D-00228	
	12	210	150	1	D-00234	
	12	260	200	1	D-00240	
	12	350	290	1	D-16112	
	12	460	400	1	D-16271	
	12.5	160	100	1	D-14102	
	12.7	160	100	1	D-03280	
	12.7	350	290	1	D-03296	
	13	160	100	1	D-00256	
	13	260	200	1	D-25622	
	13	350	290	1	D-16128	
	14	160	100	1	D-00262	
	14	210	150	1	D-21331	
	14	260	200	1	D-00278	
	14	350	290	1	D-16134	
	14	460	400	1	D-17544	
	14.3	160	100	1	D-03997	
15	160	100	1	D-00284		
15	260	200	1	D-25638		
15	350	290	1	D-16140		
15	460	400	1	D-17550		
16	160	100	1	D-03981		
16	210	150	1	D-00290		
16	260	200	1	D-16156		
16	310	250	1	D-00309		
16	350	290	1	D-16162		
16	460	400	1	D-16287		
17	160	100	1	D-16178		
17	210	150	1	D-00315		
17	260	200	1	D-16184		
17	350	290	1	D-16190		
17.5	160	100	1	D-03305		
18	160	100	1	D-16209		
18	210	150	1	D-00321		
18	260	200	1	D-16215		
18	300	240	1	D-00337		
18	350	290	1	D-16221		
18	460	400	1	D-17566		
19	210	150	1	D-00343		
19	350	290	1	D-16243		
19	460	400	1	D-16293		
20	210	150	1	D-00359		
20	260	200	1	D-16259		

★★★★★

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	20	310	250	1	D-00365	
	20	350	290	1	D-16265	
	20	460	400	1	D-15235	
	22	260	200	1	D-00371	
	22	310	250	1	D-08062	
	22	460	400	1	D-15241	
	24	260	200	1	D-25644	
	24	460	400	1	D-16302	
	25	260	200	1	D-00387	
	25	310	250	1	D-08517	
	25	350	290	1	D-03311	
	25	460	400	1	D-15257	
	26	260	200	1	D-00393	
	26	310	250	1	D-08078	
	26	460	400	1	D-15263	
	28	460	400	1	D-16318	
	30	460	400	1	D-17572	

TCT Drill Bit for SDS-PLUS Hammers Multiple



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	6	110	50	25	D-61612	
	6	110	50	50	D-61628	
	8	110	50	25	D-61634	
	8	110	50	50	D-61640	
	10	110	50	25	D-61656	
	10	110	50	50	D-61662	

TCT Drill Bit for SDS-PLUS Hammers Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	5x110, 6x110, 6x160, 8x110, 8x160	5	D-00795	
	5x160, 6x160, 7x160, 8x160, 10x160	5	D-20703	
	5x160, 6x160, 6x160, 8x160, 8x160	5	D-58914	
	5.5x110, 6x160, 7x110, 7x160, 8x160	5	D-03888	
	6x110, 6.5x110, 8x160, 10x160, 12x160	5	D-17784	
	6x110, 6x160, 8x110, 8x160, 10x160	5	D-61678	
	5x110, 6x110, 6x160, 7x110, 7x160	25	D-33853	


TCT Drill Bit for SDS-PLUS Hammers Assortment in Aluminum Case with Makita Blue



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	5x110, 6x110, 6x160, 7x110, 7x160, 8x110, 8x160, 10x160, 10x210, 12x160, 12x210, 14x160, 14x210, 16x210	14	D-42422	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

TCT Drill Bit for SDS-PLUS Hammers Centering Tip



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	5	110	50	1	B-54128	
	5	160	100	1	B-54134	
	5.5	110	50	1	B-55865	
	5.5	160	100	1	B-55871	
	6	110	50	1	B-54140	
	6	160	100	1	B-54156	
	6	210	150	1	B-54162	
	6.5	110	50	1	B-55887	
	6.5	160	100	1	B-55893	
	8	110	50	1	B-54178	
	8	160	100	1	B-54184	
	8	210	150	1	B-55952	
	8	260	200	1	B-55968	
	9	210	150	1	B-67860	
	10	110	50	1	B-55980	
	10	160	100	1	B-54190	
	10	210	150	1	B-54209	
	10	260	200	1	B-55996	
	10	450	400	1	B-56013	
	11	210	150	1	B-67898	
	12	160	100	1	B-54215	
	12	210	150	1	B-54221	
	12	260	200	1	B-56029	
	12	310	250	1	B-67913	
	12	450	400	1	B-56041	
	13	260	200	1	B-67935	
	14	160	100	1	B-56063	
	14	210	150	1	B-56079	
	14	260	200	1	B-56085	
	14	310	250	1	B-67941	
	14	450	400	1	B-56100	
	15	160	100	1	B-67957	
15	260	200	1	B-67963		
16	160	100	1	B-56116		
16	210	150	1	B-56122		
16	260	200	1	B-67979		
16	310	250	1	B-56138		
16	450	400	1	B-56150		
18	210	150	1	B-62125		
18	350	290	1	B-62131		
20	210	150	1	B-62169		
20	310	250	1	B-67991		
20	350	290	1	B-62175		
20	460	400	1	B-68074		
22	210	150	1	B-62181		
22	350	290	1	B-62197		
24	210	150	1	B-62206		
24	260	200	1	B-68018		
24	350	290	1	B-62212		
24	460	400	1	B-68096		
25	210	150	1	B-62228		
25	260	200	1	B-68024		
25	350	290	1	B-62234		
25	460	400	1	B-68105		
26	260	200	1	B-68030		
26	460	400	1	B-68111		
28	210	150	1	B-62240		
28	350	290	1	B-62256		
30	210	150	1	B-62262		
30	350	290	1	B-62278		
32	350	290	1	B-62284		

TCT Drill Bit for SDS-PLUS Hammers Centering Tip Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6x110, 8x160, 8x160, 10x160, 10x160	5	B-54704	

TCT Drill Bit for SDS-PLUS Hammers 4 cutter



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	110	50	1	B-62496	
	6	160	100	1	B-62505	
	6	210	150	1	B-62511	
	6	260	200	1	B-62527	
	6.5	110	50	1	B-62533	
	6.5	160	100	1	B-62549	
	7	110	50	1	B-62577	
	7	160	100	1	B-62583	
	8	110	50	1	B-62608	
	8	160	100	1	B-62614	
	8	210	150	1	B-62620	
	8	260	200	1	B-62636	
	10	110	50	1	B-62664	
	10	160	100	1	B-62670	
	10	210	150	1	B-62686	
	10	260	200	1	B-62692	
	10	310	250	1	B-62701	
	10	460	400	1	B-62723	
	12	160	100	1	B-62739	
	12	210	150	1	B-62745	
	12	260	200	1	B-62751	
	12	310	250	1	B-62767	
	12	460	400	1	B-62789	
	14	160	100	1	B-62795	
	14	210	150	1	B-62804	
	14	260	200	1	B-62810	
	14	350	290	1	B-62832	
	14	460	400	1	B-62848	
	16	160	100	1	B-62854	
	16	210	150	1	B-62860	
	16	260	200	1	B-62876	
	16	350	290	1	B-62898	
	16	460	400	1	B-62907	
	18	260	200	1	B-68177	
	20	260	200	1	B-68183	
	20	460	400	1	B-68242	
	22	460	400	1	B-68258	
	25	260	200	1	B-68208	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

TCT Drill Bit for SDS-PLUS Hammers Nemesis I



Range	Bit dia. mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	7	160	1	B-11760	


TCT Drill Bit for SDS-PLUS Hammers Nemesis II



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	5	115	50	1	B-57897	
	5	165	100	1	B-57906	
	5	215	150	1	B-57912	
	5	265	200	1	B-57928	
	5	315	250	1	B-57934	
	5.5	115	50	1	B-57940	
	5.5	165	100	1	B-57956	
	6	115	50	1	B-57962	
	6	165	100	1	B-57978	
	6	215	150	1	B-57984	
	6	265	200	1	B-57990	
	6	315	250	1	B-58001	
	6.5	165	100	1	B-58023	
	6.5	215	150	1	B-58039	
	7	115	50	1	B-58067	
	7	165	100	1	B-58073	
	8	115	50	1	B-58095	
	8	165	100	1	B-58104	
	8	215	150	1	B-58110	
	9	165	100	1	B-58176	
9	265	200	1	B-58182		
10	115	50	1	B-58198		
10	165	100	1	B-58207		
10	215	150	1	B-58213		
10	265	200	1	B-58229		
10	315	250	1	B-58235		
10	455	390	1	B-58257		
10	600	540	1	B-58263		
10	1000	940	1	B-58279		
11	160	110	1	B-58285		
11	210	160	1	B-58291		
11	260	210	1	B-58300		
11	310	260	1	B-58316		
12	160	110	1	B-58322		
12	165	100	1	E-14532		
12	210	160	1	B-58338		
12	215	150	1	E-14548		
12	260	210	1	B-58344		
12	265	200	1	E-14554		
12	310	260	1	B-58350		
12	450	400	1	B-58366		
13	160	110	1	B-58394		
13	165	100	1	E-14598		
13	210	160	1	B-58403		
13	260	210	1	B-58419		
14	160	110	1	B-58431		
14	165	100	1	E-14635		
14	210	160	1	B-58447		
14	215	150	1	E-14641		
14	260	210	1	B-58453		
14	310	260	1	B-58469		
14	315	250	1	E-14663		
14	455	390	1	E-14679		
14	450	400	1	B-58475		
15	160	110	1	B-58506		
15	210	160	1	B-58512		
15	260	210	1	B-58528		
15	450	400	1	B-58534		


Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	16	160	110	1	B-58540	
	16	165	100	1	E-14738	
	16	210	160	1	B-58556	
	16	215	150	1	E-14744	
	16	260	210	1	B-58562	
	16	265	200	1	E-14750	
	16	310	260	1	B-58578	
	16	450	400	1	B-58584	
	18	250	200	1	B-58615	
	18	450	400	1	B-58621	
	20	250	200	1	B-58637	
	20	450	400	1	B-58659	
	22	250	200	1	B-58665	
	22	450	400	1	B-58687	
	24	250	200	1	B-58693	
	24	450	400	1	B-58702	
	25	250	200	1	B-58718	
	25	450	400	1	B-58724	
	28	250	200	1	B-58746	
	28	450	400	1	B-58752	
	30	250	200	1	B-58768	
	30	450	400	1	B-58774	
	32	450	400	1	B-58780	

TCT Drill Bit for SDS-PLUS Hammers Dustless



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	12	330	200	1	B-64381	
	14	360	240	1	B-64397	
	16	360	240	1	B-64406	
	18	360	240	1	B-64412	

TCT Drill Bit for SDS-MAX Hammers



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)	
★★★☆☆	10	305	-	1	A-17382		
	10.5	305	-	1	A-17398		
	11	305	-	1	A-17407		
	12	305	-	1	A-17413		
	12.7	305	-	1	A-17435		
	14.3	305	-	1	A-17457		
	16	305	-	1	A-17479		
	20	540	-	1	A-19439		
	21.5	305	-	1	A-17538		
	25	320	-	1	A-17550		
	28	370	-	1	A-17566		
	28	540	-	1	A-19495		
	30	540	-	1	A-19504		
	32	370	-	1	A-17572		
	32	540	-	1	A-19510		
	35	370	-	1	A-17588		
	38	370	-	1	A-17594		
	★★☆☆☆	12	340	200	1	D-33875	
		12	540	400	1	D-33881	
		14	340	200	1	D-33897	
14		540	400	1	D-33906		
15		340	200	1	D-33912		
15		540	400	1	D-33928		
★★☆☆☆	16	340	200	1	D-33934		
	16	540	400	1	D-33940		

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	18	340	200	1	D-33956	
	18	540	400	1	D-33962	
	20	340	200	1	D-33978	
	20	540	400	1	D-33984	
	22	340	200	1	D-33990	
	22	540	400	1	D-34001	
	24	340	200	1	D-34017	
	24	540	400	1	D-34023	
	25	340	200	1	D-34039	
	25	540	400	1	D-34045	
	28	370	250	1	D-34051	
	28	570	450	1	D-34067	
	30	370	250	1	D-34073	
	30	570	450	1	D-34089	
	32	370	250	1	D-34095	
	32	570	450	1	D-34104	
	35	370	250	1	D-34110	
	35	570	450	1	D-34126	
	38	370	250	1	D-34132	
	38	570	450	1	D-34148	
	40	370	250	1	D-34154	
	40	570	450	1	D-34160	

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	28	670	550	1	B-20161	
	28	920	800	1	B-20177	
	30	370	250	1	B-20183	
	30	570	450	1	B-20199	
	32	370	250	1	B-20208	
	32	570	450	1	B-20214	
	32	920	800	1	B-20220	
	35	370	250	1	B-20236	
	35	570	450	1	B-20242	
	35	670	550	1	B-20258	
	35	920	800	1	B-20264	
	38	370	250	1	B-20270	
	38	570	450	1	B-20286	
	40	370	250	1	B-20292	
	40	570	450	1	B-20301	
	40	920	800	1	B-20317	

TCT Drill Bit for SDS-MAX Hammers MAK4



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	16	540	400	1	P-77746	
	20	520	400	1	P-77827	
	22	520	400	1	P-77861	
	24	520	400	1	P-77908	
	30	570	450	1	P-78025	

TCT Drill Bit for SDS-MAX Hammers Mining



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	28	670	550	1	B-15039	
	32	570	450	1	B-14613	
	32	920	800	1	B-15045	

TCT Drill Bit for SDS-MAX Hammers Mining 2



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	28	670	550	1	B-39431	
	30	720	600	1	B-39447	
	32	570	450	1	B-39453	
	32	920	800	1	B-39469	

TCT Drill Bit for SDS-MAX Hammers Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	16x340, 18x340, 20x340	3	D-40587	

TCT Drill Bit for SDS-MAX Hammers Nemesis



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	12	340	200	1	B-19897	
	12	540	400	1	B-19906	
	12	740	600	1	B-19912	
	14	340	200	1	B-19928	
	14	540	400	1	B-19934	
	15	340	200	1	B-19940	
	15	540	400	1	B-19956	
	16	340	200	1	B-19962	
	16	540	400	1	B-19978	
	16	940	800	1	B-19984	
	18	340	200	1	B-19990	
	18	540	400	1	B-20002	
	18	940	800	1	B-20018	
	20	320	200	1	B-20024	
	20	520	400	1	B-20030	
	20	920	800	1	B-20046	
	22	320	200	1	B-20052	
	22	520	400	1	B-20068	
	22	920	800	1	B-20074	
	24	320	200	1	B-20080	
	24	520	400	1	B-20096	
	25	320	200	1	B-20105	
	25	520	400	1	B-20111	
	25	920	800	1	B-20127	
	26	520	400	1	B-20133	
	28	370	250	1	B-20149	
	28	570	450	1	B-20155	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

TCT Drill Bit for SDS-MAX Hammers Dustless



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	16	600	400	1	B-64428	
	18			1	B-64434	
	20			1	B-64440	

TCT Drill Bit for 17 mm Hex Shank Hammers



Range	Bit dia. mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	16	280	1	D-20127	
	16	505	1	D-20133	
	18	280	1	D-20149	
	19	505	1	D-20177	
	20	280	1	D-20183	
	22	505	1	D-20214	
	25.5	280	1	D-20220	
	25.5	505	1	D-20236	
	32	280	1	D-20264	
	32	505	1	D-20270	
	35	280	1	D-20286	
	35	505	1	D-20292	

Concrete Core Cutter for SDS-MAX Hammers



Range	Bit dia. mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	40	550	1	B-57629	
	45	550	1	B-57635	
	45	990	1	B-57641	
	55	550	1	B-57657	
	55	990	1	B-57663	
	65	550	1	B-57679	
	65	990	1	B-57685	
	80	550	1	B-57691	
	80	990	1	B-57700	

Bull Point for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	140	1	D-19152	
	160	1	D-08034	

Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	230	1	D-71249	
	250	1	D-08713	
	250	1	D-62424	
	400	1	D-19015	

Cold Chisel for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	20 x 140	1	D-19168	
	20 x 160	1	D-71255	
	20 x 230	1	D-71261	
	20 x 250	1	D-08729	
	20 x 250	1	D-62430	
	20 x 400	1	D-19021	

Scaling Chisel for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	38 x 200	1	A-30483	
	40 x 230	1	D-71277	
	40 x 250	1	D-08735	
	50 x 215	1	D-25616	

Grooving Chisel for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	8 x 170	1	A-30075	

Scraper Assembly for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	100 x 160	1	A-68161	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Chisel for SDS-PLUS Hammers Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Bull point 250, Cold chisel 20 x 250, Scaling chisel 40 x 250	3	D-30134	
	Bull point 230, Cold chisel 20 x 230, Scaling chisel 40 x 230	3	D-71314	

Chisel for SDS-PLUS Hammers Assortment in Aluminum Case with Makita Blue



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Bull point 250, Cold chisel 20 x 250, Scaling chisel 40 x 250	3	D-42357	
	Bull point 250, Cold chisel 20 x 250	4	D-42363	
	Bull point 250, Cold chisel 20 x 250, Scaling chisel 40 x 250	5	D-42379	

Bull Point for SDS-MAX Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	280	1	A-80787	
	400	1	A-80793	
	600	1	A-87476	
★★★★☆	300	1	D-34176	
	400	1	D-34182	

Bull Point for SDS-MAX Hammers Self-Sharpener

Self sharpening



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	400	1	B-10366	
	400	1	B-10621	

Bull Point for SDS-MAX Hammers Self Sharpening (Twisted Tip)

Self sharpening



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	400	1	E-13172	

Cold Chisel for SDS-MAX Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	25 x 280	1	A-80802	
	25 x 400	1	A-80818	
	24 x 600	1	A-87482	
★★★★☆	25 x 300	1	D-34207	
	25 x 400	1	D-34213	

Cold Chisel for SDS-MAX Hammers Self-Sharpener

Self sharpening



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
	25 x 400	1	B-64783	

Scaling Chisel for SDS-MAX Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	50 x 400	1	A-80824	
	50 x 400	1	D-34235	
★★★★☆	80 x 300	1	D-34241	

Scaling Chisel for SDS-MAX Hammers Self-Sharpener

Self sharpening



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	50 x 350	1	B-14015	


*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Scaling Chisel for SDS-MAX Hammers Tile



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	50 x 300	1	A-80830	
	50 x 300	1	B-14021	

Clay Spade for SDS-MAX Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	105 x 400	1	A-17653	

Rammer for SDS-MAX Hammers



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
Specialized	140	Without adapter. Use with adapter (A-19897)	1	A-19875	

Bushing Tool for SDS-MAX Hammers




Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
Specialized	60 x 60	Without adapter. Use with adapter (A-19897)	1	A-19881	

Shank Adapter for SDS-MAX Hammers



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
Specialized	250	Shank for A-19881, A-19875	1	A-19897	

SDS-MAX to SDS-PLUS Adaptor



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	220	1	P-17027	

Chisel for SDS-MAX Hammers Assortment in Aluminum Case with Makita Blue



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Bull point 300, 400, Cold chisel 25 x 400, 25 x 300	4	D-42466	
	Bull point 400, Cold chisel 25 x 400, Scaling chisel 50 x 400	3	D-42450	
	Bull point 400, Cold chisel 25 x 400	5	D-42472	
	Bull point 400, Cold chisel 25 x 400, Scaling chisel 50 x 400, 80 x 300	6	D-42488	

Bull Point for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	210	1	D-16374	
	255	1	D-71283	
	280	1	D-08682	
	280	1	D-26303	
	350	1	D-29860	
	450	1	D-16863	

Cold Chisel for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	19 x 210	1	D-26587	
	19 x 280	1	D-08707	
	19 x 450	1	D-16879	
	22 x 255	1	D-71299	

Scaling Chisel for 17mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	50 x 280	1	A-80606	
	40 x 255	1	D-71308	
★★★☆☆	50 x 280	1	D-20694	
	50 x 450	1	D-52548	

Grooving Chisel for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	22 x 280	1	A-48555	
	26 x 280	1	A-48561	

Rammer for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	140	1	A-21428	

Bushing Tool for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	60 x 60	1	A-21484	

Ground Rod Adapter for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	180	1	A-47276	

Chisel for 17 mm Hex Shank Hammers Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Bull point 255 Cold chisel 22 x 255 Scaling chisel 40 x 255	3	D-71320	

Bull Point for 21 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	320	1	D-16499	
	450	1	D-23824	

Cold Chisel for 21 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	26 x 450	1	A-80581	
★★★☆☆	26 x 320	1	D-17588	
	26 x 450	1	D-17594	

Scaling Chisel for 21 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	70 x 320	1	D-20672	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Clay Spade for 21 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	130 x 460	1	A-47391	

Scaling Chisel for 28.6 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	75 x 410	1	D-29228	
	75 x 410	1	D-61553	
	75 x 520	1	D-20725	

Rammer for 21 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	140	1	A-21434	

Rammer for 28.6 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	200	1	798385-3	

Bull Point for 28.6 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	350	1	D-65034	
	410	1	D-17631	
	410	1	D-61531	
	520	1	D-17675	

Bull Point for 30 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	400	1	D-15285	

Bull Point for 28.6 mm Hex Shank Hammers Self-Sharpening

Self sharpening



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	400	1	B-10372	

Bull Point for 30 mm Hex Shank Hammers Self-Sharpening

Self sharpening



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	400	1	B-10388	

Cold Chisel for 28.6 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	28 x 410	1	D-17647	
	28 x 410	1	D-61547	
	28 x 520	1	D-17681	

Cold Chisel for 30 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	30 x 400	1	D-15300	

Scaling Chisel for 30 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	75 x 310	1	D-23868	
	100 x 310	1	A-25183	

Clay Spade for 30 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	120 x 500	1	B-10300	

Rammer for 30 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	200	1	A-31485	

Bull Point for Makita Small Shank



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	220	1	B-06921	

Scaling Chisel for Makita Small Shank




Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	20 x 220	1	B-07004	
	30 x 150	1	B-07331	
	50 x 150	1	B-07347	
	50 x 220	1	B-07010	

Grooving Chisel for Makita Small Shank



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	8 x 170	1	A-21543	
	12 x 170	1	A-21559	

Floor Scraper Blade and Assembly Chisel for Makita Small Shank



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	100	1	A-43022	

TCT Drill Bit & Chisel for Sds-Plus Hammers Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Drill 5 to 16, Bull point 160, Cold chisel 20 x 140	10	D-46361	


*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

TCT Drill Bit & Chisel for SDS-PLUS Hammers Assortment in Aluminum Case with Makita Blue



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Drill 5.5 to 16, Bull point 250, Cold chisel 20 x 250	10	D-70904	
	Drill 5.5 to 20, Bull point 250, Cold chisel 20 x 250	10	D-42391	
	Drill 6 to 20, Bull point 250, Cold chisel 20 x 250	10	D-42385	
	Drill 5 to 16, Bull point 250, Cold chisel 20 x 250	13	D-42400	
	Drill 5 to 16, Bull point 250, Cold chisel 20 x 250	13	D-42416	
	Drill 5 to 14, Bull point 140, 250, Cold chisel 20 x 250, 20 x 140, Scaling chisel 40 x 250	17	D-42438	
	Drill 5 to 14, Bull point 140, 250, Cold chisel 20 x 250, 20 x 140, Scaling chisel 40 x 250	17	D-42444	

TCT Drill Bit & Chisel for SDS-PLUS Hammers Assortment in Roll Up Pouch



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Drill 5.5 to 16, Bull point 250, Cold chisel 20 x 250	13	D-70895	


TCT Drill Bit & Chisel for SDS-MAX Hammers Assortment in Aluminum Case (Makita Blue)



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Drill 18 to 25, Bull point 400, Cold chisel 25 x 400, Scaling chisel 50 x 400	7	D-42494	

ACCESSORIES

Fastening



Double end



6.35 Hex shank MZ



6.35 Hex shank NZ



6.35 hex shank
C form



Hex shank



1/4inch SQ



3/8inch SQ



1/2inch SQ



Pin ring



Magnet



Flexible



For SDS-PLUS
hammers

Torsion Screw Bit C-form Impact PREMIER



Impact
PREMIER



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	C-form	PH 2	25	2	E-03137	

Torsion Screw Bit E-form Impact PREMIER



Impact
PREMIER



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (MZ)	PH 1	50	2	E-03268	
		PH 2	50	2	E-03274	
		PH 3	50	2	E-03280	
		T 10	50	2	E-03327	
		T 15	50	2	E-03333	
		T 20	50	2	E-03349	
		T 25	50	2	E-03355	
T 30	50	2	E-03361			

Double Ended Torsion Screw Bit E-form Impact PREMIER



Impact
PREMIER



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (MZ)	PH 2	65	2	E-06286	
		PZ 2	65	2	E-06292	

Ultra Mag Torsion Bit Holder E-form Impact PREMIER



Impact
PREMIER




Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (MZ)	79	1	E-03414	

Torsion Nutsetter E-form Impact PREMIER



Impact
PREMIER



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (MZ)	8	65	1	E-03464	
		10	65	1	E-03470	

Tilt Socket Adapter E-form Impact PREMIER



Impact
PREMIER



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (MZ)	1/2 inch Drive	50	1	E-03436	
		3/8 inch Drive	50	1	E-03420	

Mag Boost Impact PREMIER



Impact
PREMIER



Range	Sales pkg qty	Part No.	RSP (RM)
★★★★★	1	E-03442	

Ultra Mag Attacher & Mag Torsion Set



Impact **GOLD**
Advanced Torque Technology



Range	Shank type	Bit Type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (NZ)	PH2	65	1	B-30483	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Torsion Screw Bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 1	65	3	A-57451	
		PH 1	100	3	A-57467	
		PH 2	65	3	A-57473	
		PH 2	65	6	A-57510	
		PH 2	85	6	A-57526	
		PH 2	100	3	A-57495	
		PH 2	120	3	A-57504	
		PH 2	120	6	A-57445	


Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (MZ)	PH 2	110	3	B-21864	
		PH 1	65	3	A-52881	
		PH 1	110	3	A-52897	
		PH 2	65	3	A-49563	
		PH 2	65	3	A-50924	
		PH 2	65	6	A-49579	
		PH 2	85	3	A-49585	
		PH 2	85	3	A-50952	
		PH 2	110	3	A-49600	
		PH 2	110	3	A-50980	
		PH 2	110	10	B-52037	
		PH 2	150	3	A-50120	
		PH 3	65	3	A-52906	
	PH 3	110	3	A-52912		

Double Ended Torsion Screw Bit E-form Twist



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (NZ)	PH 2	90	3	A-59570	
		PH 2	90	3	A-59601	
		PH 2	120	3	A-59586	
		PH 2	150	3	A-59592	

Screw Bit C-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	C-form	PH 2	25	2	B-63616	
		PH 3	25	2	B-63622	
		PZ 2	25	2	B-63644	

Double Ended Twist Torsion Screw Bit



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (NZ)	PH 2	65	3	A-67505	
		PH 2	90	3	A-67511	
	C-form (NZ)	PH2	90	10 x 6	B-54097-6	

Screw Bit E-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	E-form (NZ)	PH 2	50	2	E-08763	
		PH2	50	10	E-14211	

Double Ended Torsion Screw Bit E-form Twist



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (NZ)	PH2 (Slim)	65	10	B-63127	

Double Ended Screw Bit E-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	E-form (NZ)	PH 2	65	10	E-15827	
		PH 2	110	10	E-15833	

Double Ended Torsion Screw Bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (MZ)	PH 2	65	3	B-20703	
		PH 2	85	3	B-12326	


*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Magnetic Bit Holder E-form Impact BLACK



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	60	1	E-08785	

Socket Adapter E-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	1/2 inch Drive	50	1	E-08850	
		3/8 inch Drive	50	1	E-08844	

Sleeve Chuck Bit Holder E-form Impact BLACK



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	60	1	E-08791	

Screw Bit C-form Impact BLACK with Bit Holder Assortment



Range	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form & E-form (NZ)	8	E-14227	
		10	E-15849	

Nutsetter E-form Impact BLACK



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	8	50	1	E-08816	

Screw Bit C & E-form Impact BLACK Assortment



Range	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form & E-form (NZ)	33	E-06622	
		35	E-06638	

Nutsetter E-form Impact BLACK Assortment in Clear Case Series



Range	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	6	E-18035	

Screw Bit C-form in Blister



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form	PH 2	25	3	B-23466	

Impact Bit Socket Impact BLACK Assortment



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/2 Inch Drive	T30, T40, T45, T50, T55, T60, T70	78	7	E-23628	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Screw Bit C-form in Plastic Case



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form	PH 2	25	100	B-24876	
		PZ 2	25	100	B-24882	
		SQ 2	25	25	B-24670	
		SQ 2	25	100	B-24898	
		T 15	25	25	B-24636	
		T 20	25	25	B-24642	
		T 25	25	25	B-24658	
		T 30	25	25	B-24664	

Screw Bit C-form in Plastic Bag



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form	PH 2	25	100	B-24957	
		PZ 2	25	100	B-24963	
		SQ 2	25	100	B-24979	

Screw Bit for Screwdriver C-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form	PH 2	25	3	798398-4	
		PH 3	25	3	798314-6	

Screw Bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 2	110	1	784234-0	
		SL 0.6 x 5.0	45	3	798301-5	
		SL 0.8 x 6.0	70	3	798298-8	
		SL 1.0 x 6.35	45	3	798299-6	
		SL 1.2 x 10.0	52	3	798303-1	
		SL 1.2 x 8.0	45	3	798300-7	
		SL 1.2 x 8.0	70	3	798302-3	
		SL 1.4 x 10	52	1	784018-6	

Screw Bit E-form in Plastic Case




Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 2	50	10	B-25127	

Screw Bit for Screwdriver E-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 2	117	5	A-12697	
		PH 2	122	5	A-45858	
		PH 2	132	5	A-16536	
		PH 2	162	5	B-10481	
		PH 2	182	5	B-10475	

Torsion Screw Bit E-form 10 pcs Set/ Flip Top Case with Hanger Display



Size	Shank type	Length mm	Per pkg.	Part No.	RSP (RM)
SQ 2	MZ	50	10	B-39562-10	

26 pcs Torsion Screw Bit Set/ Clamshell



- ⊕ PH1,2 x PH2, PH3 x 25mm, PH2 x50 mm
- ⊕ PZ1,2 x PZ2, PZ3 x 25 mm, PZ2 x 50 mm
- ⊕ SQ1,2 x SQ2, SQ3 x 25 mm, SQ2 x 50 mm
- ⊕ T10, T15, 2 x T20, 2 x T25, 2 x T30 x 25 mm, T25 x 50mm

Shank Type	Part No.	RSP (RM)
MZ	B-49915	



*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Double Ended Screw Bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 2	45	1	784229-3	
			45	3	798308-1	
			45	10	D-34827	
			65	1	784203-1	
			65	1	784230-8	
			65	3	798309-9	
			65	10	D-33679	
			110	3	798337-4	
			110	10	D-34833	
			150	3	798338-2	
		250	1	784221-9		
		PH 2-SL 0.8	45	1	784614-0	
			45	3	798310-4	
			65	3	798311-2	
		PH 3	65	3	798311-2	
110	3		798339-0			

Double Ended Screw Bit with 1/4 inch Hex Shank



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/4 Inch Hex	PH 2-SL 5	65	10	D-65545	
		PH 2-SL 5	65	100	D-65539	
		PH 2-SL 5	110	10	D-65551	

Bit Holder for Screwdriver E-form



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (MZ)	60	1	784811-8	
		75	1	784812-6	
		76	1	784801-1	

Sleeve Chuck Bit Holder for SDS-PLUS Hammers



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	SDS-PLUS	80	1	B-57548	

Screw Guide Bit Holder E-form



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (MZ)	80	1	B-48751	
		120	1	B-48767	

Flexible Bit Holder with 1/4 inch Hex Shank



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/4 Inch Hex	200	1	B-29072	
★★★★☆	1/4 Inch Hex	300	1	B-29094	

Flexible Bit Holder E-form



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (NZ)	300	1	B-51851	

Nutsetter E-form



Range	Shank type	Socket size mm(inch)	Length mm	Sales pkg qty	Part No.	RSP (RM)	
★★★★☆	E-form (MZ)	(3/8)	65	1	784802-9		
			7	55	1	784402-5	
	E-form (NZ)		8	55	1	784403-3	
			10	55	1	784405-9	
			13	55	1	784408-3	
			14	55	1	784409-1	
			8	50	50	B-68345	

Socket Adapter E-form



Range	Shank type	Bit type	Length mm(inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (MZ)	1/2 inch Drive	152(6)	1	B-57744	
		3/8 inch Drive	152(6)	1	B-57738	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Socket Adapter



Range	Model Type	Square Drive	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	Impact Driver	1/2 inch Drive	1	A-32415	

Socket Adapter with 7/16 inch Hex Shank



Range	Shank type	Bit type	Length (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	7/16 Inch Hex	1/2 inch Drive	(3)	1	B-59841	
		3/8 inch Drive	(3)	1	B-59835	

Socket Bit E-form Long Type



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	E-form (NZ)	8	90	1	A-58914	
		10	90	1	A-58920	
		12	90	1	A-58936	
		13	90	1	A-58942	
		14	90	1	A-58958	
		17	90	1	A-58964	
		19	90	1	A-58970	
		21	90	1	A-58986	
		24	90	1	A-58992	

Socket Bit E-form Long Type



Range	Shank type	Socket size mm(inch)	Length mm(inch)	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	E-form (MZ)	10	75	1	B-52526	
		10	150	1	B-52532	
		10	300	1	B-52548	
		10	500	1	B-52554	
		10	700	1	B-52560	
		13	75	1	B-52576	
		13	150	1	B-52582	
		13	300	1	B-52598	
		13	500	1	B-52607	
		13	700	1	B-52613	
		17	75	1	B-52629	
		17	150	1	B-52635	
		17	300	1	B-52641	
		17	500	1	B-52657	
		17	700	1	B-52663	
		(9/16)	(3)	1	B-43290	
		(9/16)	(6)	1	B-43309	
		(9/16)	(12)	1	B-43315	
		(9/16)	(18)	1	B-43321	
		(9/16)	(24)	1	B-43337	

Thumb Screw Socket Bit E-form



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (NZ)	13	100	1	A-66139	

Threaded Rod Socket Bit E-form



Range	Shank type	Socket size mm(inch)	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (MZ)	M6, M8, M10	66	3	B-42999	
		M6	66	1	B-42961	
		M8	66	1	B-42977	
		M10	66	1	B-42983	
		(3/8)	66	1	B-51611	

Threaded Rod Socket Display Set

Pop with Threaded Rod (8 mm)



Range	Shank type	Socket size mm(inch)	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	MZ-B	M6 (B-42961)	66	3	B-43022	
		M8 (B-42977)	66	3		
		M10 (B-42983)	66	2		
		M6, M8, M10 (B-42999)	66	1		

Bit Catcher



Range	Note	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	E-form (MZ)	1	B-63096	
	E-form (NZ)	1	B-63105	


Key Adapter



Range	Note	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	E-form (NZ)	1	B-63111	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Screw Bit C-form with Bit Holder Assortment in Battery Type Case



Range	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form & E-form (NZ)	31	B-69901	

Battery Type Case



Part No.	RSP (RM)
B-69917	

Impact Socket



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)	
★★★★☆	1 Inch Drive	35	80	1	134864-1		
		36	80	1	134865-9		
		41	80	1	134872-2		
	3/4 Inch Drive	17	50	1	A-85494		
		19	50	1	A-85519		
		21	52	1	A-85531		
		22	52	1	A-85553		
		24	52	1	A-85575		
		26	52	1	134853-6		
		27	52	1	134855-2		
		30	52	1	134857-8		
		32	52	1	134871-4		
		35	56	1	134860-9		
		36	56	1	134862-5		
		1/2 Inch Drive	8	38	1	B-40054	
			9	38	1	B-40060	
			10	38	1	B-10497	
			10	38	1	B-40076	
	11		38	1	B-40082		
	12		38	1	A-89931		
	12		38	1	B-40098		
	13		38	1	134825-1		
	13		38	1	B-40107		
	13		52	1	134827-7		
	14		38	1	134826-9		
	14		38	1	B-40113		
	14		52	1	134828-5		
	15		38	1	B-40129		
	16		38	1	B-10506		
	16		38	1	B-40135		
	17		38	1	134829-3		
	17		38	1	B-40141		
	17	52	1	134830-8			
	18	38	1	B-40157			
	19	38	1	134831-6			
	19	38	1	B-40163			
19	52	1	134832-4				
20	38	1	B-40179				


Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/2 Inch Drive	21	38	1	134838-2	
		21	38	1	B-40185	
		21	52	1	134833-2	
		22	38	1	134851-0	
		22	38	1	B-40191	
		22	52	1	134834-0	
		23	38	1	134840-5	
		23	38	1	B-40200	
		23	52	1	134835-8	
		24	38	1	B-40216	
		24	52	1	134836-6	
		26	50	1	134842-1	
		27	42	1	B-40222	
		27	50	1	134844-7	
		30	44	1	B-40238	
		30	50	1	134846-3	
		32	44	1	B-40244	
		32	50	1	134848-9	
	3/8 Inch Drive	6	28	1	B-39883	
		7	28	1	B-39899	
		8	28	1	B-39908	
		9	28	1	B-39914	
		10	28	1	B-39920	
		11	28	1	B-39936	
		12	28	1	B-39942	
		13	28	1	B-39958	
		14	28	1	B-39964	
		15	28	1	B-39970	
		16	28	1	B-39986	
		17	30	1	B-39992	
		18	30	1	B-40004	
		19	30	1	B-40010	
		20	30	1	B-40026	
		21	30	1	B-40032	
		22	30	1	B-40048	

Impact Socket Assortment



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/2 Inch Drive	8 to 21	38	8	E-02989	

Impact Deep Socket




Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3/4 Inch Drive	17	95	1	A-85503	
		19	95	1	A-85525	
		21	95	1	A-85547	
		22	95	1	A-85569	
		24	95	1	A-85581	
		26	95	1	134854-4	
		27	95	1	134856-0	
		30	95	1	134858-6	
		32	95	1	134859-4	
		35	95	1	134861-7	
		36	95	1	134863-3	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/2 Inch Drive	12	75	1	134867-5	
		19	78	1	134837-4	
		26	78	1	134843-9	
		27	78	1	134845-5	
		30	78	1	134847-1	
		32	78	1	134849-7	
	3/8 Inch Drive	7	63	1	B-55398	
		8	63	1	B-55407	
		9	63	1	B-55413	
		10	63	1	B-55429	
		11	63	1	B-55435	
		12	63	1	B-55441	
		13	63	1	B-55457	
		14	63	1	B-55463	
		15	63	1	B-55479	
		16	63	1	B-55485	
		17	63	1	B-55491	
		18	63	1	B-55500	
		19	63	1	B-55516	
		20	63	1	B-55522	
		21	63	1	B-55538	
		22	63	1	B-55544	

Impact Deep Socket Assortment



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3/8 Inch Drive	8 to 22	63	14	B-55550	

Impact Socket Extension Bar



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/2 Inch Drive	1/2 inch Drive	75	1	B-55728	
			150	1	B-55712	
			250	1	B-55706	
	1/2 Inch Drive	1/2 inch Drive	100	1	134874-8	
	3/4 Inch Drive	3/4 Inch Drive	150	1	134997-2	
1 Inch Drive	1 Inch Drive	200	1	134870-6		

Impact Socket Spare Part



Range	Shank type	Socket size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/2 Inch Drive	8 to 16	O ring set	3	B-54542	
		8 to 16	Pin set	3	B-54586	
		18 to 19	O ring set	3	B-54564	
★★★★☆	1/2 Inch Drive	18 to 19	Pin set	3	B-54601	
		20 to 32	O ring set	3	B-54570	
		20 to 32	Pin set	3	B-54617	

Bit Adapter



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/2 Inch Drive	E-form (NZ)	57	1	B-68476	
	3/8 Inch Drive	E-form (NZ)	57	1	B-68482	

Bit Adapter Assembly

with Pin and O Ring



Range	Model Type	Size mm	Part No.	RSP (RM)
★★★★☆	6904VH	1-2"	134873-0	

Bit Adapter Assembly

with Pin and O Ring



Range	Model Type	Size	Length mm	Part No.	RSP (RM)
★★★★☆	Impact Wrench	1/2"	84	134877-2	
		3/4"	105	134998-0	


Roll Up Pouch

* No Socket

Part No.	RSP (RM)
E-02995	



Screw Bit & Socket with Ratchet Handle Assortment



Range	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form & E-form	21	B-54081	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

ACCESSORIES

▣ Drill and Screw Bit Sets



MAKPAC Case Series

MAKPAC



Range	pcs.	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	50 to 69	(Set contents, 5 x HSS-G drill bit:4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 5 x Brad point drill bit:4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 3 x Flat bit:16 mm, 20 mm, 25 mm, 46 x Screw bit 25 mm:PH0, PH1, 7 x PH2, PH3, PZ0, PZ1, 7 x PZ2, PZ3, SL4, SL4.5, SL5.5, SL6.5, T10, 2 x T15, 2 x T20, 2 x T25, T27, 2 x T30, T40, T10H, T15H, T20H, T25H, T27H, T30H, T40H, H3, H4, H5, H6, 1 x Magnetic bit holder 60 mm, 1 x Sleeve chuck bitholder, 5 x Magnetic nutsetter:6 mm, 8 mm, 10 mm, 12 mm, 13 mm,)	66	B-43072	

Circle Case Series

Circle series



Range	Pcs	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	70 to 99	(Set contents, 11 x HSS-R drill bit:1.5 mm, 2 mm, 2.5 mm, 3 mm, 3.5 mm, 4 mm, 4.5 mm, 5 mm, 5.5 mm, 6 mm, 6.5 mm, 5 x Brad point drill bit:4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 3 x Flat bit 1/4" hex:16 mm, 22 mm, 32 mm, 6 x Masonry drill bit:4 mm, 5 mm, 6 mm, 7 mm, 8 mm, 10 mm, 1 x Countersink bit, 1 x Diameter guage, 24 x Screw bit 25 mm:PH0, 2 x PH1, 2 x PH2, PH3, PZ0, 2 x PZ1, 2 x PZ2, PZ3, SL4, SL6, SL7, T10, T15, T20, T25, T40, H3, H4, H5, H6, 10 x Screw bit 50 mm:PH1, PH2, PH3, PZ1, PZ2, PZ3, SL4, SL6, T20, T25, 1 x Magnetic bit holder 60mm, 7 x 1/4" drive socket:4 mm, 5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 1 x Socket adapter 1/4" hex to 1/4" drive, 1 x Tape measure 3 m,)	71	D-53001	
	100 to 199	(Set contents, 18 x HSS-R drill bit:1 mm, 1.5 mm, 2 x 2 mm, 2.5 mm, 2 x 3 mm, 3.5 mm, 2 x 4 mm, 4.5 mm, 5 mm, 5.5 mm, 6 mm, 6.5 mm, 7 mm, 8 mm, 10 mm, 7 x Brad point drill bit:3 mm, 4 mm, 5 mm, 6 mm, 7 mm, 8 mm, 10 mm, 3 x Flat bit 1/4" hex:16 mm, 22 mm, 32 mm, 7 x Masonry drill bit:3 mm, 4 mm, 5 mm, 5.5 mm, 6 mm, 7 mm, 8 mm, 1 x Countersink bit, 1 x Diameter guage, 4 x Depth gauge:3 mm, 5 mm, 8 mm, 10 mm, 4 x Hole saw:32 mm, 38 mm, 45 mm, 54 mm, 1 x Hole saw adapter, 40 x Screw bit 25 mm: 2 x PH0, 2 x PH1, 3 x PH2, 3 x PH3, 2 x PZ0, 2 x PZ1, 3 x PZ2, 3 x PZ3, 2 x SL4, 2 x SL6, 2 x SL7, 2 x T10, 2 x T15, 2 x T20, 2 x T25, T30, T40, H3, H4, H5, H6, 1 x Magnetic bit holder 60 mm, 8 x 1/4" drive socket:5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 13 mm, 1 x Socket adapter 1/4" hex to 1/4" drive, 1 x Tape measure 3 m, 1 x Hammer, 1 x Combination plier, 1 x Long nose plier, 1 x Adjustable wrench, 1 x Hex key wrench, 1 x Level,)	103	D-53017	

Square Case Series

Square series



Range	Pcs	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1 to 29	(Set contents, 4 x HSS-R drill bit:3 mm, 4 mm, 5 mm, 6 mm, 4 x Masonry drill bit:4 mm, 5 mm, 6 mm, 8 mm, 8 x Screw bit 25 mm: PH2, PH3, PZ2, PZ3, SL5, SL6, T20, T25, 1 x Magnetic bit holder 60 mm,)	17	D-53693	

Clear Case Series

Clear case



Range	Pcs	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1 to 29	(Set contents, 5 x HSS-TiN drill bit:3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 3 x Brad point drill bit:5 mm, 6 mm, 8 mm, 4 x Masonry drill bit:4 mm, 5 mm, 6 mm, 8 mm, 16 x Screw bit 25 mm:PH1, PH2, PZ1, PZ2, PZ3, SL3, SL5, SL6, T10, T15, T20, T25, H3, H4, H5, H6, 1 x Sleeve chuck bitholder,)	29	E-07113	
	1 to 29	(Set contents, 5 x Masonry drill bit SDS-PLUS shank:5 mm, 2 x 6mm, 8 mm, 10 mm, 8 x Screw bit 50 mm: PH1, 2xPH2, PZ1, PZ2, PZ3, SL5.5, SL6.5, 1 x Sleeve chuck bitholder SDS-PLUS shank, 4 x Nutsetter: 6 mm, 8 mm, 10 mm, 12 mm,)	18	E-07082	

ACCESSORIES

▣ Cutting



Metal,
mild steel



Wood



Wood with
nails



Plastic



Aluminum



MDF



Sandwich material



Fiber cement board



Cross cut



Rip cut



Low noise

TCT Saw Blade for Circular Saw EFFICUT General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Wood	165	25	1.4	1	20	23	ATAFR	-	1	B-63018	
		185	24	1.45	1	20	23	ATAFR	-	1	B-62022	
		185	45	1.45	1	20	23	ATAFR	-	1	B-68616	
		190	24	1.45	1	20	23	ATAFR	-	1	B-64200	
		190	45	1.45	1	20	23	ATAFR	EAC mark only	1	B-68644	
		235	24	2.2	1.5	25	20	ATBR	-	1	E-01959	
		260	24	2.15	1.5	25	23	ATAFR	-	1	E-07733	
	Wood/MDF	165	56	1.45	1	20	23	ATAFR	-	1	B-57364	

TCT Saw Blade for Miter Saw Table Saw EFFICUT General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Wood	190	25	1.85	1.35	20	10	ATBR	1	E-11265	
		190	45	1.85	1.35	20		ATBR	1	E-11271	
		190	60	1.85	1.35	20		ATBR	1	E-11287	
		216	45	2	1.5	25.4		ATBR	1	E-07010	
		216	60	2	1.5	25.4		ATBR	1	E-08969	
		216	80	2	1.5	25.4		ATBR	1	E-08975	
		260	45	2.15	1.65	25.4		ATAFR	1	B-64668	
		260	60	2.15	1.65	25.4		ATAFR	1	B-67430	
		260	80	2.15	1.65	25.4		ATAFR	1	B-67446	
		305	60	2.15	1.65	25.4		ATAFR	1	B-67452	
		305	80	2.15	1.65	25.4		ATAFR	1	B-67468	

TCT Saw Blade for Metal Cutting EFFICUT General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Wood	150	25	1.4	1	20	23	ATAFR	1	E-06937	

TCT Saw Blade for Metal Cutting EFFICUT Metal General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Metal	136	30	1.1	1.0	20	0	SMTCCG	1	B-69428	
	Metal/SUS	136	45	1.1	1.0	20	0	SMTCCG	1	B-69434	
	Metal	185	45	1.4	1.2	20	0	SMTCCG	1	E-12918	
	Metal/SUS	185	60	1.4	1.2	20	0	SMTCCG	1	E-12924	

TCT Saw Blade for Circular Saw Wood Bluemak Oceania



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	185	40	1.8	1.2	20	15.88 (5/8)	18	ATB	1	B-15154	
		235		2.3	1.6	25	-(-)	15		1	B-15207	

TCT Saw Blade for Circular Saw Wood M-FORCE General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	165	16	2	1.2	20	15	M-FORCE	1	A-89698	
		185	16						1	A-89713	
		185	24						1	A-89729	

TCT Saw Blade for Circular Saw Wood Asia



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)	
★★★★☆	Wood	110	30	1.6	1	20	-	10	ATAF	-	1	B-16950		
		160	24	1.8	1.2	20	-	25	ATAF	-	1	B-16966		
		160	30	1.8	1.2	20	-	20	ATB	-	1	B-16972		
		160	36	1.8	1.2	20	-	20	ATAF	-	1	B-16988		
		160	40	1.8	1.2	20	-	20	ATAF	-	1	B-16994		
		160	48	1.8	1.2	20	-	20	ATAF	-	1	B-17005		
		160	60	1.8	1.2	20	-	15	ATAF	-	1	B-17011		
		165	40	1.6	1	20	-	18	ATAF	-	1	B-17027		
		180	24	1.8	1.2	20	-	25	ATAF	-	1	B-17033		
		180	30	1.8	1.2	20	-	20	ATB	-	1	B-17049		
		180	36	1.8	1.2	20	-	20	ATAF	-	1	B-17055		
		180	40	1.8	1.2	20	-	20	ATAF	-	1	B-17061		
		180	48	1.8	1.2	20	-	20	ATAF	-	1	B-17077		
		185	40	1.6	1	20	-	18	ATAF	-	1	B-17083		
		235	24	2.4	1.6	25.4	25	25	25	ATAF	Price competitive	1	B-17164	
		235	30	2.4	1.6	25.4	25	25	25	ATB		1	B-17170	
		235	36	2.4	1.6	25.4	25	25	25	ATB		1	B-17186	
		235	40	2.4	1.6	25.4	25	25	25	ATB		1	B-17192	
		235	48	2.4	1.6	25.4	25	20	20	ATB		1	B-17201	
		235	60	2.4	1.6	25.4	25	20	20	ATAF		1	B-17217	
235	80	2.4	1.6	25.4	25	15	15	ATAF	1	B-17223				

TCT Saw Blade for Circular Saw Wood General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Wood/MDF	165	44	1.45	1	20	-	23	ATAFR	Tooth shape: Double cut, Fluorine coating, Laser slit	1	B-53279	
★★★★☆		165	55	1.6	1.1	20	-	20	ATAFR	Fluorine coating, Laser slit	1	B-57059	
★★★☆☆	Wood	85	20	1	0.7	15	-	10	ATB	-	1	B-14607	
		110	24	1.8	1.2	20	-	10	ATAF	-	1	A-88864	
		110	30	1.8	1.2	20	-	10	ATB	-	1	A-81365	
		136	16	1.5	1	20	-	20	ATAF	-	1	B-09949	
		160	24	2.2	1.4	20	-	25	ATAF	-	1	A-81371	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)	
★★★★☆	Wood	160	30	2.2	1.4	20	-	20	ATAF	-	1	A-81876		
	Wood	160	32	2.2	1.4	20	-	20	ATAF	-	1	A-81387		
	Wood	160	36	2.2	1.4	20	-	20	ATAF	-	1	A-81882		
	Wood	160	40	1.6	1	20	-	18	ATB	-	1	A-80612		
	Wood	160	40	2.2	1.4	20	-	20	ATAF	-	1	A-81898		
	Wood	160	48	2.2	1.4	20	-	20	ATAF	-	1	A-81907		
	Wood	160	60	2	1.4	20	-	15	ATAF	-	1	A-82688		
	Wood	160	60	2.2	1.4	20	-	15	ATB	-	1	A-81393		
	Wood	165	10	2	1.4	20	-	20	FTG	-	1	B-02917		
	Wood	165	24	1.5	1	20	-	20	ATAF	-	1	A-85101		
	Wood	165	40	1.6	1	20	-	18	ATAF	-	1	A-82454		
	Wood	165	40	1.6	1	20	-	18	ATAF	-	1	A-85226		
	Wood	165	52	1.6	1	20	-	20	ATAF	-	1	A-85189		
	Wood	165	60	1.6	1	20	-	18	ATAF	-	1	A-82460		
	Wood	180	24	2.2	1.4	20	-	25	ATAF	-	1	A-81402		
	Wood	180	30	2.2	1.4	20	-	20	ATAF	-	1	A-81913		
	Wood	180	36	2.2	1.4	20	-	20	ATAF	-	1	A-81929		
	Wood	180	40	2.2	1.4	20	-	20	ATAF	-	1	A-81418		
	Wood	180	48	2.2	1.4	20	-	20	ATAF	-	1	A-81935		
	Wood	180	60	2.2	1.4	20	-	15	ATAF	-	1	A-81424		
	Wood	185	40	1.6	1	20	-	18	ATAF	-	1	A-82476		
	Wood	185	40	1.6	1	20	-	18	-	-	1	A-80628		
	Wood	185	40	2	1.4	20	-	18	ATAF	-	1	A-85999		
	Wood	185	60	1.6	1	20	-	18	ATAF	-	1	A-82482		
	Wood	190	24	2	1.4	20	-	20	ATAF	-	1	A-87507		
	Wood	235	20	2.3	1.6	25	-	20	ATB	-	1	A-89947		
	Wood	235	20	2.3	1.6	30	25	25	ATAF	-	1	A-80678		
	Wood	235	24	2.6	1.8	25.4	-	25	ATB	-	1	A-81985		
	Wood	235	30	2.6	1.8	25.4	25(1)	25	ATB	-	1	A-81991		
	Wood	235	36	2.6	1.8	25.4	25(1)	25	ATB	-	1	A-82002		
	Wood	235	40	2.6	1.8	25.4	25(1)	25	ATAF	-	1	A-81468		
	Wood	235	48	2.6	1.8	25.4	25(1)	20	ATAF	-	1	A-82018		
	Wood	235	60	2.6	1.8	25.4	25(1)	20	ATAF	-	1	A-81474		
	Wood	235	80	2.6	1.6	25.4	25(1)	15	ATB	-	1	A-81480		
	Wood	260	24	2.3	1.6	25.4	-	20	ATB	-	1	B-10584		
	Wood	270	18	2.6	1.8	25.4	-	20	ATB	-	1	B-12843		
	Wood	335	60	3	2.2	25	-	20	ATB	-	1	B-12603		
	Wood	415	60	2.6	1.8	25	-	20	ATAF	-	1	792118-8		
	★★★★☆	Wood	110	12	1.7	1.1	20	-	15	ATB	-	1	D-15562	
		Wood	110	24	1.7	1.1	20	-	10	ATB	-	1	D-15578	
		Wood	160	16	2	1.3	20	16	20	ATB	-	1	D-16433	
		Wood	160	24	2	1.3	20	16	20	ATB	-	1	D-34257	
		Wood	160	40	2	1.3	20	16	18	ATB	-	1	D-34263	
		Wood	165	16	2	1.3	20	-	20	ATB	-	1	D-09628	
		Wood	165	24	2	1.3	20	-	20	ATB	-	1	D-03333	
Wood		165	40	2	1.3	20	-	18	ATB	-	1	D-03349		
Wood		185	16	2	1.3	30	16, 20	20	ATB	-	1	D-03903		
Wood		185	20	2	1.3	30	16, 20	20	ATB	-	1	D-09634		
Wood		185	24	1.8	1.2	20	-	20	ATB	-	1	D-19037		
Wood		185	24	2	1.3	20	-	20	ATB	-	1	D-03355		
Wood		185	40	2	1.3	20	-	18	ATB	-	1	D-03361		
Wood		185	40	2	1.3	30	16, 20	18	ATB	-	1	D-03919		
Wood		185	40	2.2	1.4	20	-	15	ATB	-	1	P-83901		
Wood		195	80	2	1.3	25.4	16, 20	10	ATB	-	1	D-16396		
Wood		210	24	2	1.3	25	-	20	ATB	-	1	D-29066		
Wood		210	24	2	1.3	30	-	20	ATB	-	1	D-29050		
Wood		210	40	2	1.3	25	-	18	ATB	-	1	D-34300		
Wood		235	20	2.4	1.6	25	-	20	ATB	-	1	D-15811		
Wood		235	20	2.4	1.6	30	25, 25.4	20	ATB	-	1	D-03925		
Wood		235	40	2.4	1.6	25	-	18	ATB	-	1	D-16570		
Wood		235	40	2.4	1.6	25.4	25	18	ATB	-	1	D-03377		
Wood		235	48	2.4	1.6	30	25	18	ATB	-	1	D-03931		
Wood		235	60	2.4	1.6	25	-	15	ATB	-	1	D-34322		
Wood		235	60	2.4	1.6	30	25	15	ATB	-	1	D-09640		
Wood		235	80	2.8	1.8	30	25	12	TCG	-	1	D-17918		
Wood/MDF		185	60	2.2	1.5	20	-	-5	TCG	-	1	D-59427		
Wood/MDF		185	60	2.4	1.5	20	15.88	12	TCG	-	1	D-21381		
Wood/MDF		185	60	2.4	1.5	30	15.88, 20	12	ATB	-	1	D-38934		
Wood/MDF	185	60	2.4	1.5	30	16, 20	12	TCG	-	1	D-17902			
★★★★☆	Wood	165	16	2	1.2	20	-	12	ATB	-	1	D-50485		
	Wood	165	24	2	1.2	20	-	12	ATB	-	1	D-50491		
	Wood	165	40	2	1.2	20	-	12	ATB	-	1	D-50500		
	Wood	185	16	2.2	1.4	25.4	20	18	ATB	-	1	D-50516		
	Wood	185	24	2.2	1.4	25.4	20	15	ATB	-	1	D-50522		
	Wood	185	40	2.2	1.4	25.4	20	14	ATB	-	1	D-50538		
	Wood	210	24	2.5	1.6	25	-	15	ATB	-	1	D-72344		
	Wood	210	40	2.5	1.6	25	-	15	ATB	-	1	D-72350		
	Wood	235	20	2.5	1.6	25.4	25	14	ATB	-	1	D-50544		
	Wood	235	40	2.5	1.6	25.4	25	12	ATB	-	1	D-50550		
	Wood	235	60	2.5	1.6	25.4	25	12	ATB	-	1	D-50566		
	Wood/MDF	185	60	2.2	1.4	20	15.88	-5	TCG	-	1	D-61466		

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

TCT Saw Blade for Circular Saw Wood with Nails Tip Embedded General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood/NAIL	165	16	2	1.25	20	23	ATB	1	A-86022	
		165	24	2			23		1	A-86038	
		165	40	2			18		1	A-86044	
		185	20	1.85			25		1	A-83814	

TCT Saw Blade for Plunge Cut Saw Wood General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood/MDF	165	60	2	1.4	20	5	Hi-ATB	Fluorine coating, Laser slit	1	B-56661	
★★★★☆		165	60	2	1.4	20	5	TCG	Fluorine coating, Laser slit	1	B-56677	
★★★★☆	Wood	165	28	2	1.4	20	15	ATB	-	1	B-56649	
		165	28	2.2	1.6	20	15	ATB	-	1	B-07434	
		165	48	1.85	1.25	20	8	ATB	-	1	B-56166	
		165	48	2.2	1.6	20	8	ATB	-	1	B-07353	

TCT Saw Blade for Miter Saw Table Saw Wood Specialized for Cordless Saws Europe



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood/MDF	190	60	1.7	1.3	20	20	ATB	1	B-53291	

TCT Saw Blade for Miter Saw Table Saw Wood Asia



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	203	24	2	1.4	25.4	25	25	ATAF	Price competitive	1	B-17099	
		203	30	2	1.4	25.4	25	25	ATB		1	B-17108	
		203	36	2	1.4	25.4	25	20	ATB		1	B-17114	
		203	40	2	1.4	25.4	25	20	ATAF		1	B-17120	
		203	48	2	1.4	25.4	25	20	ATAF		1	B-17136	
		203	60	2	1.4	25.4	25	15	ATAF		1	B-17142	
		203	80	2	1.4	25.4	25	15	ATAF		1	B-17158	
		255	24	2.8	2	25.4	25	25	ATAF		1	B-17239	
		255	30	2.8	2	25.4	25	25	ATB		1	B-17245	
		255	36	2.8	2	25.4	25	25	ATB		1	B-17251	
		255	48	2.8	2	25.4	25	20	ATB		1	B-17273	
		255	60	2.4	1.8	25.4	25	20	ATAF		1	B-17289	
		255	80	2.4	1.8	25.4	25	15	ATAF		1	B-17295	
		305	30	3	2.2	25.4	25	25	ATB		1	B-17332	
		305	36	3	2.2	25.4	25	25	ATB		1	B-17348	
		305	40	3	2.2	25.4	25	25	ATB		1	B-17354	
		305	48	3	2.2	25.4	25	20	ATB		1	B-17360	
		305	60	2.8	2	25.4	25	20	ATAF		1	B-17376	
		305	80	2.6	2	25.4	25	15	ATAF		1	B-17382	
		355	30	3.2	2.4	25.4	25	25	ATB		1	B-17413	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	355	36	3.2	2.4	25.4	25	25	ATB	Price competitive	1	B-17429	
		355	40	3.2	2.4	25.4	25	25	ATB		1	B-17435	
		355	48	3	2.2	25.4	25	25	ATB		1	B-17441	
		355	60	3	2.2	25.4	25	20	ATB		1	B-17457	
		355	80	3	2.2	25.4	25	20	ATAF		1	B-17463	
		405	30	3.2	2.4	25.4	25	25	ATAF		1	B-17479	
		405	36	3.2	2.4	25.4	25	25	ATB		1	B-17485	
		405	40	3.2	2.4	25.4	25	25	ATB		1	B-17491	
		405	48	3.2	2.4	25.4	25	25	ATB		1	B-17500	
		405	60	3	2.2	25.4	25	20	ATB		1	B-17516	
		405	80	3	2.2	25.4	25	20	ATAF		1	B-17522	

TCT Saw Blade for Miter Saw Table Saw Wood General



Cutting

Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	165	64	1.9	1.4	20	-	10	ATAF	-	1	B-56487	
			24	2	1.4	20	-	-5	ATB	-	1	B-03866	
		190	24	2.2	1.6	20	-	5	ATB	-	1	B-03850	
			24	2.2	1.6	20	-	5	ATB	-	1	B-04298	
			40	1.9	1.4	20	-	10	ATB	-	1	A-86147	
			40	2	1.4	20	-	10	ATAF	-	1	A-86751	
			60	2	1.4	20	-	-5	ATB	-	1	B-03981	
			60	2	1.4	20	-	5	ATB	-	1	B-04008	
		203	24	2.4	1.6	25.4	-	25	ATB	-	1	A-81941	
			30	2.4	1.6	25.4	25(1)	25	ATB	-	1	A-81957	
			36	2.4	1.6	25.4	-	20	ATAF	-	1	A-81963	
			40	2	1.4	25.4	25(1)	20	ATAF	-	1	A-82498	
			40	2.4	1.6	25.4	25(1)	20	ATAF	-	1	A-81430	
			48	2.4	1.6	25.4	25(1)	20	ATAF	-	1	A-81979	
			60	2	1.4	25.4	25(1)	15	ATAF	-	1	A-82507	
			60	2.2	1.6	25.4	25(1)	15	ATAF	-	1	A-82703	
		210	60	2.4	1.6	25.4	25(1)	15	ATAF	-	1	A-81446	
			80	2.4	1.6	25.4	25(1)	15	ATB	-	1	A-81452	
		216	80	2	1.4	25	-	8	FTG	-	1	792438-0	
			48	2.4	1.6	25.4	-	5	ATAF	-	1	B-39497	
		255	24	2.3	1.6	25.4	-	20	ATB	-	1	B-05000	
			24	2.4	1.8	25.4	25(1)	25	ATAF	-	1	A-82513	
			24	3.2	2.2	25.4	25(1)	25	ATB	-	1	A-82024	
			30	3.2	2.2	25.4	25(1)	25	ATB	-	1	A-82030	
			32	2.3	1.8	25.4	-	5	ATAF	-	1	A-83696	
			36	3.2	2.2	25.4	-	25	ATB	-	1	A-82046	
			40	2.2	1.7	25.4	-	10	ATAF	-	1	B-10322	
			40	2.3	1.6	25.4	-	20	ATB	-	1	B-05088	
			40	2.3	1.8	25.4	-	5	ATB	-	1	B-03626	
			40	2.4	1.8	25.4	25(1)	20	ATAF	-	1	A-82529	
			40	2.8	2	25.4	25(1)	25	ATB	-	1	A-81496	
			40	3.2	2.2	25.4	25(1)	25	ATB	-	1	A-82725	
			48	3.2	2.2	25.4	25(1)	20	ATAF	-	1	A-82052	
			60	2.3	1.8	25.4	-	5	ATB	-	1	B-03632	
			60	2.8	2	25.4	25(1)	20	ATAF	-	1	A-81505	
			80	2.3	1.8	25.4	-	5	ATB	-	1	B-03648	
			80	2.8	2	25.4	25(1)	15	ATAF	-	1	A-82286	
			80	2.8	2	25.4	25(1)	15	ATB	-	1	A-81511	
			100	2.3	1.8	25.4	-	5	ATB	-	1	B-03654	
			100	2.6	2	25.4	25(1)	15	ATAF	-	1	A-82292	
		120	2.6	2	25.4	25(1)	15	ATAF	-	1	A-82301		
		305	30	3.4	2.4	25.4	25(1)	25	ATAF	-	1	A-82068	
			36	3.4	2.4	25.4	25(1)	25	ATB	-	1	A-82074	
			40	2.3	1.8	25.4	-	5	ATB	-	1	B-03660	
			40	3.4	2.4	25.4	25(1)	25	ATB	-	1	A-82080	
			48	3.4	2.4	25.4	25(1)	20	ATB	-	1	A-82096	
			60	2.3	1.8	25.4	-	5	ATAF	-	1	B-02808	
			60	2.3	1.8	25.4	-	5	ATB	-	1	B-03676	
			60	2.6	2	25.4	-	10	ATAF	-	1	A-85472	
			60	3	2	25.4	25(1)	20	ATAF	-	1	A-82105	
			70	2.5	1.9	25.4	-	0	ATAF	-	1	B-04802	
			80	2.3	1.8	25.4	-	5	ATB	-	1	B-03682	
			80	3.2	2.2	25.4	25(1)	15	ATAF	-	1	A-82317	
			96	2.3	1.8	25.4	-	5	ATAF	-	1	B-02814	
			100	2.3	1.8	25.4	-	5	ATB	-	1	B-03698	
			100	3	2.2	25.4	25(1)	15	ATAF	-	1	A-82323	
			120	3	2.2	25.4	25(1)	15	ATAF	-	1	A-82339	
		355	30	3.6	2.6	25.4	25(1)	25	ATB	-	1	A-82111	
			36	3.6	2.6	25.4	25(1)	25	ATB	-	1	A-82127	
			40	3.6	2.6	25.4	25(1)	25	ATB	-	1	A-82133	
			48	3.4	2.4	25.4	25(1)	25	ATAF	-	1	A-81527	
			48	3.6	2.6	25.4	25(1)	25	ATB	-	1	A-82731	
			60	3	2.2	25	-	20	ATB	-	1	A-02618	
			60	3.4	2.4	25.4	25(1)	20	ATAF	-	1	A-82149	
			80	3.4	2.4	25.4	25(1)	15	ATAF	-	1	A-82345	
			80	3.4	2.4	25.4	25(1)	20	ATAF	-	1	A-81533	
			100	3.4	2.4	25.4	25(1)	15	ATAF	-	1	A-82351	
		405	100	3.4	2.4	25.4	-	15	ATB	-	1	A-81549	
			120	3.4	2.4	25.4	25(1)	15	ATAF	-	1	A-82367	
			30	3.8	2.6	25.4	25(1)	25	ATAF	-	1	A-82155	
			36	3.6	2.6	25.4	-	25	ATAF	-	1	A-82161	
			40	3.6	2.6	25.4	25(1)	25	ATAF	-	1	A-82177	
			48	3.6	2.6	25.4	-	25	ATB	-	1	A-81555	
			60	3.4	2.4	25.4	25(1)	20	ATAF	-	1	A-82183	
			80	3.6	2.6	25.4	25(1)	20	ATAF	-	1	A-81561	
		100	3.6	2.6	25.4	25(1)	15	ATAF	-	1	A-82395		

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	405	120	3.6	2.6	25.4	25(1)	15	ATAF	-	1	A-81577	
★★★★☆		255	80	2.6	1.8	30	25.4	12	ATB	-	1	D-34388	
		260	60	2.4	1.8	30	-	15	ATB	-	1	D-46408	
		260	100	2.6	2	25.4	15.88	12	ATB	-	1	D-34394	
		305	100	3.2	2.4	25.4	-	15	ATB	-	1	D-34403	
★★★★☆	Wood/MDF	255	84	2.6	1.8	25.4	-	-5	TCG	-	1	D-62452	
		305	96	3.2	2.2	25.4	-	-5	TCG	-	1	D-62468	
★★★★☆	Wood	255	40	2.6	1.8	25.4	-	15	ATB	-	1	D-74055	
		260	40	2.6	1.8	25.4	-	15	ATB	EAC mark only	1	D-65414	
		260	60	2.6	1.8	25.4	-	15	ATB	-	1	D-65420	
		260	80	2.6	1.8	25.4	-	12	ATB	-	1	D-65436	
		260	100	2.6	1.8	25.4	-	12	ATB	-	1	D-65442	
		305	60	2.8	2	25.4	-	15	ATB	-	1	D-72366	
		305	80	2.8	2	25.4	-	15	ATB	-	1	D-72372	
	Wood/MDF	305	100	2.8	2	25.4	-	15	ATB	-	1	D-72388	
		255	84	2.8	1.8	25.4	-	10	TCG	-	1	D-62480	
		255	100	2.8	1.8	25.4	15.88	10	TCG	-	1	D-72279	
		305	96	3	2	25.4	-	10	TCG	-	1	D-62496	

TCT Saw Blade



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	255	40	2.6	1.8	25.4	-	-	-	-	1	P-67885	
		152	40	2	1.2	20	-	-	-	-	1	P-67907	
		152	60	2	1.2	20	-	-	-	-	1	P-67913	
		165	40	2	1.2	20	-	-	-	-	1	P-67929	
		165	60	2	1.2	20	-	-	-	-	1	P-67935	
		180	60	2	1.2	20	-	-	-	-	1	P-67941	
		185	40	2	1.2	20	-	-	-	-	1	P-67957	
		185	60	2	1	20	-	-	-	-	1	P-67963	
		230	60	2.6	1.8	25.4	-	-	-	-	1	P-67979	
		255	60	2.6	1.8	25.4	-	-	-	-	1	P-67991	
		230	40	2.6	1.8	25.4	-	-	-	-	1	P-71071	
		235	100	2.6	1.8	25.4	-	-	-	-	1	P-73081	
		255	100	2.3	1.6	25.4	-	-	-	-	1	P-73069	
		255	120	2.3	1.6	25.4	-	-	-	-	1	P-73097	
		190	190	2	1.2	25.4	-	-	-	-	1	P-75035	
		230	80	2.6	1.8	25.4	-	-	-	-	1	P-75057	
		255	100	3	2.1	25.4	-	-	-	-	1	P-75063	

TCT Saw Blade for Miter Saw Table Saw Wood North America



Range	Work material	Outer dia. mm(inch)	No. teeth	Kerf (inch)	Plate (inch)	Hole dia. (inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	305 (12)	70	(0.098)	(0.075)	(1)	0	ATAF	Premium ultra-coated	1	A-94443	

TCT Saw Blade for Plate Joiner Wood General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	100	6	4	3	22	20	ATAF	1	B-20644	

TCT Saw Blade for Metal Cutting Metal Asia



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	305	60	2.4	2	25.4	0	TCG	1	D-71364	

TCT Saw Blade for Metal Cutting Metal General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	136	30	1.5	1.2	20	0	MTCG	-	1	B-07319	
		136	50	1.4	1.1	20	-15	ATB	-	1	B-07325	
		150	32	1.5	1.2	20	0	MTCG	-	1	B-46296	
		150	52	1.4	1.1	20	-15	ATB	-	1	B-47008	
		185	36	1.9	1.5	20	0	ATB	-	1	B-04628	
		185	38	1	1.2	20	0	TCG	Laser slit	1	E-14320	
		185	38	2	1.6	20	0	MTCG	-	1	A-85438	
		185	48	1.85	1.5	20	0	SMTCCG	-	1	B-23357	
		185	70	1.7	1.3	20	-10	FTG	-	1	A-86446	
		305	60	2.1	1.7	25.4	0	TCG	-	1	A-87242	
		305	60	2.4	2	25.4	0	TCG	Laser slit	1	A-86723	
		305	60	2.5	2.2	25.4	0	TCG	-	1	A-81860	
	305	76	2.10	1.70	25.4	0	-	-	1	A-87579		
	305	78	2.3	2	25.4	0	MTCG	Laser slit	1	A-87127		
	305	100	1.95	1.65	25.4	-3	SMTCCG	-	1	B-23151		
	Metal/SUS	136	56	1.1	0.95	20	0	FTG	Laser slit	1	B-23117	
150		60	1.1	1	20	0	SMTCCG	Laser slit	1	B-47014		
185		64	1.6	1.3	20	0	FTG	-	1	B-31697		

TCT Saw Blade for Plunge Cut Saw Aluminum General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Aluminum	165	56	2	1.4	20	-3	TCG	1	B-56655	
★★★★☆				2.4	1.7				1	B-07440	

TCT Saw Blade for Metal Cutting Aluminum General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Aluminum	136	50	1.6	1	20	-	0	ATB	1	B-40331	
		150	52	1.6	1		-	0	ATB	1	B-47020	
★★★☆☆		185	40	2.2	1.4		15.88	5	TCG	1	D-62119	

TCT Saw Blade for Miter Saw Table Saw Aluminum Asia




Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Aluminum	255	100	2.4	1.8	25.4	25	0	ATB	1	B-17304	
		305	100	2.6	2				ATB	1	B-17310	
		305	120	2.6	2				ATB	1	B-17326	
		355	100	2.8	2.2				ATAF	1	B-17398	
		355	120	2.8	2.2				ATB	1	B-17407	

TCT Saw Blade for Miter Saw Table Saw Aluminum General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Aluminum	165	60	1.8	1.2	20	-(-)	5	TCG	Laser slit	1	B-56530	
		190	60	2.0	1	20.0	-(-)	-5	TCG	-	1	A-86767	
		255	80	2.6	2	25.4	25(1)	0	ATB	-	1	A-82535	
		255	100	2.3	1.8	25.4	25(1)	-5	TCG	-	1	B-04204	
		255	100	2.6	2	25.4	25(1)	0	ATB	-	1	A-81614	
		255	120	2.6	2	25.4	25(1)	0	ATB	-	1	A-81620	
		305	80	2.3	1.8	25.4	25(1)	-5	TCG	-	1	B-04210	
		305	80	2.8	2.2	25.4	25(1)	0	ATB	-	1	A-82541	
		305	100	2.4	1.8	25.4	-(-)	5	FTG	-	1	B-02820	
		305	100	2.8	2.2	25.4	25(1)	0	ATB	-	1	A-82557	
		305	120	2.8	2.2	25.4	-(-)	0	ATB	-	1	A-82563	
		355	80	3	2.4	25.4	25(1)	0	ATB	-	1	A-82579	
		355	100	3	2.4	25.4	25(1)	0	ATB	-	1	A-81636	
		380	100	3	2.4	25.4	-(-)	0	ATB	-	1	A-82585	
		405	100	3.4	2.6	25.4	25(1)	0	ATB	-	1	A-82600	
		405	120	3.4	2.6	25.4	25(1)	0	ATB	-	1	A-82616	
★★★☆☆		260	70	3	2	25.4	-(-)	5	TCG	-	1	D-03408	
		260	100	3	2	25.4	-(-)	5	TCG	-	1	D-03414	
★★★★☆		305	100	3	2	25.4	15.88(-)	5	TCG	-	1	D-34419	
		255	100	3	2.1	25.4	-	-	-	-	1	P-68002	
		255	120	3	2.1	25.4	-	0	TCG	-	1	P-68018	
		260	100	2.6	1.8	25.4	-(-)	5	TCG	-	1	D-59162	
		260	120	2.6	1.8	25.4	-(-)	5	TCG	-	1	D-61058	

TCT Saw Blade for Circular Saw Multi-Purpose General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Multi-purpose	165	60	2.2	1.4	30	15.88, 16, 19, 20	5	TCG	1	D-63616	
		185		2.2	1.4		15.88, 16, 20			1	D-63622	
		235		2.4	1.6		16, 20, 25, 25.4			1	D-63557	

TCT Saw Blade for Miter Saw Table Saw Multi-Purpose General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Multi-purpose	260	80	2.6	1.8	30	16, 20, 25, 25.4	5	TCG	1	D-63563	
		305		2.8	2					1	D-63579	

TCT Saw Blade for Plunge Cut Saw Solid Surface Material General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Corian	165	48	2	1.4	20	5	TCG	1	B-56683	
				2.4	1.7				1	B-10344	

TCT Saw Blade for Plunge Cut Saw Sandwich Panel General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Sandwichpanel	165	42	1.75	1.4	20	0	SMTCG	1	B-63161	

TCT Saw Blade for Aluminum Groove Cutter General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
Specialized	Aluminum composite panel	118	6	14	6	20	5	TCG	Grooving 90 degrees	1	B-48832	
				18					Grooving 135 degrees		B-48860	

PCD Saw Blade for Circular Saw Fiber Cement General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Fiber Cement Board	165	4	1.8	1.4	20	15.88	12	FTG	1	D-72104	
		185	4	1.8	1.4			12	FTG	1	D-72110	
		185	28	2.0	1.5			10	ATAF	1	A-86088	

PCD Saw Blade for Circular Saw Fiber Cement North America



Range	Work material	Outer dia. mm(inch)	No. teeth	Kerf (inch)	Plate (inch)	Hole dia. (inch)	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Fiber Cement Board	185(7-1/4)	4	(0.091)	(0.063)	(5/8)	12	FTG	1	A-95124	

PCD Saw Blade for Miter Saw Table Saw Fiber Cement General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Fiber Cement Board	260	6	2.2	1.6	25.4	15.88	12	FTG	1	D-72126	
		305	8	2.4	1.8	25.4	-			1	D-72132	

Saw blade for Circular Saw Cross Cut



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	110	60	1.30	0.90	20	1	792012-4	
		415	100	2.15	1.45	25	1	792115-4	

Saw Blade for Miter Saw Table Saw Cross Cut



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	255	50	2.00	1.40	15.88	1	792640-5	
		355	70	2.10	1.50	25	1	792699-2	

Saw Blade for Circular Saw Combination Cut



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	85	50	0.80	0.50	15	1	792259-0	
		110	50	1.30	0.90	20	1	792010-8	
		140	60	1.40	1.00	15.88	1	792017-4	
		180	80	1.80	1.20	20	1	792031-0	
		260	52	1.85	1.25	25	1	792083-1	

Saw Blade for Circular Saw Chisel Tooth Combination Cut




Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	260	36	2.20	1.40	25	1	792087-3	
		415	50	2.65	1.65		1	792116-2	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

ACCESSORIES

▣ Jigsaw / Reciprosawing



Metal, mild steel



Stainless steel



Aluminum



Wood



Non-ferrous metal



Wood with nails



Chipboard



Laminate board



Fiber cement board



Aerated concrete



Cast iron



Plaster board



Plastic



Fiberglass



Raker



Wave



Wave cut knife



Japanese teeth



Sharp edge



Makita Shank jig Saw Blade



Bayonet Shank jig Saw Blade

Jig Saw Blade B Shank Wood Super Express

SUPEREXPRESS


Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-50	Wood, Plastics	Fast finish	Ground and taper ground teeth	8-11	100	73	1.25	HCS	5	B-06460	

Jig Saw Blade B Shank Metal Super Express

SUPEREXPRESS


Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-51	Metal, Stainless	Fast	Milled and wavy set teeth	10-18	100	73	0.8	HSS	5	B-06476	

Jig Saw Blade B Shank Universal Super Express

SUPEREXPRESS


Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-52	Universal	Fast	Milled and wavy set teeth	6-10	100	73	1.0	HSS	5	B-06482	

Jig Saw Blade B Shank Wood Basic




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-13	Wood, Plastics	Basic	Milled and side set teeth	8	105	75	1.25	HCS	2	B-01286	
	5									A-85656		
	100									B-07705		
	B-14		Basic		18	76	51	1.05	HCS	5	A-85662	
	B-15		Basic		12	76	50	1.05	HCS	5	A-85678	
	B-18		Basic, Scroll cutting		14	77	44	1.05	HCS	5	A-85709	
										100	B-07727	

Jig Saw Blade B Shank Wood Basic Price Competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	Basic	Milled and side set teeth	8	100	74	1.2	HCS	5	D-34877	

Jig Saw Blade B Shank Wood Fast



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-16	Wood, Plastics	Fast	Ground and side set teeth	6	105	75	1.25	HCS	2	B-01292	
										5	A-85684	
										100	B-07711	
	B-16L		Fast		6	180	151	1.25	HCS	5	792726-5	
										2	B-01301	
	B-17		Fast, Scroll cutting		6	105	71	1.25	HCS	5	A-85690	
	B-8		Fast		8	105	75	1.25	HCS	5	A-85232	
	L-2		Fast		6	132	101	1.25	HCS	5	A-86309	
	No.58		Fast		8	105	75	1.25	HCS	5	A-86577	
										100	B-07842	

Jig Saw Blade B Shank Wood Fast Price Competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	Fast	Ground and side set teeth	6	100	74	1.2	HCS	5	D-34883	
	Wood	Fast, Scroll cutting		6	100	74	1.2	HCS	5	D-34899	

Jig Saw Blade B Shank Wood Finish



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)					
★★★★☆	B-10	Wood, Plastics	Fast finish	Ground and taper ground teeth	9	105	76	1.25	HCS	5	A-85628						
										100	B-07674						
	B-11				9	100	73	1.25	HCS	2	B-01270						
										5	A-85634						
										100	B-07680						
										5	A-85640						
	B-12		Finish, Scroll cutting		6	105	74	1.25	HCS	100	B-07696						
	5									A-80400							
	No.59		Fast finish		8	105	75	1.25	HCS	100	B-07761						
										5	A-86583						
	L-1		Finish		6	132	100	1.25	HCS	5	A-86290						
	B-10S									12	90	65	1.25	HCS	5	792691-8	
	BR-13														9	105	70
100		B-07777															

Jig Saw Blade B Shank Wood Finish Price Competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	Finish	Ground and taper ground teeth	9	100	74	1.2	HCS	5	D-72718	

Jig Saw Blade B Shank Hardwood And Hard Plastics Basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-25	Wood, Plastics, Aluminum, Metal	Basic	Milled and side set teeth	9	100	74	1.05	HSS	2	B-01345	
										5	A-85765	
										100	B-07755	
	B-26		2		B-01351							
			5		A-85771							

Jig Saw Blade B Shank Decorative Veneers Finish



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-19	Wood, Plastics	Finish	Ground and taper ground teeth	12	90	63	1.25	HCS	5	A-85715	
	B-19S		Finish		12	70	43	1.25	HSS	5	B-04933	
	B-28		Finish		16	90	63	1.25	HSS	5	A-80391	

Jig Saw Blade B Shank Metal Basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)									
★★★★☆	B-22	Metal, Stainless, Plastics, Aluminum	Basic	Milled and wavy set teeth	24	76	52	0.9	HSS	2	B-01323										
										5	A-85737										
										100	B-07733										
	B-22S		Basic		24	76	32	0.9	HSS	5	B-04949										
												B-24	Basic	32	76	52	0.9	HSS	5	A-85759	
																					B-24S
	B-27		Basic, Scroll cutting		24	76	52	0.9	HSS	2	B-01367										
										5	A-85787										
	B-30		Basic		24	76	50	0.9	HSS	5	B-04961										
												B-34	Basic	18	76	52	0.9	HSS	5	B-10453	
	No.51		Basic		24	90	66	0.9	HSS	5	A-86561										
										100	B-07836										
	B-32		Metal, Plastics, Aluminum		Basic	18	132	107	1.25	HSS	5	B-10431									
													B-33	Basic	14	132	107	1.25	HSS	5	B-10447
	B-23		Wood, Plastics, Aluminum, Metal		Basic	14	76	51	0.9	HSS	2	B-01339									
											5	A-85743									
B-35	Wood with nails, Plastic, Aluminum	Basic	14	180	154	0.9	Bi-Metal	3	B-10469												

Jig Saw Blade B Shank Metal Basic Price Competitive




Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	Basic	Milled and wavy set teeth	21	75	51	1	HSS	5	D-34908	

Jig Saw Blade B Shank Plastic



Range	Makita No.	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-21	Plastics, Aluminum	12	100	73	1.25	HSS	2	B-01317	
								5	A-85721	

Jig Saw Blade B Shank Fiber Cement




Range	Makita No.	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-60	Fiber cement, Plaster board,	6	100	75	1.25	TC/HM	3	B-06890	
	B-61	FRP, Plastics	6	132	105	1.25	TC/HM	3	B-06909	

Jig Saw Blade B Shank Rubber




Range	Makita No.	Work material	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-K	Rubber, Paper, Cork, Leather	100	75	1.25	HCS	5	A-80416	

Jig Saw Blade B Shank Assortment




Range	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-10S, B-13, B-16, B-22, B-23	5	A-86898	
	B-50, B-51, B-52	3	B-06292	

Jig Saw Blade M Shank Wood Basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.16	Wood, Plastics	Basic, Scroll cutting	Milled and side set teeth	9	82	61	1.25	HCS	2	792212-6	
										5	A-85830	
	No.3		Basic		2	A-86533						
					5	A-85868						
			5		A-85868							
			100		B-07808							

Jig Saw Blade M Shank Wood Fast



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.8	Wood, Plastics	Fast	Ground and side set teeth	8	82	60	1	HCS	2	792267-1	
										5	A-85911	
										100	B-07814	

Jig Saw Blade M Shank Wood Finish



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.9	Wood, Plastics	Fast finish	Ground and taper ground teeth	8	82	60	1.25	HCS	2	792325-3	
										5	A-85927	
	No.10				2	792326-1	5	A-85818	100	B-07820		
											2	A-86555
	No.10S	Wood	Finish	Milled and side set teeth	13	82	62	1.25	HCS	2	A-85824	
										5	A-85933	
	BR-3				9	85	58	1	HCS	5	A-85933	

Jig Saw Blade M Shank Hardwood and Hard Plastics Basic




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.4	Wood, Plastics, Aluminum, Metal	Basic	Milled and side set teeth	9	80	59	0.9	HSS	2	A-86549	
										5	A-85874	

Jig Saw Blade M Shank Decorative Veneers Basic




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.17	Wood, Plastics, Aluminum, Metal	Basic, Scroll cutting	Milled and side set teeth	14	82	63	0.9	HSS	2	792215-0	
										5	A-85846	
	No.2		Basic	14	80	60	0.9	HSS	2	A-86527		
									5	A-85852		

Jig Saw Blade M Shank Decorative Veneers Finish




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.41	Wood, Plastics	Finish	Ground and taper ground teeth	12	82	61	1.25	HSS	5	A-85880	
	No.42		Finish		16							A-85896

Jig Saw Blade M Shank Metal Basic




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.1	Metal, Stainless, Plastics, Aluminum	Basic	Milled and wavy set teeth	24	80	61	0.9	HSS	2	A-86511	
										5	A-85802	
										100	B-07783	
	No.5	Metal, Plastics, Aluminum	Basic	24	60	40	0.9	HSS	2	792131-6		
5									A-85905			

Jig Saw Blade M Shank Assortment



Range	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.1, No.2, No.3, No.8, No.10S	5	A-86882	

Recipro Saw Blade Metal Super Express



SUPEREXPRESS



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal, Plastics	Fast	Milled and side set teeth	7-18	152	130	0.9	Bi-Metal	5	B-05038	

Recipro Saw Blade Wood Super Express



SUPEREXPRESS



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	Fast	Milled and side set teeth	6-10	203	180	1.0	HCS	5	B-05153	

Recipro Saw Blade Universal Super Express



SUPEREXPRESS



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Universal	Fast	Milled and side set teeth	6-11	152	130	0.9	Bi-Metal	5	B-05044	

Recipro Saw Blade Metal Basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	-	Metal	Basic	Milled and side set teeth	14	152	130	0.9	Bi-Metal	5	B-16841	
	-				14	225	205	0.9	Bi-Metal	25	B-16841-25	
	-				18	152	130	0.9	Bi-Metal	5	B-16776	
	No.22				18	165	144	0.9	Bi-Metal	5	B-05169	
	-				18	225	205	0.9	HSS	2	B-00810	
	-				24	152	130	0.9	HSS	5	792147-1	
	-				24	225	205	0.9	Bi-Metal	5	B-16782	
	-				24	152	130	0.9	Bi-Metal	5	B-16835	
	-				24	225	205	0.9	Bi-Metal	5	B-43169	
	No.21			18	100	80	0.9	Bi-Metal	5	B-20404		
				24	100	80	0.9	Bi-Metal	5	B-20395		
				24	125	104	0.9	HSS	2	B-00804		
	No.24			24	165	144	0.9	HSS	5	792146-3		
				-	24	165	144	0.9	HSS	2	B-00832	
	-			Metal, Aluminum, Plastics	Milled and side set teeth	10-14	305	280	0.9	Bi-Metal	5	792149-7

Recipro Saw Blade Metal Basic Price Competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	Basic	Milled and wavy set teeth	14	150	128	0.9	Bi-Metal	2	D-51627	
				18	150	128	0.9	Bi-Metal	25	D-51627-25	
				18	225	204	0.9	Bi-Metal	2	D-51633	
				24	150	128	0.9	Bi-Metal	25	D-51633-25	
				24	225	204	0.9	Bi-Metal	2	D-51661	
				24	150	128	0.9	Bi-Metal	2	D-51649	
				24	225	204	0.9	Bi-Metal	25	D-51649-25	
									2	D-51677	

Recipro Saw Blade Metal Curved Shape



Range	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	14+18	152	130	1.1	Bi-Metal	5	B-55815	
		14+18	228	205	1.1	Bi-Metal	5	B-55821	
		14+18	305	280	1.1	Bi-Metal	5	B-55837	

Recipro Saw Blade Metal Heavy



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	Heavy	Milled and side set teeth	14-18	225	205	1.1	Bi-Metal	5	B-31865	
				14+18	152	130	1.1	Bi-Metal	5	B-43131	
				14+18	225	205	1.1	Bi-Metal	5	B-43175	
				14+18	305	280	1.1	Bi-Metal	5	B-43206	
				8+10	152	130	1.1	Bi-Metal	5	B-43147	
				8+10	225	205	1.1	Bi-Metal	5	B-43181	
		Heavy fast		8+10	305	280	1.1	Bi-Metal	5	B-43212	
				10-14	152	130	1.25	Bi-Metal	5	B-43153	
				10-14	225	205	1.25	Bi-Metal	5	B-43197	
		Heavy finish		10-14	305	280	1.25	Bi-Metal	5	B-43228	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Recipro Saw Blade Wood Basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.3020	Wood	Basic	Milled and side set teeth	10	150	129	1	HCS	5	A-02319	
	No.23				9	165	144	1	HCS	2	B-00826	
	No.3023				10	250	229	1.25	HCS	5	792148-9	B-00767

Recipro Saw Blade Wood Fast




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.3019	Wood	Fast	Milled and side set teeth	4	150	129	1	HCS	5	A-02303	
	No.23B		Fast finish	Ground and side set teeth	6	150	129	1	HCS	5	792707-9	
	No.3030		Fast		6	300	279	1.25	HCS	5	B-03030	

Recipro Saw Blade Wood Japanese Teeth



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Bamboo, Wood, Plastic	-	Japanese teeth	15	225	200	0.9	Bi-Metal	Bamboo: <140mm, Wood: <140mm, PVC: <140mm	1	B-57392	
				15	190	165	0.6	HCS	Only use : DJR185, 183,145, 143, JR105D, 103D, 102D, 100D, Bamboo: <100mm, Wood: <100mm, PVC: <100mm	1	B-56596	
	Green tree, Wood	Only use		8.5	190	165	0.6	HCS		1	B-56580	
		-		8.5	225	200	0.9	Bi-Metal	Wood: <140mm, Green tree: <140mm	1	B-57386	
		-		8.5	250	225	1	HCS	Wood: <160mm, Green tree: <160mm	1	B-62016	

Recipro Saw Blade Wood and Metal Basic




Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood with nails	Basic	Milled and side set teeth	6	100	80	0.9	Bi-Metal	5	B-20432	
				6	152	130	1.25	Bi-Metal	5	B-05175	
	Wood, Chipboard, Wood with nails, Metal, Aerated concrete, Plastics, FRP			5-8	305	280	1.25	Bi-Metal	3	B-10637	
	Wood, Metal			10	100	80	0.9	Bi-Metal	5	B-20426	
				14+18	100	80	0.9	Bi-Metal	5	B-20454	
	Wood, Plastics, Aluminum, Metal			10-14	152	130	0.9	Bi-Metal	5	B-43240	
				10-14	225	205	0.9	Bi-Metal	5	B-43262	
	Wood, Wood with nails, Metal			10	152	130	0.9	Bi-Metal	5	B-31843	
				10	225	205	0.9	Bi-Metal	5	B-31859	

Recipro Saw Blade Wood and Metal Heavy



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Chipboard, Wood with nails, Metal, Plastics, FRP	Heavy	Milled and wavy set teeth	6-8	152	130	1.25	TC/HM	1	B-49834	
				6-8	228	205	1.25	TC/HM	1	B-49840	
				6-8	305	280	1.25	TC/HM	1	B-49856	

Recipro Saw Blade Wood and Metal Rescue



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
Specialized	Wood, Chipboard, Wood with nails, Metal, Plastics, FRP	Heavy	Milled and wavy set teeth	6-8	152	130	1.25	TC/HM	25	B-67206	
				6-8	225	205	1.25	TC/HM	25	B-67212	

Recipro Saw Blade Cast Iron Pipes



Range	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal, Cast iron, Stainless	8	100	80	1.25	TC/HM	1	B-55566	
		8	150	130	1.25	TC/HM	1	B-55572	
		8	228	205	1.25	TC/HM	1	B-55588	
		8	305	280	1.25	TC/HM	1	B-55594	

Recipro Saw Blade Stainless Steel



Range	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless	18	152	128	1	TC/HM	2	B-07250	
		18	203	180	1	TC/HM	2	B-51312	

Recipro Saw Blade Fiber Insulation



Range	Work material	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
Specialized	Fiber Insulation	228	205	1.5	HCS	2	B-52118	
		305	280	1.5	HCS	2	B-52124	
		400	320	1.5	HCS	1	B-52130	

Recipro Saw Blade Plasterboard Basic



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Plasterboards	Basic	Milled and side set teeth	6	100	80	0.9	Bi-Metal	5	B-20448	

Recipro Saw Blade Ice



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
Specialized	Ice	Basic	Milled and side set teeth	10	228	207	1.2	Stainless steel	1	B-30570	
				10	305	279	1.2	Stainless steel	1	B-23254	
		Rough		3	305	280	1.25	Stainless steel	1	B-10609	
				6	152	131	1.2	Stainless steel	1	B-52043	
				6	228	207	1.2	Stainless steel	1	B-30564	
				6	305	279	1.2	Stainless steel	1	B-23248	

Recipro Saw Blade Aerated Concrete



Range	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Aerated concrete, Soft brick	2	305	267	1.5	TC/HM	1	B-10394	
	Aerated concrete, Soft brick	2	455	420	1.5	TC/HM	1	B-10403	

Recipro Saw Blade for JR102D/ JR105D

Product Image	Application	Length	Working Length	Description	Sales pkg qty	Part No.	RSP (RM)
	Metal	153	90	Sanding adapter 153x90	60	A-40967	
	Metal	153	60	File round type	3	A-40945	
	Metal	153	60	File Flat type	3	A-40951	

Board Cutter Blade

For Model: DSD180, SD100D



Range	Blade Length (mm)	Blade width (mm)	Blade thickness (mm)	Application	Tooth Material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	55	18	0.55	Wood (<30mm)	HCS	2	B-49719	

Scroll Saw Blade

For Model: SJ401



Range	Application	No of teeth per inch	Pc per pkg.	Part No.	RSP (RM)
★★★★☆	Straight line and large curve on wood	60	5	A-31099	
	Optimal switching curve and small area on wood	70	5	A-31108	

Band Saw Blade for 835 mm Metal Wave Type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	835	13	Wave set	Plastics, Non-ferrous metal, Mild steel, Cast steel and cast iron, Hard steel and stainless steel	BiM	14	Material thickness: More than 5mm	5	B-40543	
	835	13	Wave set		BiM	18	Material thickness: 4-5mm	5	B-40559	
	835	13	Wave set		BiM	24	Material thickness: Less than 4mm	5	B-40565	

Band Saw Blade for 1140 mm Metal Raker Type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1140	13	Raker set	Plastics, Non-ferrous metal, Mild steel	HCS	14	Material thickness: More than 5mm	3	792560-3	
	1140	13	Raker set		HCS	18	Material thickness: 4-5mm	3	792559-8	
	1140	13	Raker set		HCS	24	Material thickness: Less than 4mm	3	792558-0	
	1140	13	Raker set	Plastics, Non-ferrous metal, Mild steel, Cast steel and cast iron, Hard steel and stainless steel	BiM	10	Material thickness: More than 5.5mm	1	B-30128	
	1140	13	Raker set		BiM	14	Material thickness: More than 5mm	1	792557-2	
	1140	13	Raker set		BiM	18	Material thickness: 4-5mm	1	792556-4	

Band Saw Blade for 1140 mm Metal Wave Type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1140	13	Wave set	Plastics, Non-ferrous metal, Mild steel, Cast steel and cast iron, Hard steel and stainless steel	BiM	14	Material thickness: More than 5mm	1	194691-8	
	1140	13	Wave set		BiM	24	Material thickness: Less than 4mm	1	194692-6	

Band Saw Blade for 1140 mm Wood Raker Type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1140	13	Raker set	Wood	HCS	6	3	792567-9	

Band Saw Blade for 2240 mm Metal Raker Type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	2240	16	Raker set	Non-ferrous metal	HCS	14	Material thickness: More than 5mm	3	B-16695	

Band Saw Blade for 2240 mm Wood Raker Type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	2240	6	Raker set	Wood for curve cut	HCS	6	3	B-16689	
	2240	13	Raker set	Wood for universal cut	HCS	4	3	B-16673	
	2240	16	Raker set	Wood for cross cut	HCS	4	3	B-16667	

ACCESSORIES

Brushing



Metal, mild steel



Wood



Plastic



Removing paint



Removing paint from metal or polishing



Hook and loop type



Do not drill with impact



6mm 6mm cylindrical shank



8mm 8mm cylindrical shank



Twist wire 0.5mm



Crimped wire 0.3mm



Coarse



Grit C




5/8inch 11UNC

Brushes for Grinder

Shape Type		
	Cup Type	Effective for flat or rugged surface
	Wheel Type	Effective for working at spot
	Bevel Type	Effective for working at corner

Wire Cup Brush, Crimped Wire


0.3 mm crimped steel wire
Ideal for light rust removal from flat surfaces and edges



Range	Outer dia. mm	Thread mm	Brush type	For model	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	60	M10x1.5	Steel wire 0.3 mm	100 mm Angle grinder	1	D-24066	
	75				1	D-24088	
	60	M14x2.0	Steel wire 0.3 mm	115, 125, 150 mm Angle grinder	1	D-24072	
	75				1	D-24094	
	100			180, 230 mm Angle grinder	1	D-29284	
	90			Brass coated steel wire 0.3 mm	180, 230 mm Angle grinder	1	D-39780
	100		1		D-39805		

Wire Cup Brush, Crimped Wire, Brass-coated


0.3mm brass coated steel wire
Ideal for light rust removal. prevented from wire corrosion



Range	Outer dia. mm	Thread mm	Brush type	For model	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	60	M10 x 1.5	Steel wire 0.5 mm	100 mm Angle grinder	1	D-24103	
	75				1	D-24125	
	60	M14 x 2.0	Steel wire 0.5 mm	115, 125, 150 mm Angle grinder	1	D-24119	
	75				1	D-24131	

Wire Cup Brush, Knotted Wire

0.5 mm knotted steel wire
Ideal for heavy work for fast cleaning of large surface



Range	Outer dia. mm	Thread mm	Brush type	For model	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	60	M10 x 1.5	Steel wire 0.5 mm	100 mm Angle grinder	1	D-24147	
	60	M14 x 2.0		115, 125, 150 mm Angle grinder	1	D-24153	
	100			180, 230 mm Angle grinder	1	D-29290	

Wire Brush for Angle Grinder/ Wheel/ Knotted

0.5 mm knotted steel wire
Effective for heavy duty cleaning at spot



Range	Outer dia. mm	Thread mm	Brush type	For model	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	100	M14 x 2.0	Steel wire 0.5 mm	180, 230 mm Angle grinder	1	D-29555	
	115				1	D-29561	
	125				1	D-29577	
	150				1	D-45761	
	175				1	D-45777	

Wire Brush for Angle Grinder/ Bevel/ Crimped


Effective for working at corner



Range	Outer dia. mm	Thread mm	Brush type	For model	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	100	M14x2.0	Steel wire 0.3 mm	115, 125, 150 mm Angle grinder	1	D-39827	

Wire Brush for Drill/ Cup/ Crimped

Effective for flat or rugged surface



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	50	6	Steel wire 0.3 mm	1	D-39914	
	63	6		1	D-39920	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Wire Brush for Drill/ Wheel/ Crimped

Wire(brass coated) wheel brush for wood, crimped wire



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★★★★	80	8	Brass coated steel wire 0.25 mm	1	D-67608	

Wire Brush for Drill/ End/ Crimped

Effective for tight or narrow place



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★★★★	19	6	Steel wire 0.3mm	1	D-40010	

Wire Brush for Drill Assortment



Range	Note	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Cup-Crimped: 50 mm, End-Crimped: 25 mm, Wheel-Crimped: 50 mm	6	Steel wire 0.3 mm	3	D-66070	
	Cup-Crimped: 63, 75 mm, Wheel-Crimped: 75, 100 mm	6		4	D-65729	

Nylon Brush for Drill/ Cup



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★★★★	63	6	Coarse	1	D-45515	

Nylon Brush for Drill/ Wheel



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★★★★	63	6	Coarse	1	D-45587	

Nylon Brush for Drill/ End



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★★★★	12	6	Coarse	1	D-45668	
	12	6	Fine	1	D-45705	
	17	6	Coarse	1	D-45674	
	17	6	Fine	1	D-45711	
	24	6	Coarse	1	D-45680	
	24	6	Fine	1	D-45727	
	30	6	Coarse	1	D-45696	
	30	6	Fine	1	D-45733	

Slit Paper Wheel 120-40

For rust and paint removal



Range	Model	Sales pkg qty	Part No.	RSP (RM)
★★★★★	9741	1	794380-1	

Cotton Buff Wheel 120

For Polishing



Range	Model	Sales pkg qty	Part No.	RSP (RM)
★★★★★	9741	1	794381-9	

Wire Brush Wheel 120

For rust removal




Range	Model	Sales pkg qty	Part No.	RSP (RM)
★★★★★	9741	1	794382-7	

Nylon Brush Wheel



Range	Model	Application	Sales pkg qty	Part No.	RSP (RM)
★★★★★	9741	120-80 Coarse	1	794384-3	
		120-100 Medium	1	794379-6	
		120-240 Fine	1	794383-5	

Sponge Pad/ High Repulsion



Range	Outer dia. mm	Note	Type	Brush type	Sales pkg qty	Part No.	RSP (RM)	
★★☆☆☆	125	Hook & Loop type	Flat	Coarse	1	D-62511		
	125			Medium	1	D-62549		
	125			Fine	1	D-62577		
	125		Wave	Coarse	1	D-62608		
	125			Medium	1	D-62636		
	125			Fine	1	D-62664		
	150		Flat	Coarse	1	D-62527		
	150			Medium	1	D-62555		
	150			Fine	1	D-62583		
	150			Wave	Coarse	1	D-62614	
	150				Medium	1	D-62642	
	150				Fine	1	D-62670	

Wool Pad



Range	Outer dia. mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	125	Hook & Loop type	1	D-70867	
	150		1	D-65735	

Wool Pad/ Double Side



Range	Outer dia. mm	Note	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	230	Use with M14/ M16 adapter	Fine	1	D-57146	
	230	Use with M14/ M16 adapter	Coarse	1	D-70873	

ACCESSORIES

▣ Bonded Abrasive



Metal, mild steel



Stainless steel



Aluminum



Metal stud



Plaster mortar



Flexible



Always use
back up pad



Fast cut



Smooth disc
surface

Grinding Wheel/ Metal/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	100(4)	6.0(1/4)	16.00(5/8)	A36P	1	A-80911	
		115(4-1/2)	6.0(1/4)	22.23(7/8)	A36P	1	A-80927	
		125(5)	6.0(1/4)	22.23(7/8)	A36P	1	A-80933	
		150(6)	6.0(1/4)	22.23(7/8)	A36P	1	A-84981	
		180(7)	6.0(1/4)	22.23(7/8)	A24R	1	A-88886	
★★★☆☆	Metal	230(9)	6.0(1/4)	22.23(7/8)	A36P	1	A-80955	
		100(4)	6.0(1/4)	16.00(5/8)	A24R	1	D-20775	
		100(4)	6.0(1/4)	16.00(5/8)	A24P	1	D-65090	
		180(7)	7.0(9/32)	22.23(7/8)	A24P	1	D-72263	
		230(9)	6.0(1/4)	22.23(7/8)	A24R	1	D-18487	
★☆☆☆☆		100(4)	6.0(1/4)	16.00(5/8)	A24P	1	D-72241	

Grinding Wheel/ Stainless/ Depressed with X-LOCK



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Thread	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	6.0(1/4)	X-LOCK	WA36N	1	E-00496	
		125(5)	6.0(1/4)	X-LOCK	WA36N	1	E-00402	

Grinding Wheel/ Metal/ Depressed with X-LOCK



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Thread	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	100(4)	6.0(1/4)	X-LOCK	A36P	1	E-00480	
		125(5)	6.0(1/4)	X-LOCK	A36P	1	E-00393	

Grinding Wheel/ Stainless/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	6.0(1/4)	16.00(5/8)	WA36N	1	A-80852	
		125(5)	6.0(1/4)	22.23(7/8)	WA36N	1	A-80656	

Grinding Wheel/ Stainless/ Depressed for Heavy Industries



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	125(5)	7.2(9/32)	22.23(7/8)	A24S	1	B-56384	

Grinding Wheel/ Masonry/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	100(4)	6.0(1/4)	16.00(5/8)	C24R	1	D-18493	
		115(4-1/2)	6.0(1/4)	22.23(7/8)	C24R	1	D-18502	
		125(5)	6.0(1/4)	22.23(7/8)	C24R	1	D-18518	
		150(6)	6.0(1/4)	22.23(7/8)	C24R	1	D-18524	
		180(7)	6.0(1/4)	22.23(7/8)	C24R	1	D-18530	
		230(9)	6.0(1/4)	22.23(7/8)	C24R	1	D-18546	

Flexible Grinding Wheel/ Metal/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	100(4)	2.0(5/64)	16.00(5/8)	AC46P	1	B-18203	
		100(4)	2.0(5/64)	16.00(5/8)	AC80P	1	B-18219	
		100(4)	2.0(5/64)	16.00(5/8)	AC120P	1	B-18225	
		100(4)	3.0(1/8)	16.00(5/8)	AC36P	1	B-18231	
		100(4)	3.0(1/8)	16.00(5/8)	AC46P	1	B-18247	
		100(4)	3.0(1/8)	16.00(5/8)	AC60P	1	B-18253	
		100(4)	3.0(1/8)	16.00(5/8)	AC80P	1	B-18269	
		180(7)	3.0(1/8)	22.23(7/8)	AC36P	1	B-18356	
		180(7)	3.0(1/8)	22.23(7/8)	AC60P	1	A-88490	

Flexible Grinding Wheel/ Stainless/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	2.0(5/64)	16.00(5/8)	WA46P	1	B-18421	
		100(4)	2.0(5/64)	16.00(5/8)	WA60P	1	B-18437	
		100(4)	2.0(5/64)	16.00(5/8)	WA80P	1	B-18443	
		100(4)	2.0(5/64)	16.00(5/8)	WA120P	1	B-18459	
		100(4)	3.0(1/8)	16.00(5/8)	WA36P	1	B-18465	
		100(4)	3.0(1/8)	16.00(5/8)	WA46P	1	B-18471	
		100(4)	3.0(1/8)	16.00(5/8)	WA60P	1	B-18487	
★★★★☆	Stainless, Metal	100(4)	3.0(1/8)	16.00(5/8)	WA80P	1	B-18493	
		180(7)	3.0(1/8)	22.23(7/8)	WA36P	1	B-18580	
		180(7)	3.0(1/8)	22.23(7/8)	WA60P	1	B-18605	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Flexible Grinding Wheel/ Masonry/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	100(4)	3.0(1/8)	16.00(5/8)	GC60P	1	B-51356	
		100(4)	3.0(1/8)	16.00(5/8)	GC80P	1	B-51362	
		180(7)	3.0(1/8)	22.23(7/8)	GC60P	1	B-51356	
		180(7)	3.0(1/8)	22.23(7/8)	GC80P	1	B-51362	

Cut-Off Wheel/ Masonry/ Flat



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	100(4)	3.0(1/8)	16.00(5/8)	C30S	1	D-18708	
		115(4-1/2)	3.0(1/8)	22.23(7/8)	C30S	1	D-18714	
		125(5)	3.0(1/8)	22.23(7/8)	C30S	1	D-18720	
		180(7)	3.0(1/8)	22.23(7/8)	C30S	1	D-18736	
		230(9)	3.0(1/8)	22.23(7/8)	C30S	1	D-18742	

Back Up pad for Flexible Grinding Wheel



Range	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Back Up Pad for 100mm	1	B-20476	
	Back Up Pad for 180mm	1	B-20498	

Cut-Off wheel/ Masonry/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	100(4)	3.0(1/8)	16.00(5/8)	C30S	1	D-18605	
		115(4-1/2)	3.0(1/8)	22.23(7/8)	C30S	1	D-18611	
		125(5)	3.0(1/8)	22.23(7/8)	C30S	1	D-18627	
		180(7)	3.0(1/8)	22.23(7/8)	C30S	1	D-18633	
		230(9)	3.0(1/8)	22.23(7/8)	C30S	1	D-18649	

Cut-Off Wheel/ Metal/ Flat



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	100(4)	2.5(3/32)	16.00(5/8)	A30R	1	A-85298	
		100(4)	2.5(3/32)	16.00(5/8)	A30S	1	D-18655	
		115(4-1/2)	2.5(3/32)	22.23(7/8)	A30S	1	D-18661	
★★★★☆	Metal	125(5)	2.5(3/32)	22.23(7/8)	A30S	1	D-18677	
		150(6)	2.5(3/32)	22.23(7/8)	A30S	1	D-29402	
		180(7)	2.5(3/32)	22.23(7/8)	A30S	1	D-18683	
		230(9)	2.5(3/32)	22.23(7/8)	A30S	1	D-18699	

Thin Cut-Off Wheel/ Stainless/ Flat



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	1.0(3/64)	16.00(5/8)	WA46R	1	D-65947	
		100(4)	1.0(3/64)	16.00(5/8)	WA46R	10	D-65947-10	
		115(4-1/2)	1.0(3/64)	22.23(7/8)	WA46R	1	D-65953	
		115(4-1/2)	1.2(3/64)	22.23(7/8)	WA60T	1	D-18764	
		125(5)	1.0(3/64)	22.23(7/8)	WA46R	1	D-65969	
		125(5)	1.0(3/64)	22.23(7/8)	WA46R	10	D-65969-10	
		180(7)	2.0(5/64)	22.23(7/8)	WA36R	1	D-18786	

Cut-Off Wheel/ Metal/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	100(4)	3.0(1/8)	16.00(5/8)	A30T	1	A-83587	
		150(6)	3.0(1/8)	22.23(7/8)	A30T	1	B-05050	
		100(4)	3.0(1/8)	16.00(5/8)	A30S	1	D-18552	
★★★★☆	Metal	115(4-1/2)	3.0(1/8)	22.23(7/8)	A30S	1	D-18568	
		125(5)	3.0(1/8)	22.23(7/8)	A30S	1	D-18574	
		150(6)	3.0(1/8)	22.23(7/8)	A30S	1	D-29418	
		180(7)	3.0(1/8)	22.23(7/8)	A30S	1	D-18580	
		230(9)	3.0(1/8)	22.23(7/8)	A30S	1	D-18596	

Thin Cut-Off Wheel/ Stainless/ Flat with X-LOCK

X-LOCK



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Thread	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	1.2(3/64)	X-LOCK	A60T	1	E-00505	
		125(5)	1.2(3/64)	X-LOCK	A60T	1	E-00418	

**Thin Cut-Off Wheel/ Stainless/ Flat/
Ideal for Cordless Power Cutter**



Range	Work material	Outer dia. mm(inch)	Thickness mm	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	230(9)	2.0	22.23(7/8)	WA36R	1	E-03006	

**Grinding Wheel/ Stainless/ Depressed/ 2 in 1/
Ideal for Cordless Angle Grinder**



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	2.2(5/64)	16.00(5/8)	SA46P	1	B-51649	
		125(5)	2.2(5/64)	22.23(7/8)	SA46P	1	B-51655	

Thin Cut-Off Wheel/ Stainless/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	1.2(3/64)	16.00(5/8)	WA60T	1	D-18801	
		115(4-1/2)	1.2(3/64)	22.23(7/8)	WA60T	1	D-18817	
		125(5)	1.6(1/16)	22.23(7/8)	WA46T	1	D-18823	
		180(7)	2.0(5/64)	22.23(7/8)	WA36R	1	D-18839	
		230(9)	2.0(5/64)	22.23(7/8)	WA36R	1	D-18845	

Cut-Off Wheel for Portable Cut-Off/ Metal



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	305(12)	2.8(1/8)	25.40(1)	A36P	5	A-01345	
		355(14)	3.0(1/8)	25.40(1)	A36P	25	A-87585-25	
		405(16)	3.0(1/8)	25.40(1)	A36P	5	A-01367	
		405(16)	3.0(1/8)	25.40(1)	A36P	25	A-88478-25	
		355(14)	3.0(1/8)	25.40(1)	A36P	5	D-62088-5	
★★☆☆☆		355(14)	3.0(1/8)	25.40(1)	A36T	25	E-10540-25	

Ultra Thin Cut-Off Wheel/ Stainless/ Flat



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	0.8(1/32)	16.00(5/8)	Z60V	1	E-22931	
		125(5)	0.8(1/32)	22.23(7/8)	Z60V	1	E-22953	

Cut-Off Wheel for Portable Cut-Off/ Metal/ Fast Cut



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	Metal	355(14)	3.0(1/8)	25.40(1)	A30P	25	B-64353-25	

**Ultra Thin Cut-Off Wheel/ Stainless/ Flat/
Ideal for Cordless Angle Grinder**



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	0.8(1/32)	16.00(5/8)	Z60T	1	B-45711	
		125(5)	0.8(1/32)	22.23(7/8)	Z60T	1	B-45733	

**Cut-Off Wheel for Portable Cut-Off/ Metal Stud/
Ideal for Cordless Portable Cut-Off**



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
Specialized	Metal stud	355(14)	2.5(3/32)	25.40(1)	A36P	25	B-64698-25	

Bonded Abrasive

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Thin Cut-Off Wheel for Portable Cut-Off/ Metal



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	355(14)	2.5(3/32)	25.40(1)	A36P	25	B-49448-25	

Cut-Off Wheel for Power Cutter/ Metal/ Ideal for Cordless Power Cutter



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	355(14)	4.3(11/64)	25.40(1)	A24T	5	E-12790-5	

Grinding Wheel for Bench Grinder




Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm (inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	150(6)	16.0(5/8)	12.70(1/2)	WA60K(White)	1	A-47210	
		205(8)	19.0(3/4)	15.88(5/8)	WA60K(White)	1	A-47260	
	Non-Ferrous	150(6)	16.0(5/8)	12.70(1/2)	GC120H	1	B-51932	
		205(8)	19.0(3/4)	15.88(5/8)	GC120H	1	B-51976	
	Stainless Metal	150(6)	16.0(5/8)	12.70(1/2)	WA60K	1	B-51926	
		205(8)	19.0(3/4)	15.88(5/8)	WA60K	1	B-51960	

Dressing Stone



Range	Work material	Grit	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	A1200	150x70mm	1	794061-7	
		A1200	180x70mm	1	794060-9	

Tungsten Carbide Burrs/ mm Type



Range	Shank mm	Shape	Grit	Bit dia. mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	SA	Diamond cut	10	20	10	B-52722-10	
		SC	Diamond cut	10	20	1	B-52722	
	6	SF	Diamond cut	10	20	10	B-52750-10	
						1	B-52750	
	6	SL	Diamond cut	10	25	10	B-52788-10	
						1	B-52788	
	6	SL	Diamond cut	10	25	10	B-52819-10	
						1	B-52819	

Wheel Point



Range	Shank mm (inch)	Shape	Grit	Bit dia. mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	Cylinder	A60P	5	13.0	10	794050-2	
		Cylinder	A60P	6	13.0	10	794051-0	
		Cylinder	A60P	8	13.0	10	794052-8	
		Cylinder	A60P	10	13.0	10	794053-6	
	3	Sphere	A60P	10	10.0	10	794059-4	
		Cylinder	WA60P	5	13.0	10	794054-4	
	3	Cylinder	WA60P	6	13.0	10	794055-2	
		Cylinder	WA60P	8	13.0	10	794056-0	
	3	Cylinder	WA60P	10	13.0	10	794057-8	
	6	Cylinder	WA60N	19	19.0	1	741614-3	
	(1/4)	Cylinder	WA60N	19	19.0	1	741617-7	
	6	Cone	WA60N	19	28.0	1	741615-1	
	(1/4)	Cone	WA60N	19	28.0	1	741616-9	

ACCESSORIES

Coated Abrasive



Metal,
mild steel



Stainless steel



Non-ferrous
metal



Wood



Plastic



Removing paint



Thread for
Cordless sander
polisher



Hand sanding



Grit A



Grit WA



Grit C



Grit Z



Always use
pad saver



Good dust
suction



Net sanding
type 1



Net sanding
type 2



Net sanding
type 3



Pad saver
type 1



Pad saver type 3



Pad saver
type 5




Hook and
loop type



No wet use by
power tool

**Flap Disc Aluminum Oxide/
Fiberglass Backing/ Angled**



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Metal, Non-ferrous, PVC	100	16.00	A36	1	D-26973	
			16.00	A40	1	D-26989	
			16.00	A60	1	D-26995	
			16.00	A80	1	D-27006	
		180	22.23	A120	1	D-27012	
			22.23	A36	1	D-27121	
			22.23	A40	1	D-27137	
			22.23	A60	1	D-27143	
			22.23	A80	1	D-27159	
			22.23	A120	1	D-27165	

**Flap Disc Aluminum Oxide/
Fiberglass Backing/ Flat**



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Metal	100	16.00	A40	1	D-27187	
			16.00	A60	1	D-27193	
			16.00	A80	1	D-27202	
			16.00	A120	1	D-27218	
		180	22.23	A36	1	D-27327	
			22.23	A40	1	D-27333	
			22.23	A80	1	D-27355	
			22.23	A120	1	D-27361	

**Flap Disc Zirconia Aluminum/
Fiberglass Backing/ Angled**



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal, Non-ferrous	100	16.00	Z36	1	D-27377	
			16.00	Z40	1	D-27383	
			16.00	Z60	1	D-27399	
			16.00	Z80	1	D-27408	
		180	22.23	Z120	1	D-27414	
			22.23	Z36	1	D-27523	
			22.23	Z40	1	D-27539	
			22.23	Z60	1	D-27545	
			22.23	Z80	1	D-27551	
			22.23	Z120	1	D-27567	

**Flap Disc Zirconia Aluminum/
Fiberglass Backing/ Flat**



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal	100	16.00	Z36	1	D-27573	
			16.00	Z40	1	D-27589	
			16.00	Z60	1	D-27595	
			16.00	Z80	1	D-27604	

Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal	180	16.00	Z120	1	D-27610	
			22.23	Z36	1	D-27729	
			22.23	Z60	1	D-27741	
			22.23	Z120	1	D-27763	

**Flap Disc Zirconia Aluminum/
Nylon Backing/ Flat**



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal	100	16.00	Z36	1	D-27779	
			16.00	Z40	1	D-27785	
			16.00	Z60	1	D-27791	
			16.00	Z80	1	D-27800	
			16.00	Z120	1	D-27816	
			22.23	Z36	1	D-27925	
		180	22.23	Z40	1	D-27931	
			22.23	Z60	1	D-27947	
			22.23	Z80	1	D-27953	
			22.23	Z120	1	D-27969	

**Flap Disc Ceramic Aluminum Oxide/
Fiberglass Backing/ Angled**



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal	100	16.00	Ce40	1	D-28254	
			16.00	Ce60	1	D-28260	
			16.00	Ce80	1	D-28276	
			16.00	Ce120	1	D-28282	
		180	22.23	Ce40	1	D-28379	
			22.23	Ce60	1	D-28385	
			22.23	Ce80	1	D-28391	
			22.23	Ce120	1	D-28400	

**Flap Disc Ceramic Aluminum Oxide/
Fiberglass Backing/ Flat**



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal	100	16.00	Ce40	1	D-28416	
			16.00	Ce60	1	D-28422	
			16.00	Ce80	1	D-28438	
			16.00	Ce120	1	D-28444	
		180	22.23	Ce40	1	D-28531	
			22.23	Ce60	1	D-28547	
			22.23	Ce80	1	D-28553	
			22.23	Ce120	1	D-28569	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

**Flap Disc Silicon Carbide/
Aluminum Backing/ Flat**



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	100	16.00	C24	1	A-90130	
		115	22.2	C24	1	A-90249	

**Flap Disc Silicon Carbide/
Fiberglass Backing/ Flat**



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	100	16.00	C36	1	D-27975	
			16.00	C40	1	D-27981	
			16.00	C60	1	D-27997	
			16.00	C80	1	D-28008	
			16.00	C120	1	D-28014	
		180	22.23	C36	1	D-28123	
			22.23	C40	1	D-28139	
			22.23	C60	1	D-28145	
			22.23	C80	1	D-28151	
			22.23	C120	1	D-28167	

**Flap Disc Silicon Carbide/
Nylon Backing/ Flat**



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	115	22.23	C80	1	D-28173	
			22.23	C120	1	D-28189	
			22.23	C180	1	D-28195	
			22.23	C320	1	D-28204	
			22.23	C80	1	D-28210	
		180	22.23	C120	1	D-28226	
			22.23	C180	1	D-28232	
			22.23	C320	1	D-28248	

Fiber Sanding Disc



Range	Work material	Size mm	Grit	Model No.	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	100	C30	-	10	794066-7	
			C50	-	10	794067-5	
			C80	-	10	794068-3	
			C100	-	10	794227-9	
			C120	-	10	794069-1	
		115	C24	-	10	794104-5	
			C30	-	10	794105-3	
			C50	-	10	794106-1	
			C80	-	10	794107-9	
			C120	-	10	794108-7	
		125	C24	-	10	794096-8	
			C30	-	10	794097-6	
			C50	-	10	794098-4	

Range	Work material	Size mm	Grit	Model No.	Sales pkg qty	Part No.	RSP (RM)	
★★★★☆	Concrete	125	C80	-	10	794099-2		
			C120	-	10	794100-3		
			C24	-	10	794070-6		
		150	C30	-	10	794071-4		
			C50	-	10	794072-2		
			C80	-	10	794073-0		
			C100	-	10	794219-8		
			C120	-	10	794074-8		
			C16	-	10	794091-8		
			C20	-	10	794092-6		
		180	C24	-	10	794093-4		
			C30	-	10	794218-0		
			C50	-	10	794094-2		
			C50	-	25	B-66771-25		
			C80	-	10	794095-0		
			C80	-	25	B-66787-25		
			C100	-	10	794220-3		
		Metal	125	A50	GV5010	5	794319-4	
				A80	GV5010	5	794320-9	
				A120	GV5010	5	794321-7	
			150	C50	GV6010	10	794086-1	
				C80	GV6010	10	794088-7	
				C120	GV6010	10	794090-0	
			150	A80	-	25	B-66765-25	

Fiber Sanding Disc for Wet



Range	Work material	Size mm	Grit	Model No.	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Marble, Granite	125	C24	PK5001C, PK5011C	10	B-14526	
		125	C50	PK5001C, PK5011C	10	B-14532	
		125	C80	PK5001C, PK5011C	10	B-14548	
		125	C120	PK5001C, PK5011C	10	B-14554	

Fiber Sanding Disc for DPV300



Aluminium Oxide



Zirconia Alumina

Range	Work material	Outer dia. mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal, Stainless	50	A60	Use with adapter (Part No. 743126-2) and pad (Part No. 743124-6)	25	E-07412	
		50	A80		25	E-07428	
		50	A120		25	E-07434	
		50	Z60		25	E-07440	
		50	Z80		25	E-07456	

Surface Conditioning Disc for DPV300



Hard




Soft

Range	Work material	Outer dia. mm	Grit type	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Paint	50	Hard	Coarse (A80)	Use with adapter (Part No. 743126-2) and pad (Part No. 743124-6)	25	E-07462	
		50	Hard	Medium (A120)		25	E-07478	
		50	Hard	Fine (A240)		25	E-07484	
		50	Soft	Medium (A120)		25	E-07490	
		50	Soft	Fine (A180)		25	E-07509	
		50	Soft	Very fine (A320)		25	E-07515	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Net Sanding Disc/ Wood/ Metal



Range	Work material	Outer dia. mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Paint, Metal	125 (5)	A120	Hook & Loop	10	D-78667	

Pad Saver/ for Net Sanding Disc



Range	Outer dia. mm	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	125 (5)	Hook & Loop	2	D-78704	

Abrasive Disc/ Wood/ Metal



Range	Work material	Outer dia. mm	Grit	Holes	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Paint, Metal	125	WA60	8	Hook & Loop	10	794542-1	
			WA80	8		10	794543-9	
			WA120	8		10	794544-7	
			WA180	8		10	794545-5	
			WA240	8		10	794546-3	
			WA400	8		10	794546-3	
		150	WA40	9		10	794607-9	
			WA60	9		10	794608-7	
			WA80	9		10	794609-5	
			WA120	9		10	794610-0	
			WA180	9		10	794611-8	
			WA240	9		10	794612-6	
			WA400	9		10	794613-4	

Abrasive Disc/ Paint



Range	Work material	Outer dia. mm	Grit	Holes	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Paint, Wood, PVC	125	A80	8	Hook & Loop	10	D-65838	
		125	A100	8		10	D-65844	
		125	A120	8		10	D-65850	
		125	A150	8		10	D-65866	
		125	A180	8		10	D-65872	
		125	A240	8		10	D-65888	
		125	A320	8		10	D-65894	
		125	A400	8		10	D-65903	

Abrasive Disc/ Drywall



Range	Work material	Outer dia. mm	Grit	Holes	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Drywall	225	A40	9	Hook & Loop	25	B-68389	
			A80	9		25	B-68395	
			A120	9		25	B-68404	
			A180	9		25	B-68410	
			A320	9		25	B-68426	

Abrasive Belt/ Wood/ Metal



Range	Work material	Size mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Metal, Paint	6 x 533	A40	10	A-34512	
			A60	10	A-34528	
			A80	10	A-34534	
			A100	10	A-34540	
		9 x 533	A120	10	A-34556	
			A40	10	A-34447	
			A60	10	A-34453	
			A80	10	A-34469	
		13 x 533	A100	10	A-34475	
			A120	10	A-34481	
			A40	10	A-34562	
			A60	10	A-34578	
		30 x 533	A80	10	A-34584	
			A100	10	A-34590	
			A120	10	A-34609	
		76 x 533	A40	10	A-23852	
			A80	10	A-23874	
		100 x 610	WA180	10	794225-3	
			WA40	5	794133-8	
			WA60	5	794134-6	
			WA80	5	794135-4	
			WA100	5	794136-2	
			WA120	5	794137-0	
			WA150	5	794138-8	
			WA180	5	794222-9	
			WA240	5	794139-6	

Abrasive Belt/ Stone/ Plastic



Range	Work material	Size mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stone, Plastics	100 x 610	C80	5	794142-7	
★★☆☆☆	Wood, Paint, Metal	76 x 457	A80	3	D-59209	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Net Sanding Sheet/ Wood/ Metal



Range	Work material	Outer dia. mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Paint, Metal	80 x 130 (3-1/8 x 5-1/8)	A120	Hook & Loop	10	D-78782	

Pad Saver/ for Net Sanding Sheet



Range	Size mm (inch)	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	80 x 130 (3-1/8 x 5-1/8)	Hook & Loop	2	D-78829	


Abrasive Paper/ Wood/ Metal



Range	Work material	Size mm	Grit	Holes	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Paint, Metal	93 x 228	WA60	-	Clamp	10	794156-6	
			WA60	8		10	A-31245	
			WA80	-		10	794471-8	
			WA80	8		10	A-31251	
			WA100	-		10	794157-4	
			WA120	8		10	A-31267	
			WA150	-		10	794158-2	
			WA180	8		10	A-31273	
		WA240	8	10	A-31289			
		114 x 140	WA60	-	10	794216-460		
			WA80	-	10	794469-5		
			WA100	-	10	794215-660		
			WA150	-	10	794214-8		
		114 x 280	WA60	-	10	794210-6		
			WA80	-	10	794470-0		
			WA100	-	10	794209-1		
			WA120	-	10	794212-2		
		115 x 280	WA150	-	10	794213-0		
			WA180	-	10	794211-4		
			WA60	10	10	A-14065		
			WA80	10	10	A-14071		
			WA100	10	10	A-14087		
			WA120	10	10	A-14093		
		115 x 232	WA150	10	10	A-14102		
WA180	10		10	A-14118				
WA240	10		10	A-14124				
WA60	10		5	A-14130				
WA80	10		5	A-14146				
WA100	10		5	A-14152				
WA120	10		5	A-14168				
WA150	10		5	A-14174				
WA180	10	5	A-14180					
WA240	10	5	A-14196					

Abrasive Paper 230 mm x 280 mm (9" x 11")

How to use



BO4900

BO3710

BO4555

Abrasive Paper Sheet/ Multipurpose



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	Multipurpose	230 x 280	220	Clamp	100	D-60741	

Abrasive Paper Sheet/ Wood



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	230 x 280	A40	Clamp	50	D-52358	
			A60	Clamp	50	D-52364	
			A80	Clamp	50	D-52370	
			A100	Clamp	50	D-52386	
			A120	Clamp	50	D-52392	
			A150	Clamp	50	D-52401	
			A180	Clamp	50	D-52417	
			A240	Clamp	50	D-52423	
			A320	Clamp	50	D-56895	
			A400	Clamp	50	D-56904	

Abrasive Paper Sheet/ Metal



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	230 x 280	A36	Clamp	50	D-56677	
			A40	Clamp	50	D-56683	
			A60	Clamp	50	D-56699	
			A80	Clamp	50	D-56708	
			A100	Clamp	50	D-56714	
			A120	Clamp	50	D-56720	
			A150	Clamp	50	D-56736	
			A180	Clamp	50	D-56742	
A240	Clamp	50	D-56758				

Coated Abrasive


*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Abrasive Paper Sheet/ Mortar



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Mortar	230 x 280	A60	Clamp	50	D-56530	
			A80	Clamp	50	D-56546	
			A100	Clamp	50	D-56552	
			A120	Clamp	50	D-56568	
			A150	Clamp	50	D-56574	
			A180	Clamp	50	D-56580	
			A240	Clamp	50	D-56596	

Net Sanding Detail/ Wood/ Metal



Range	Work material	Outer dia. mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Paint, Metal	100 x 150 (3-15/16 x 5-7/8)	A120	Hook & Loop	10	D-78900	

Abrasive Paper Sheet/ Paint



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	Paint, Wood, PVC	230 x 280	A80	Clamp	100	D-60698	
			A100	Clamp	10	D-66092	
			A100	Clamp	100	D-60707	
			A120	Clamp	10	D-66101	
			A120	Clamp	100	D-60713	
★★☆☆☆	Paint, Wood, PVC	230 x 280	A150	Clamp	10	D-66117	
			A150	Clamp	100	D-60729	
			A180	Clamp	10	D-66123	
			A180	Clamp	100	D-60735	
			A220	Clamp	10	D-66139	
			A240	Clamp	100	D-60757	
			A320	Clamp	100	D-60779	
			A400	Clamp	100	D-60791	

Pad Saver/ for Net Sanding Detail



Range	Size mm (inch)	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	100 x 150 (3-15/16 x 5-7/8)	Hook & Loop	2	D-78944	

Abrasive Delta Paper/ Wood



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	Wood, Paint, Metal	93	A60	Hook & Loop	10	B-21624	
			A80		10	B-21630	
			A100		10	B-22947	
			A120		10	B-21646	
			A150		10	B-22953	
			A180		10	B-21652	
		A240	10		B-21668		
		93	A60, A80, A120, A180, A240		10	B-21618	

Abrasive Paper Sheet/ Carbody/ Waterproof



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	Carbody	230 x 280	C60	Clamp	50	D-58936	
			C80	Clamp	50	D-58942	
			C100	Clamp	50	D-58958	
			C150	Clamp	50	D-58970	
			C220	Clamp	50	D-58992	
			C400	Clamp	50	D-59025	
			C1200	Clamp	50	D-56867	
			C120	Clamp	50	D-58964	
			C180	Clamp	50	D-58986	
			C280	Clamp	50	D-59003	
	Paint, Metal, Stainless, PVC	230 x 280	C320	Clamp	50	D-59019	
			C600	Clamp	50	D-59031	
			C800	Clamp	50	D-59047	
			C1000	Clamp	50	D-59053	
			C1500	Clamp	50	D-59069	
			C2000	Clamp	50	D-59075	

Abrasive Delta Paper/ Wood/ Long-Life



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	Wood, Paint, Metal	93	A60	Hook & Loop	10	B-21565	
			A80		10	B-21571	
			A100		10	B-21587	
			A120		10	B-21593	
			A180		10	B-21602	
			A240		10	B-22931	
			A60, A80, A100, A120, A180		10	B-21559	

Abrasive Delta Paper/ Paint



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Paint, Wood, Metal	93	A60	Hook & Loop	10	B-21680	
			A80		10	B-21696	
			A100		10	B-21705	
			A120		10	B-22969	
			A240		10	B-21711	
			A320		10	B-21727	
			A60, A80, A100, A240, A320		10	B-21674	

Abrasive Paper for JR102D/ JR105D

for sanding adapter (A-40967)



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Metal	22 x 95	A60	Hook & Loop	10	B-04977	
			A120	Hook & Loop	10	B-04983	

Abrasive Delta Paper/ Stone



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Marble	93	C120	Hook & Loop	10	B-21749	
			C240		10	B-21755	
			C400		10	B-21761	
			C600		10	B-21777	
			C1200		10	B-21783	
			C120, C240, C400, C600, C1200		10	B-21733	

Abrasive Delta Paper/ Polishing Fleece



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Metal, PVC, Paint	93	-	Hook & Loop	1	B-21814	
			A100		1	B-21808	

Abrasive Delta Paper/ Polishing Felt



Range	Work material	Size mm	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	PeRSP (RM) ex, Non-ferrous metal, Glass	93	Hook & Loop	1	B-21820	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

ACCESSORIES

Multi Tool



Metal, mild steel



Stainless steel



Aluminum



Wood



Wood with nails



Plywood



Tile



Limestone



Concrete block



Fiberglass



Sheet metal



Plaster board



Plastic



Epoxy



Insulation



Carpet



Silicon



Hook and loop type



Precise



Blade thickness 2.0 mm



Blade thickness 3.0 mm

Type	Compatible Model
STARLOCK	TM001G, DTM52, DTM51, DTM50, TM30D, TM3010C, TM3000C, M9800B
STARLOCK PLUS	TM001G, DTM52
STARLOCK MAX	TM001G, DTM52

Type	Compatible Model
	DTM51, DTM50, TM30D, TM3010C, TM3000C, M9800B

Segment Saw Blade Starlock Shank Wood and Metal

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA045	85	18TPI	BiM	Wood and Metal	1	B-64799	
	TMA046	100	15TPI	BiM	Wood and Metal	1	B-64808	

Plunge Cut Saw Blade Starlock Shank Wood and Metal

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA047	32 x 50	20TPI	BiM	Bow shape	Wood and Metal	1	B-64814	
							5	B-64814-5	
	TMA048	65 x 40	20TPI	BiM	Bow shape	Wood and Metal	1	B-64820	
	TMA057	10 x 30	20TPI	BiM	-	Wood and Metal	1	B-64917	
	TMA058	20 x 30	20TPI	BiM	-	Wood and Metal	1	B-64923	

Segment Saw Blade Starlock Shank Wood

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA049	85	18TPI	HCS	Wood	1	B-64836	

Plunge Cut Saw Blade Starlock Shank Wood

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA050	24 x 50	18TPI	HCS	-	Wood	1	B-64842	
	TMA051	32 x 50	18TPI	HCS	Bow shape	Wood	1	B-64858	
							5	B-64858-5	
	TMA053	32 x 50	14TPI	BiM	Bow shape, Japanese teeth, Recommended Hard wood	Hard wood	1	B-64870	
	TMA055	65 x 40	14TPI	BiM		Hard wood	20	B-64870-20	
						1	B-64892		

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Plunge Cut Saw Blade Starlock Shank Metal

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA059	32 x 50	20TPI	BiM	Metal	1	B-64939	
						5	B-64939-5	

TC Bar Plunge Cut Saw Blade Starlock Shank Metal

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA060	20 x 40	23TPI	TC/HM	Metal	1	B-64945	
	TMA061	32 x 40	23TPI	TC/HM	Metal	1	B-64951	
	TMA079	45 x 49	23TPI	TC/HM	Metal	1	B-69755	

Segment Saw Blade Starlock Shank Multi Material

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA064	85	18TPI	BiM-TiN	Multi Material	1	B-64973	

Plunge and Segment Cut Saw Blade Starlock Shank Multi Material

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA081	53 x 40	14TPI	BiM	Multi Material	1	B-69777	

TC Bar Plunge Cut Saw Blade Starlock Shank Multi Material

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA080	32 x 40	20TPI	TC/HM	Bow shape	Multi Material	1	B-69761	

Joint Cutter Blade Starlock Shank Multi Material

STARLOCK



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA067	28 x 40	HCS	Multi Material	1	B-65006	
	TMA082	12 x 29	Stainless	Multi Material	1	B-69783	

Scraper Blade Starlock Shank Multi Material

STARLOCK



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA065	52 x 26	HCS	Rigid	Multi Material	1	B-64989	
	TMA066	52 x 40	HCS	Flexible	Multi Material	1	B-64995	

TC Segment Blade Starlock Shank Grout Abrasive

STARLOCK



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA069	85	TC/HM #30	Blade thickness 2.5mm	Grout and mortar remover	1	B-65028	
	TMA071	70	TC/HM #50	Blade thickness 1.6mm		1	B-65040	

Diamond Segment Blade Starlock Shank Grout Abrasive

STARLOCK



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA070	85	Diamond #40	Blade thickness 2mm	Grout and mortar remover	1	B-65034	

TC Plunge Blade Starlock Shank Grout Abrasive

STARLOCK



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA075	32 x 30	TC/HM #50	Blade thickness 2mm	Grout and mortar remover	1	B-65084	

TC Remover Starlock Shank Grout Abrasive


STARLOCK



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA074	70	TC/HM #40	Blade thickness 3mm	Grout and mortar remover	1	B-65078	

TC Sanding Plate Starlock Shank Grout Abrasive Delta Shape

STARLOCK



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA073	78	TC/HM #20	-	Grout and mortar remover	1	B-65062	
	TMA083	90	TC/HM #20	-	Grout and mortar remover	1	B-69799	
	TMA084	90	TC/HM #40	-	Grout and mortar remover	1	B-69808	
	TMA085	90	TC/HM #60	Use only wood	Wood	1	B-69814	
	TMA086	90	TC/HM #100	Use only wood	Wood	1	B-69820	

Sanding Pad for Abrasive Paper Delta Starlock Shank

STARLOCK



Range	Makita No.	Blade width mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA078	93	1	B-65115	

Multi Tool Blade Starlock Shank Assortment

STARLOCK



Range	Makita No.	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA045, TMA047, TMA053, 2xTMA078	Carpentry set	Wood and Metal, Hard Wood	5	B-67511	
	TMA045, TMA047, TMA053, TMA058	Plunge set	Wood and Metal, Hard Wood, Metal	4	B-67480	
	TMA045, TMA048, TMA051, TMA066	Floor set	Wood and Metal, Wood, Multi Material	4	B-67505	
	TMA058, TMA065, TMA069, TMA073	Tile set	Metal, Multi Material, Grout and mortar remover	4	B-67496	

Plunge Cut Saw Blade Starlock Plus Shank Wood and Metal

STARLOCK PLUS



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAP001	32 x 60	20TPI	BIM	Bow shape	Wood and metal	1	B-66329	
	MAP002	65 x 50	20TPI	BIM	Bow shape	Wood and metal	1	B-66335	

Plunge Cut Saw Blade Starlock Plus Shank Wood

STARLOCK PLUS



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAP003	32 x 60	18TPI	HCS	Bow shape	Wood	1	B-66341	

TC Bar Plunge Cut Saw Blade Starlock Plus Shank Metal

STARLOCK PLUS



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAP004	32 x 50	23TPI	TC/HM	Metal	1	B-66357	
	MAP005	45 x 50	23TPI	TC/HM	Metal	1	B-66363	

TC Bar Plunge Cut Saw Blade Starlock Plus Shank Multi Material

STARLOCK PLUS



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAP006	32 x 50	20TPI	TC/HM	Bow shape	Multi Material	1	B-66379	
	MAP007	52 x 50	20TPI	TC/HM	Bow shape	Multi Material	1	B-66385	

TC Plunge and Segment Blade Starlock Plus Shank Grout Abrasive

STARLOCK PLUS



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAP008	53 x 40	TC/HM #40	Porous concrete	1	B-66391	

Segment Saw Blade Starlock Max Shank Wood and Metal


STARLOCK MAX



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM003	100 x 50	15TPI	BIM	Wood and metal	1	B-66422	

Plunge Cut Saw Blade Starlock Max Shank Wood and Metal

STARLOCK MAX



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM001	32 x 80	20TPI	BIM	Bow shape	Wood and metal	1	B-66400	
	MAM002	52 x 70	18TPI	BIM	Bow shape	Wood and metal	1	B-66416	

Plunge Cut Saw Blade Starlock Max Shank Wood

STARLOCK MAX



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM004	32 x 80	18TPI	HCS	Bow shape	Wood	1	B-66438	

TC Bar Plunge Cut Saw Blade Starlock Max Shank Metal

STARLOCK MAX



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM005	32 x 70	23TPI	TC/HM	Metal	1	B-66444	

TC Bar Plunge Cut Saw Blade Starlock Max Shank Multi Material

STARLOCK MAX



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM006	32 x 70	20TPI	TC/HM	Bow shape	Multi Material	1	B-66450	

Joint Cutter Blade Starlock Max Shank Multi Material

STARLOCK MAX



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM007	32 x 70	HCS	Multi Material	1	B-66466	
	MAM008	32 x 55	HCS	Multi Material	1	B-66472	

TC Segment Blade Starlock Max Shank Grout Abrasive

STARLOCK MAX



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM009	68 x 10	TC/HM #50	Blade thickness 1.5 mm	Grout and mortar remover	1	B-66494	
	MAM010	68 x 30	TC/HM #30	Blade thickness 2.2 mm	Grout and mortar remover	1	B-66503	
	MAM013	68 x 30	TC/HM #40	Blade thickness 2.1 mm	Grout and mortar remover	1	B-66531	
	MAM014	100 x 50	TC/HM #40	Blade thickness 1.9 mm	Grout and mortar remover	1	B-66547	

Diamond Segment Blade Starlock Max Shank Grout Abrasive

STARLOCK MAX



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM011	68 x 30	Diamond #40	Blade thickness 2.2mm	Grout and mortar remover	1	B-66519	
	MAM012	68 x 10	Diamond #40	Blade thickness 1.5mm	Grout and mortar remover	1	B-66525	

TC Sanding Plate Starlock Max Shank Grout Abrasive Delta Shape

STARLOCK MAX



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM015	116	TC/HM #20	-	Grout and mortar remover	1	B-66553	
	MAM016	116	TC/HM #40	-	Grout and mortar remover	1	B-66569	
	MAM017	116	TC/HM #60	Use only wood	Wood	1	B-66575	
	MAM018	116	TC/HM #100	Use only wood	Wood	1	B-66581	

Segment Saw Blade OIS Shank Wood and Metal



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA005	100	15TPI	BiM	Wood and Metal	1	B-21319	

Plunge Cut Saw Blade OIS Shank Wood and Metal



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA009	28	18TPI	BiM	-	Wood and Metal	5	B-45478	
							20	B-34665	
	TMA034	32	14TPI	BiM	Bow shape	Wood and Metal	1	B-39257	
							5	B-45543	

Segment Saw Blade OIS Shank Wood



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA007	85	18TPI	HCS	Wood	1	B-21331	

Plunge Cut Saw Blade OIS Shank Wood



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA010	32	14TPI	BiM	-	Hard wood	1	B-21369	
							5	B-45484	
							20	B-34659	
	TMA012	32	18TPI	HCS	-	Wood	1	B-21381	
							5	B-45490	
	TMA014	10	18TPI	HCS	-	Wood	1	B-21406	
	TMA032	32	18TPI	HCS	Bow shape	Wood, Furniture components	1	B-39235	
							5	B-45521	
	TMA033	32	14TPI	BiM	Bow shape	Hard wood, Laminated panels	1	B-39241	
							5	B-45537	
	TMA035	65	14TPI	BiM	-	Hard wood, Chipboard, Laminate, Plastic-laminated panels	1	B-40397	
	TMA038	32	14TPI	HCS	Bow shape	Wood	1	B-46822	
	TMA039	32	14TPI	HCS	Bow shape	Wood	1	B-46838	
TMA040	65	14TPI	HCS	-	Wood	1	B-46844		
TMA041	65	14TPI	HCS	-	Wood	1	B-46850		

Plunge Cut Saw Blade OIS Shank Metal



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA015	32	20TPI	BiM	Metal	1	B-21412	
	TMA016	20	20TPI	BiM	Metal	5	B-45515	
	TMA017	10	20TPI	BiM	Metal	1	B-21434	

Round Saw Blade OIS Shank Multi Material



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
	TMA004	65	21TPI	BiM-TiN	Multi Material	1	B-21303	

Segment Knife Blade OIS Shank Multi Material



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA029	100	BiM	Rubber mats, Carpet	1	B-34827	

Serrated Segment Blade OIS Shank Multi Material



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA020	100	BIM	Insulation material	1	B-21462	

Serrated Cutter Blade OIS Shank Multi Material



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA036	28	HCS	Insulation material, Soft joint material, Putty material	1	B-40406	

Joint Cutter Blade OIS Shank Multi Material



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA043	32	HCS	Removal of coking	1	B-50706	
	TMA044	32	HCS	Removal of coking	1	B-50712	

Universal Purpose Knife OIS Shank Multi Material



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA042	32	HCS	Insulation material, Soft joint material, Putty material	1	B-46866	

Scraper Blade OIS Shank Multi Material



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA018	52	HCS	Mortar, Tile adhesive	1	B-21440	
					20	B-34671	

TC Segment Blade OIS Shank Grout Abrasive



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA023	85	TC/HM	Routing joints on wall tile	1	B-21490	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

TC Remover OIS Shank Grout Abrasive



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA022	70	TC/HM	Grout and mortar remover	1	B-21484	

Sanding Pad for Abrasive Delta Paper OIS Shank



Range	Blade width mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	93	1	B-46202	

ACCESSORIES

▣ Diamond



Metal, mild steel



Tile



Roof tile



Concrete



Mortar



Brick



Granite



Limestone



Marble



Plastic



Epoxy



Fiber cement board



Glass



Asphalt



Wood



Low vibration



Fast work



Medium work



Fine work



Hook and loop type



Do not drill with impact



Wet



For SDS-PLUS hammers

Diamond Wheels



Segmented Type:
Most commonly used. Blade has slits and layers of diamond are sintered on edges. Cut faster than continuous rim type and attain average cutting surface.



Segmented Wave Type:
This wheel has slits like segmented wheel. Each segment has many notches (Wave). These notches assure;
• Fast cutting with less resistance.
• Smooth debris removal.
• Less loading on wheel.



Corrugated Type:
This wheel has notches around the Rim. Has a characteristic between Continuous Rim and Segmented Type. Has faster cutting like Segmented Type. At the same time, can attain cleaner surface like continuous rim without broken edges.



Continuous Rim Type:
Has layer of diamond with uniform thickness around the entire rim. Can attain clean surface even on crusty, brittle materials. Cut with accuracy but not as fast as segmented type wheel.

SPECIALIZED



Electrodeposited Type:
Diamonds are electrodeposited and has more exposure than bonded type. Cuts faster and more efficient.



Vacuum brazed Type:
Diamonds are vacuum brazed and has more exposure than bonded type. Able to cut harder material. It is longer life than electrodeposited type because diamonds are held tightly.



Crack Chaser:
Blade is thicker than regular blades. Designed for repair the wall easily.

Material


Material No. 1						
Hard concrete	Granite	Gneiss	Smoothable Engineering	Carbonaceous Shale	Sidewalk Slate	Engineering Block/ Engineering Block Class 2

Material No. 2				Material No. 3		
Concrete	Block	U-shaped Groove	Sidewalk Block	Hard concrete	Cemented Tile	Unglazed Tile

Material No. 4			Material No. 5	Material No. 6	Material No. 7
Brick	Aggregate Block	French Tile	Asphalt	Tile	Glass

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Ring
(10 pcs. /set)



Description	(H) Outer Dia. mm	(D) Hole Dia. mm	Part No.	RSP (RM)
Ring 16	20	16	A-86860	
Ring 20	22.23	20	A-85248	

Diamond Wheel for Angle Grinder with X-Lock Concrete Granite Marble Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Standard	Part No.	RSP (RM)
★★★★☆	Concrete, Granite, Marble	1 2 3 4	100	7	X-LOCK	Dry	EN13236	E-02054	
		1 2 3 4	125	7	X-LOCK	Dry	EN13236	E-02076	

Diamond Wheel Concrete Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	-	180	7.5	22.23	-	Dry	-	-	1	A-02814	
		1 2 3 4	125	7	22.23	20	Dry	-	-	1	A-01236	
		1 2 3 4 5	105	10	20	16	Dry	-	-	1	B-39198	
		1 2 3 4 5	115	7	22.23	-	Dry	Laser welded	EN13236	1	D-44389	
		1 2 3 4 5	125	7.5	20	-	Dry	-	EN13236	1	792282-5	
		1 2 3 4 5	180	7	22.23	-	Dry	Laser welded	EN13236	1	D-44404	
		1 2 3 4 5	230	7	22.23	-	Dry	Laser welded	EN13236	1	D-44410	
		2 3 4	230	7.5	22.23	-	Dry	-	-	1	A-86826	
		2 3 4 5	105	7.5	20	16	Dry	-	-	1	A-88842	
		2 3 4 5	110	6.5	20	-	Dry	-	-	1	A-05022	
		2 3 4 5	150	7.5	22.23	-	Dry	-	EN13236	1	B-06432	
		2 3 4 5	230	7.5	22.23	-	Dry	-	-	1	A-02820	
		2 3 4 5	230	7.5	22.23	-	Dry	-	-	1	A-02820	
		★★★★☆	Concrete	-	115	7.5	22.23	-	Dry	-	EN13236	1
-	125			7.5	22.23	-	Dry	-	EN13236	1	D-41595	
-	180			7.5	22.23	-	Dry	-	EN13236	1	D-41604	
-	230			7.5	22.23	-	Dry	-	EN13236	1	D-41610	
1 2 3 4	105			7	20	16	Dry	-	-	1	D-42531	
1 2 3 4	115			7	22.23	-	Dry	-	-	1	D-44270	
1 2 3 4	180			7	22.23	-	Dry	-	-	1	D-44286	
1 2 3 4	230			7	22.23	-	Dry	-	-	1	D-44292	
2 3 4	115			7.5	22.23	-	Dry	Long life	-	1	D-37552	
2 3 4	125			7.5	22.23	-	Dry	Long life	-	1	D-37568	
2 3 4	180			7.5	22.23	-	Dry	Long life	-	1	D-37574	
2 3 4	230			7.5	22.23	-	Dry	Long life	-	1	D-37580	
2 3 4 5	105			7	20	16	Dry	-	-	1	D-05197	
2 3 4 5	115			7.75	22.23	-	Dry	-	EN13236	1	A-84109	
2 3 4 5	125			7.25	22.23	20	Dry	-	EN13236	1	A-84115	
2 3 4 5	180			7.5	25.4	22.23	Dry	-	EN13236	1	A-84121	
2 3 4 5	230			7.5	22.23	-	Dry	-	EN13236	1	A-84137	
★☆☆☆☆				2	105	9	20	16	Dry & Wet	-	-	1

Corrugated One-star range



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Concrete	2 3 4 5	105	7.5	20	16	Dry	1	A-83820	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Diamond Wheel Concrete Marble Segmented



Range	Work Material	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Marble	115	-	22.23	-	Dry	-	1	A-88892	
		180	-	25.4	22.23	Dry	-	1	A-87909	
★☆☆☆☆		115	7	22.23	-	Dry	EN13236	1	D-52750	
		125	7	22.23	-	Dry	EN13236	1	D-52766	
		180	7	22.23	-	Dry	EN13236	1	D-52772	
		230	7	22.23	-	Dry	EN13236	1	D-52788	

Diamond Wheel Concrete Granite Marble Segmented Ideal for Cordless Angle Grinder



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Granite, Marble	1 2 3 4	115	7	22.23	Dry	EN13236	1	B-53780	
		1 2 3 4	125	7	22.23	Dry	EN13236	1	B-53796	

Diamond Wheel Concrete Granite Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Concrete, Granite	1 2 3 4	105	10	20	16	Dry	1	D-42612	

Diamond Wheel Concrete Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	110	10	20	16	Dry	-	-	1	B-39207	
		1 2 3 4 5 6	110	5	20	-	Wet	-	-	1	B-02836	
		1 2 3 4 5 6	110	5	20	-	Wet	-	EN13236	1	B-22034	
★☆☆☆☆		-	115	7.5	22.23	-	Dry	-	EN13236	1	D-41626	
		-	125	7.5	22.23	-	Dry	-	EN13236	1	D-41632	
		-	180	7.5	22.23	-	Dry	-	EN13236	1	D-41648	
		-	230	7.5	22.23	-	Dry	-	EN13236	1	D-41654	
		2 3 4	105	8	20	16	Dry	-	-	1	D-05206	
		2 3 4	115	7.5	22.23	-	Dry	Long life	-	1	D-37596	
		2 3 4	125	7.5	22.23	-	Dry	Long life	-	1	D-37605	
		2 3 4	180	7.5	22.23	-	Dry	Long life	-	1	D-37611	
		2 3 4	230	7.5	22.23	-	Dry	Long life	-	1	D-37627	
		2 3 4 5	105	7.25	20	16	Dry	-	EN13236	1	A-84193	
		2 3 4 5	115	7.25	22.23	-	Dry	-	EN13236	1	A-84143	
		2 3 4 5	125	7.15	22.23	20	Dry	-	EN13236	1	A-84159	
		2 3 4 5	230	7.5	22.23	-	Dry	-	EN13236	1	A-84171	
		2 3 4	110	7	20	16	Dry	-	-	1	D-42606	
		2 3 4	110	10	20	16	Dry	-	-	1	D-42640	

Diamond Wheel Concrete Tile Corrugated




Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Roof tile	-	180	7.95	22.23	-	Dry	-	1	A-02777	
		1 2 3 4 5	125	7.8	22.23	20	Dry	-	1	A-02761	
		1 2 3 4 5	180	7.95	22.23	-	Dry	-	1	A-80709	
		1 2 3 4 5	230	8.55	22.23	-	Dry	EN13236	1	A-80715	

Diamond Wheel Concrete Granite Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Granite	1 2 3 4	110	10	20	16	Dry	1	D-42628	

Diamond Wheel Concrete Granite Segmented Wave



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Granite	1 2 3 4	105	7	20	16	Dry	1	D-42581	
		1 2 3 4	180	7	22.23	-	Dry	1	D-44339	
		1 2 3 4	230	7	22.23	-	Dry	1	D-44345	

Diamond Wheel Concrete Marble Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Marble	2 3 4 6	110	5	20	Wet	1	D-05212	

Diamond Wheel Concrete Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5 6	110	4	20	Wet	-	1	A-07185	
		1 2 3 4 5 6	180	4	25	Wet	-	1	792191-8	
		1 2 3 4 5 6	180	4	25	Wet	-	1	A-80117	
		1 2 3 4 6	125	5.5	20	Wet	EN13236	1	B-21951	
		1 2 3 6	110	4	20	Wet	-	1	A-85210	

Diamond Wheel Concrete Segmented Wave



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	115	7.5	22.23	-	Dry	-	1	B-02048	
		1 2 3 4 5	125	7.5	22.23	-	Dry	-	1	B-02054	
		1 2 3 4 5	180	8	22.23	-	Dry	-	1	B-02060	
		1 2 3 4 5	230	7.5	22.23	-	Dry	-	1	B-02004	
		2 3 4	230	7.5	22.23	-	Dry	EN13236	1	A-80173	
		2 3 4 5	105	7.5	20	16	Dry	-	1	B-03028	
		2 3 4 5	125	7.5	22.23	-	Dry	EN13236	1	A-80438	
		2 3 4 5	180	7.5	22.23	-	Dry	-	1	A-83842	

Diamond Wheel Granite Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Granite	1 2 3 4 5	105	7.5	20	16	Dry	1	A-84090	
		1 2 3 4 5	125	7.5	22.23	20	Dry	1	A-84012	
		1 2 3 4 5	180	6	25.4	22.23	Dry	1	A-84028	
		1 2 3 4 5	230	7	22.23	-	Dry	1	A-84408	
★☆☆☆☆		1 2 3 4	105	10	20	16	Wet	1	D-44351	

Diamond Wheel Marble Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Marble	1 2 3 4	105	10	20	16	Wet	1	D-44367	

Diamond Wheel Granite Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Granite	1 2 3 4 5	105	7.25	20	16	Dry	EN13236	1	A-84040	
		1 2 3 4 5	110	8	20	16	Dry	-	1	D-42662	
		1 2 3 4 5	115	7.25	22.23	-	Dry	EN13236	1	A-84056	
		1 2 3 4 5	125	7.15	22.23	20	Dry	EN13236	1	A-84062	
		1 2 3 4 5	180	7.5	25.4	22.23	Dry	EN13236	1	A-84078	

Diamond Wheel Granite Marble Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Granite, Marble	1 2 3 4	105	7	20	16	Dry	1	D-42553	
		1 2 3 4	115	7	22.23	-	Dry	1	D-44301	
		1 2 3 4	180	7	22.23	-	Dry	1	D-44317	
		1 2 3 4	230	7	22.23	-	Dry	1	D-44323	

Diamond Wheel Tile Corrugated Ideal for Cordless Angle Grinder



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Porcelain tile	2 3 4 6	105	10	22.23	16	Dry	EN13236	1	B-49030	
		2 3 4 6	115	10	22.23	-	Dry	EN13236	1	B-46327	
		2 3 4 6	125	10	22.23	-	Dry	EN13236	1	B-46333	

Diamond Wheel Tile Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Ceramic Tile	2 3 4 6	110	5	20	16	Wet	1	D-44258	
		2 3 4 6	180	5	25.4	-	Wet	1	D-44264	
	Tile	-	105	5	20	16	Dry & Wet	1	D-78271	
		-	180	5	25.4	22.23		1	D-78293	

Diamond wheel Glass Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	Bulletproof Glass	3 4 5 6 7	110	5.75	20	Wet	EN13236	1	B-22028	

Diamond Wheel Marmoglass Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	Marmoglass	6	110	8.5	20	Wet	1	D-37770	


*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Diamond Wheel Mortar Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Mortar	2 3 4 5	115	7.6	22.23	-	Dry	1	B-02967	
		2 3 4 5	125	7.8	22.23	20	Dry	1	B-02973	
		2 3 4 5	230	8.3	22.23	-	Dry	1	B-01806	

Diamond Wheel Universal Segmented




Range	Work Material	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Brick, Limestone, Roof tile	105	12	20	16	Dry & Wet	EN 13236	1	D-74083	

Diamond Wheel Tuck Point Mortar



Range	Work Material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Mortar	125	8	22.23	Dry	1	A-02705	

Curved Diamond Wheel Marble Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Marble	2 3 4	110	8	20	Dry	1	D-36968	

Electroplated Diamond Wheel Marble



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Marble	3	110	5	20	Wet	1	D-45004	

Vacuum Brazed Diamond Wheel Metal Segmented



Range	Work Material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
Specialized	Metal	100	1.8	16	Dry	EN13236	1	B-53671	
		115	1.8	22.23	Dry	EN13236	1	B-53687	
		125	1.8	22.23	Dry	EN13236	1	B-53693	
		180	1.8	22.23	Dry	EN13236	1	B-53702	

Vacuum Brazed Diamond Wheel Multi Material Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)	
Specialized	Metal, Plastic, Reinforced concrete	-	115	5	22.23	-	Dry	-	-	1	D-58883		
		-	180	5	22.23	-	Dry	-	-	1	D-58899		
		1 2 3 4	110	5	20	16	Dry	-	-	-	1	D-44426	
		1 2 3 4 5 6 7	230	5	22.23	-	Dry	-	-	-	1	A-89894	
	Metal, Plastic, Wood, Glass, Brick, Fiber cement board, concrete	1 2 3 4 5 6 7	100	3	16	-	Dry	for Rescue	EN13236	1	B-66933		
		1 2 3 4 5 6 7	115	3	22.23	-	Dry	for Rescue	EN13236	1	B-55304		
		1 2 3 4 5 6 7	230	3	22.23	-	Dry	for Rescue	EN13236	1	B-55326		

Diamond Wheel for 4103KB Concrete Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	For model	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 6	80	3.5	20	Dry	-	4103KB	1	792192-6	
		1 2 3 4 6	80	3.5	20	Dry	EN13236	4103KB	1	B-22012	

Diamond Wheel for 4103KB Granite Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	For model	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Granite	1 2 3 4 6	80	5	20	Dry	4103KB	1	A-01264	

Diamond Wheel for Angle Cutter Concrete Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	2 3 4 5	305	7.5	30	20, 22.23, 25.4	Dry	1	A-02478	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Diamond Wheel for Angle Cutter Asphalt Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Asphalt	5	305	7.5	30	20, 22.23, 25.4	Dry	1	A-02484	

Diamond wheel for Cordless Cutter Glass Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Glass	6 7	80	4	15	Wet	1	792296-4	

Diamond Wheel for Cordless Cutter Glass Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Glass	3 4 5 6 7	85	5	15	Dry	1	B-02995	

Diamond Wheel for Cordless Cutter Glass Tile Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Glass, Tile	6 7	85	5.5	15	Wet	-	1	B-21082	
		6 7	85	5	15	Wet	EN13236	1	B-21098	

Diamond Wheel for Cordless Cutter General Purpose Corrugated




Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stone, Masonry	2 3 4 5 6 7	85	5	15	Dry & Wet	ANSI B7.1	1	A-07353	

Electroplated Diamond Wheel for Cordless Cutter Glass Tile



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Glass, Porcelain tile	3 6 7	85	1.2	15	Wet	-	1	A-07179	
		3 6 7	85	1.2	15	Wet	ANSI B7.1	1	A-07163	

Diamond Wheel for Power Cutter Concrete Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	-	300	7.5	25.4	20	Dry	Laser welded	EN13236	1	D-56982	
		-	350	7.5	25.4	20	Dry	Laser welded	EN13236	1	D-56998	
		-	400	7.5	25.4	20	Dry	Laser welded	EN13236	1	D-57009	

Diamond Wheel for Power Cutter Concrete Segmented Ideal for Cordless Power Cutter




Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	-	355	10	25.4	Dry & Wet	-	EN13236	1	E-12996	
		1 2 3 4	230	13+2	22.23	Dry & Wet	Grit patterned	EN13236	1	E-02967	

Vacuum Brazed Diamond Wheel for Power Cutter Multi Material Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
Specialized	Metal, Plastic, Wood, Glass, Brick, Fiber cement board, concrete	1 2 3 4 5 6 7	355	3	25.4	Dry	for Rescue	EN13236	1	B-55348	

Diamond Wheel Crack Chaser Concrete



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	2 3 4 5	125	12.5	22.23	16	Dry	1	D-16477	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Offset Diamond Wheel Single Low Vibration



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	5.5	M14	Dry	Rough work	EN13236	1	B-48533	
		1 2 3 4 5	180	5	M14	Dry	Rough work	EN13236	1	B-48599	

Offset Diamond Wheel Double Low Vibration



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	5.5	M14	Dry	Standard work	EN13236	1	B-48549	
		1 2 3 4 5	180	5	M14	Dry	Standard work	EN13236	1	B-48608	

Offset Diamond Wheel Low Vibration



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	5.5	M14	Dry	Standard work	-	1	B-38560	

Offset Diamond Wheel Fan Low Vibration



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	5	M14	Dry	Standard work	EN13236	1	B-48555	
		1 2 3 4 5	180	5	M14	Dry	Standard work	EN13236	1	B-48614	

Offset Diamond Wheel Turbo Low Vibration



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	180	5	M14	Dry	Fine work	EN13236	1	B-48620	

Offset Diamond Wheel Single



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	105	4	22.23	Dry	Rough work	-	1	B-14629	
		1 2 3 4 5	125	5.5	22.23	Dry	Rough work	EN13236	1	B-48561	
		1 2 3 4 5	180	5	22.23	Dry	Rough work	EN13236	1	B-48636	

Offset Diamond Wheel Double



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	4.5	22.23	Dry	Standard work	EN13236	1	B-12295	
		1 2 3 4 5	125	5.5	22.23	Dry	Standard work	EN13236	1	B-48577	
		1 2 3 4 5	180	5	22.23	Dry	Standard work	EN13236	1	B-48642	
★☆☆☆☆		1 2 3 4 5	125	5	22.23	Dry	Standard work	EN13236	1	D-66715	

Offset Diamond Wheel Fan



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	180	5	22.23	Dry	Standard work	EN13236	1	B-48658	

Offset Diamond Wheel Turbo



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	105	5	22.23	Dry	Fine work	-	1	B-44993	
		1 2 3 4 5	125	4.5	22.23	Dry	Fine work	EN13236	1	B-50005	
★☆☆☆☆		1 2 3 4 5	125	5	22.23	Dry	Fine work	EN13236	1	D-66721	

Offset Diamond Wheel for PC1100 Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	For model	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	110	5	15	Dry	Standard work	EN13236	PC1100	1	A-86321	

Offset Diamond Wheel for Concrete Planer Double



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	5	22.23	Dry	Standard work	EN13236	1	D-41458	
		1 2 3 4 5	125	5	22.23	Dry	Standard work	-	1	A-95009	

Offset Diamond Wheel for Concrete Planer Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	4	22.23	Dry	Fine work	EN13236	1	D-41464	

PCD Offset Diamond Wheel



Range	Work Material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
Specialized	Polyurethane, Adhesive, Paint, Epoxy, Acrylic coatings	125	2.6	22.23	Dry	EN13236	1	B-53160	

Vacuum Brazed Offset Diamond Wheel



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Granite	1 2 3	115	0.7	22.23	Dry	Standard work	1	A-87834	
		1 2 3	115	0.7	22.23	Dry	Standard work	1	A-87884	

Diamond Core Bit for SDS-PLUS Hammers




Range	Outer dia. mm	Dry/Wet	Part No.	RSP (RM)
★★★★☆	38	Dry	A-87535	
	54	Dry	A-87541	
	65	Dry	A-87557	

Diamond Core Bit for Diamond Core Hammer Drill




Range	Outer dia. mm	Dry/Wet	Part No.	RSP (RM)
★★★★☆	105	Dry	A-80488	

Diamond Core Bit for Diamond Core Hammer Drill Center Bit




Range	Part No.	RSP (RM)
★★★★☆	A-80503	

Diamond Core Bit for Diamond Core Hammer Drill Adapter





Range	Shank mm	Part No.	RSP (RM)
★★★★☆	13mm Hex	A-80519	

Vacuum Brazed Diamond Core for Angle Grinder




Range	Outer dia. mm	Thread mm	Dry/Wet	Part No.	RSP (RM)
Specialized	5	M10	Dry	D-63264	
	6	M10	Dry	D-63270	
	8	M10	Dry	D-63286	
	10	M10	Dry	D-63292	
	12	M10	Dry	D-63301	
	14	M10	Dry	D-63317	
	14	M14	Dry	D-44432	
	16	M10	Dry	D-63323	
	16	M14	Dry	D-44448	
	20	M10	Dry	D-63339	
	25	M10	Dry	D-63345	
	32	M10	Dry	D-63351	
	37	M10	Dry	D-63367	
	40	M10	Dry	D-63373	
	50	M10	Dry	D-63389	

Vacuum Brazed Diamond Pin Drill Bit




Range	Outer dia. mm	Shank mm	Dry/Wet	Part No.	RSP (RM)
★★★★☆	6	12.5	Dry	B-51823	
	8	12.5	Dry	B-51839	
	10	12.5	Dry	B-51845	

Diamond Polishing Pad for Stone Polisher




Range	Outer dia. mm	Dry/Wet	Note	Part No.	RSP (RM)
★★★★☆	100	Wet	Grit 50	D-15584	
	100	Wet	Grit 100	D-15590	
	100	Wet	Grit 200	D-15609	
	100	Wet	Grit 400	D-15615	
	100	Wet	Grit 800	D-15621	
	100	Wet	Grit 1500	D-15637	
	100	Wet	Grit 3000	D-15643	
	100	Wet	Buff (Finishing)	D-15659	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

ACCESSORIES

▣ Planing / Routering



Wood



Aluminum



6mm
6mm cylindrical
shank



1/4"
(6.35mm)
1/4inch cylindrical
shank



1/2"
(12.7mm)
1/2inch cylindrical
shank




HSS
High speed steel



HM/TC
Tungsten carbide tip

Planer Blade/ HSS



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	80	2	A-07397	
	82	2	A-07406	
	155	2	793014-3	
★★★☆☆	80 (3-1/8")	2	D-65501	
	82	2	D-16346	
	110	2	D-71211	
	136	2	D-71227	
	155 (6-1/8")	2	D-70910	
★☆☆☆☆	82	2	D-67228	
★★★★☆	306	2	199911-5	

Planer Blade/ TC



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	155	2	793015-1	
★★★☆☆	82	2	D-07967	
	110	2	D-08822	

Mini Planer Blade/ HSS



Range	Size mm(inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	306(12)	2	793346-8	

Mini Planer Blade/ TC



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	82	-	2	A-82921	
★★★☆☆	82	-	2	D-07945	
	82	With plates	2	D-07951	

Straight Bit 1 Flute



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(15/64)	(2-1/32)	(23/32)	1	D-09173	
★★★☆☆	(1/4)	(15/64)	(2-3/64)	(53/64)	1	191Y82-4	
	(1/4)	(1/8)	(2)	(1/2)	1	D-49002	
★★☆☆☆	(1/4)	(5/32)	(2)	(1/2)	1	D-49018	
	(1/4)	(3/16)	(1-7/8)	(1/2)	1	D-49024	
	(1/4)	(1/4)	(2)	(3/4)	1	D-49030	

Straight Bit 2 Flute



Range	Shank dia. mm(inch)	Overall dia. mm(inch)	Length mm(inch)	Carbide height mm(inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	12	12	61	30	1	D-07892	
	(1/4)	(5/16)	(2-1/64)	(3/4)	1	D-15388	
	(1/2)	(25/64)	(2-47/64)	(1)	1	D-15512	
	(1/2)	(15/32)	(2-13/32)	(1-3/16)	1	D-07901	
	(1/4)	(1/4)	(1-7/8)	(5/8)	1	D-49096	
	(1/4)	(1/4)	(2)	(3/4)	1	D-49105	
	(1/4)	(1/4)	(2)	(3/4)	1	D-59558	
	(1/4)	(1/4)	(2)	(3/4)	1	D-68971	
	(1/4)	(1/4)	(2-1/4)	(1)	1	D-49052	
	(1/4)	(1/4)	(2-1/4)	(1)	1	D-59564	
	(1/4)	(5/16)	(2)	(3/4)	1	D-49111	
	(1/4)	(5/16)	(2-1/4)	(1)	1	D-49068	
	(1/4)	(5/16)	(2-1/4)	(1)	1	D-59601	
	(1/4)	(5/16)	(2-1/4)	(1)	1	D-68937	
	★★★☆☆	(1/4)	(3/8)	(2)	(3/4)	1	D-49127
(1/4)		(3/8)	(2)	(3/4)	1	D-68993	
(1/4)		(3/8)	(2-1/4)	(1)	1	D-49074	
(1/4)		(1/2)	(2)	(3/4)	1	D-49133	
(1/4)		(1/2)	(2)	(3/4)	1	D-69004	
(1/4)		(1/2)	(2-1/2)	(1-1/4)	1	D-49080	
(1/4)		(1/2)	(2-1/2)	(1-1/4)	1	D-68959	
(1/4)		(9/16)	(2)	(3/4)	1	D-49149	
(1/4)		(5/8)	(2)	(3/4)	1	D-49155	
(1/4)		(23/32)	(2)	(3/4)	1	D-49161	
(1/4)		(3/4)	(2)	(3/4)	1	D-49177	
(1/2)		(5/16)	(2-3/4)	(1)	1	D-49183	
(1/2)		(5/16)	(2-3/4)	(1)	1	D-59623	
(1/2)		(3/8)	(2-7/8)	(1)	1	D-49199	
(1/2)		(1/2)	(2-5/8)	(1)	1	D-69082	
(1/2)		(1/2)	(2-7/8)	(1-1/4)	1	D-49208	
(1/2)		(1/2)	(2-7/8)	(1-1/4)	1	D-69098	
(1/2)		(1/2)	(3)	(1-1/2)	1	D-69107	
(1/2)		(9/16)	(2-7/8)	(1-1/4)	1	D-49214	
(1/2)		(5/8)	(2-7/8)	(1-1/4)	1	D-49220	
(1/2)		(3/4)	(2-7/8)	(1-1/4)	1	D-49236	
(1/2)		(7/8)	(2-7/8)	(1-1/4)	1	D-49242	
(1/2)		(1)	(2-7/8)	(1-1/4)	1	D-49258	

Straight Bit 2 Flute with Top Bearing



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	(1/4)	(1/2)	(2-5/8)	(1)	1	D-58506	
	(1/2)	(5/16)	(2-3/4)	(1)	1	D-59710	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Flush Trim Bit 2 Flute



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(3/8)	(2-39/64)	(1)	1	D-04313	
	(1/4)	(1/4)	(2-1/8)	(1/2)	1	D-69266	
	(1/4)	(3/8)	(2-5/8)	(1)	1	D-49264	
★★☆☆☆	(1/4)	(1/2)	(2-3/16)	(1/2)	1	D-49270	
	(1/4)	(1/2)	(2-11/16)	(1)	1	D-49286	
	(1/2)	(1/2)	(4-1/64)	(2)	1	D-69303	

Flush Trim Bit 3 Flute



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	(1/4)	(1/2)	(2-11/16)	(1)	1	D-49292	
	(1/2)	(1/2)	(3-19/32)	(1-1/2)	1	D-49301	
	(1/2)	(1/2)	(3-19/32)	(1-1/2)	1	D-59449	

Panel Pilot Bit




Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	(1/4)	(1/4)	(2-9/16)	(3/4)	1	D-49317	
	(1/2)	(3/8)	(3)	(1)	1	D-49323	

Sash Router Bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	6	65	18	1	D-16988	
	(1/4)	(15/64)	(2-9/16)	(45/64)	1	D-16972	

Round Nose Bit




Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(1/4)	(1-3/4)	(1/2)	(1/8)	1	D-49345	
★★☆☆☆	(1/4)	(3/8)	(1-3/4)	(1/2)	(3/16)	1	D-49351	
	(1/4)	(1/2)	(2)	(3/4)	(1/4)	1	D-49339	
★★☆☆☆	(1/2)	(3/4)	(2-5/8)	(1)	(3/8)	1	D-69440	

V Groove Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Angle(°)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(45/64)	(1-7/8)	(5/8)	-	1	D-15453	
★★☆☆☆	(1/4)	(1/2)	(1-3/4)	(1/2)	90	1	D-59455	
	(1/4)	(1/2)	(1-3/4)	(1/2)	90	1	D-69478	
	(1/4)	(3/4)	(1-7/8)	(5/8)	90	1	D-49373	

Ovolo Bit



Range	Shank dia. mm	Overall dia. mm	Length mm	Carbide height mm	R1 mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	16	41	9	4	1	D-09357	

Roundover Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(7/8)	(2-3/16)	(1/2)	(3/16)	1	D-15475	
★★☆☆☆	(1/4)	(3/4)	(2-1/8)	(3/8)	(1/8)	1	D-59483	
	(1/4)	(3/4)	(2-1/8)	(3/8)	(1/8)	1	D-69749	
	(1/4)	(7/8)	(2-5/32)	(1/2)	(3/16)	1	D-69755	
	(1/4)	(1)	(2-1/4)	(17/32)	(1/4)	1	D-69761	

Beading Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	(1/4)	(3/4)	(2-1/32)	(3/8)	(1/8)	1	D-69820	

Chamfer Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Angle(°)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(1-1/8)	(2-7/64)	(7/16)	-	1	D-15506	
★★☆☆☆	(1/4)	(7/8)	(2-3/16)	(1/2)	25	1	D-69951	
	(1/4)	(1-5/8)	(2-5/16)	(13/16)	45	1	D-50033	
	(1/2)	(1-3/4)	(2-11/16)	(29/32)	45	1	D-50049	
	(1/2)	(2)	(2-13/16)	(1-1/16)	45	1	D-50055	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Roman Ogee Bit



Range	Shank dia. mm	Overall dia. mm	Length mm	Carbide height mm	R1 mm	R2 mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	24	42	10	2.5	4.5	1	D-09575	
★★★★☆	6	28	44	12	3	6	1	D-09581	

Tongue and Groove Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/2)	(1-39/64)	(2-51/64)	(3/4)	1	D-50239	

Classic Panel Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/2)	(1)	(2-1/8)	(5/8)	(7/32)	1	D-49694	
★★★★☆	(1/2)	(1-1/4)	(2-1/4)	(3/4)	(11/32)	1	D-49703	

Slotting Cutter



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(1-7/8)	(2-5/16)	(1/8)	Slotting cutter with arbor	1	D-50267	
★★★★☆	(1/4)	(1-7/8)	(2-5/16)	(5/32)		1	D-50273	
★★★★☆	(1/4)	(1-7/8)	(2-5/16)	(3/16)		1	D-50289	

French Provincial Classical Bit




Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/2)	(1-3/4)	(3-1/8)	(1-1/8)	1	D-50164	

Reversible Rail and Stile Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/2)	(1-5/8)	(3-3/32)	(29/32)	1	D-50192	
★★★★☆	(1/2)	(1-5/8)	(3-3/32)	(29/32)	1	D-50201	

Dovetail Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Angle(°)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/2)	(3/4)	(2-1/2)	(7/8)	7	1	D-49563	

Router Vit Assortment



Range	Shank dia. mm(inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	12	A-87921	
	(1/4)	12	A-91051	

Reversible glue Joint Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/2)	(1-5/8)	(3)	(1)	1	D-50223	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

ACCESSORIES

Outdoor Power Equipment



Blade Nut, Cup, Clamp Washer, Grass Guard and Receive Washer



*** Receive Washer with Grass Guard

Model No.	Spindle Size		1 Receive Washer				2 Blade Clamp Washer			3 Blade Cup			4 Blade Nut	
			Arbor size (mm)	Size (mm)	Parts No.	RSP (RM)	Size (mm)	Parts No.	RSP (RM)	Size (mm)	Parts No.	RSP (RM)	Parts No.	RSP (RM)
DUR190L, DUR190U, DUR191L, DUR191U	M10 x 1.25LH	Rounded rectangle	25.4	---	*** 140T23-7		50	347668-4		68	168526-9		264025-0	
UR007G	M10 x 1.25LH	Spline 10T	25.4	---	*** 140L84-9		50	346084-7		68	168526-9		264025-0	
DUR368A, DUR368L, UR003G	M10 x 1.25LH	Spline 10T	25.4	---	*** 140L84-9		50	346084-7		68	168526-9		264025-0	
DUR369A, DUR369L, UR101C, UR201C	M10 x 1.25LH	Spline 10T	25.4	64.5	144312-2		43	347104-0		68	457274-8		252236-9	
UR017G	M10 x 1.25LH	Spline 10T	25.4	50.0	140A87-7		43	347766-4		68	413201-5		252236-9	
UR012G	M10 x 1.25LH	Spline 10T	25.4	70.5	140J59-6		54.5	162567-7		Integreted with Blade Clamp Washer			252236-9	
Multi-tool attachments														
EM400MP, EM402MP	M10 x 1.25LH	Spline 10T	25.4	60	326821-5		50	346084-7		68	168526-9		264025-0	
EM403MP, EM404MP	M10 x 1.25LH	Spline 10T	25.4	64.5	144312-2		43	347104-0		68	457274-8		252236-9	
EM408MP	M10 x 1.25LH	Spline 10T	25.4	64.5	140N88-3		43	347766-4		68	413201-5		252236-9	
EM409MP	M10 x 1.25LH	Spline 10T	-	64.5	140N88-3		-	-		-	-		252236-9	
Edger														
EE400MP	M10 x 1.25LH	Spline 10T	25.4	54	326734-0		47	326381-7		-	-		264025-0	

Cordless String Trimmer

Model No.	Spindle Size		Receive Washer			Grass ward for receive washer	RSP (RM)
			Size (mm)	Parts No.	RSP (RM)		
DUR184L	M8 x 1.25RH	Spline 6T	36.5	326683-1		346857-8	
				144512-4			
DUR187L, DUR187U, DUR188L, DUR188U	M8 x 1.25LH	Rounded rectangle	36.5	144512-4		346857-8	
DUR189	M8 x 1.25RH	Rounded rectangle	36.5	144512-4		346857-8	
DUR364L	M8 x 1.25RH	Rounded rectangle	44	319245-2		346857-8	
DUR192L	M10 x 1.25LH	-	71	140W47-1			
UR202C	M10 x 1.25LH	Spline 10T	65	140N88-3			

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Blade Selection Guide

Blade type/ image		Short and soft grass			Tall and hard grass			Bush including tree beginning to grow		
Nylon cord		←————→								
Plastic blade		←————→								
Metal blade		←————→								
		←————→								
					←————→					
Brushcutter blade					←————→					
Shredder blade					←————→					
Saw blade							←————→			
Chisel blade							←————→			
T.C.T saw blade		←————→								

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Brush Cutter Blade

Hole Dia: 25.4 mm

Blade	Blade dia. / No. of teeth	Thickness	Model No.	Part No.	RSP (RM)
2-tooth blade 	305 mm / 2	2.0 mm	UR012G	195624-6	
4-tooth blade 	230 mm / 4	1.8 mm	DUR368A, DUR368L, DUR369A, DUR369L, UR003G, UR007G, UR101C, UR201C, EM400MP, EM401MP, EM402MP, EM403MP, EM404MP	195150-5	
	255 mm / 4	2.0 mm	DUR369A, DUR369L, UR007G, UR017G, UR101C, UR201C	196895-8	
8-tooth blade 	200 mm / 8	1.4 mm	DUR194	191Y44-2	
3-tooth blade 	230 mm / 3	3.0 mm	DUR368A, DUR368L, DUR369A, DUR369L, UR003G, UR007G, UR101C, UR201C, EM400MP, EM401MP, EM402MP, EM403MP, EM404MP	195298-3	
TCT Brush cutter blade 	230 mm / 36	1.25 mm	DUR369A, DUR369L, UR101C, UR201C	D-65981	
	255 mm / 40	1.25 mm	DUR369A, DUR369L, UR003G, UR007G, UR101C, UR201C	D-65997	

Edger Blade



Blade dia. / No. of teeth	Thickness	Model No.	Part No.	RSP (RM)
203 mm / 2	2.5 mm	EE400MP	196745-7	

Special Blade & Protection Guard Chisel Blade

For brush and thin tree trunks and new growth. Not available in some countries due to local regulation

Model No.	Blade						Protection guard			
	Blade dia.	Item	Arbor size	Thickness	Part No.	RSP (RM)	Item	Pipe size	Part No.	RSP (RM)
UR012G	225 mm		25.4	1.8 mm	199872-9			28 mm	199873-7	

Shredder Blade


Model No.	Blade						Protection guard			
	Blade dia.	Item	Arbor size	Thickness	Part No.	RSP (RM)	Item	Pipe size	Part No.	RSP (RM)
UR012G	270 mm		25.4 mm	3.9 mm	199874-5			28 mm	199875-3	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Rotary Scissors

Model No.	Blade				Protection Guard				
	Blade dia.	Item	Part No.	RSP (RM)	Item	Description	Pipe size	Part No.	RSP (RM)
EM407MP	230 mm		A : SY00146013			Without protector clamp	24 mm	412999-1	
			B : SY00146014						

Plastic Blade Set



Model No.	Plastic blade set				Replacement Plastic blade		
	Arbore size	Cutting width	Part No.	RSP (RM)	Per pkg	Part No.	RSP (RM)
UR100D	M8 x 1.25RH	230 mm	198848-3		5	198850-6 198851-4	
DUR194	M10 x 1.25LH	230 mm	191Y45-0		12	198426-9	
DUR187L, DUR187U, DUR188L, DUR190L, DUR190U, DUR191L, DUR191U, DUR188U, DUR189, DUR364L, DUR368A, DUR368L, DUR369A, DUR369L, UR003G, UR007G, UR008G, UR101C, UR201C, UR202C, EM403MP, EM404MP, EM405MP, EM406MP	M8 x 1.25RH M8 x 1.25LH M10 x 1.25LH	255 mm	198383-1		12	198426-9	
DUR369A, DUR369L, UR101C, UR201C, UR202C, UR012G	M10 x 1.25LH	305 mm	199868-0		12	199870-3	

String Trimmer Head

Eyelet 2 pcs/ set for Bump & Feed 4L/ 4R/ Z5L, Ultra Auto 4R/ 4L6L Part No. A-15992

Description	Ref.	Size	Thread size	Model No.	Cord/ Line	Part No.	RSP (RM)
	96-M8R	4"	M8 x 1.25RH	DUR189	2.0 mm x 4 m	191D92-5	
	96-M8L	4"	M8 x 1.25LH	DUR187L	2.0 mm x 4 m	191D91-7	
	96-M10L	4"	M10 x 1.25LH	DUR190L, DUR190U, DUR191L, DUR191U, DUR192L, DUR368A, DUR368L, DUR369A, DUR369L, UR202C, EM400MP, EM401MP, EM403MP, EM404MP, EM405MP, EM406MP, EM408MP, EM409MP	2.0 mm x 4 m	191D89-4	
					2.4 mm x 3 m	191D90-9	
	121-M10L	5"	M10 x 1.25LH	UR012G	2.4 mm x 4m	191D93-3	
	UN-74L	4.4"	M10 x 1.25LH	DUR190L, DUR368A, DUR368L, DUR369A, DUR369L, UR002G, UR003G, UR101C, UR201C, UR202C, EM400MP, EM401MP, EM403MP, EM404MP, EM405MP, EM406MP	2.4 mm x 3.6 m	196324-1	
	UN-74L	4.4"	M10 x 1.25LH	BBC231U, BBC300L, BC231UD, BC300LD, EM400MP, EM401MP, BUX361, EBH252U, EBH253U, EM2650UH/LH, EM2651UH/LH, EM2652LH, EM2511LH, EM2510LH, EM2653LH, EM2654LH	2.4 mm x 2 m	195149-0	
	76-M8R	3"	M8 x 1.25RH	UR100D	1.65 mm x 8 m	198853-0	
	95-M8L	4"	M8 x 1.25LH	DUR187U/L, DUR188U/L, EM2500U/L, EM2600U/L	2.0 mm x 3 m	198386-5	
	Bump & Feed ECO 4R	4" Low Profile	M8 x 1.25RH	DUR189	2.0 mm x 3 m	197297-1	
	Bump & Feed ECO 4L	4" Low Profile	M8 x 1.25LH	DUR187L	2.0 mm x 3 m	196589-5	
	Bump & Feed ECO 4L	4" Low Profile	M10 x 1.25LH	DUR192L, DUR368A, DUR368L, DUR369A, DUR369L, UR003G, UR007G, UR101C, UR201C, UR202C, EM408MP, EM409MP	2.0 mm x 3 m	197296-3	
	Bump & Feed Z5L/ 105-M10L	5"	M10 x 1.25LH	EM400MP, EM401MP, EM403MP, EM404MP, EM405MP, EM406MP UR012G	2.4 mm x 3 m 2.7 mm x 3 m	B-05131 199884-2	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Spool Assembly



Model No.	Part No.	RSP (RM)
UR3000	DA00000001	
DUR181	195858-1	
DUR193	191Y39-5	

Shoulder Strap Assembly

Type	Model No.	Part No.	RSP (RM)
 Single	DUA300, DUA301, DUN500W, DUR181, DUR184L, DUR187L, DUR188L, DUR189, DUR190L, DUR191L, DUR192L, DUR194L, DUR368A, DUR368L, DUR369A, DUR369L, UA003G, UA004G, UR100D, DUX60	125516-5	
	DUR192L, DUR194, UR003G, UR007G, DUR193, DUR194, DUX18	127508-0	
 Comfort	DUR369A, UR007G	122906-3	

Four-Leaf Spiral Nylon Cord

Type	Model No.	Dia. (mm)	Length (m)	Part No.	RSP (RM)
	Single	1.65	15	E-01731	
				198859-8	
	Single	2.0	15	E-01769	
				197472-9	
	Single	2.4	15	198501-1	
	Single	2.7	15	198505-3 (while stock last)	

Other Nylon Cord (Round, Natural)



Size	Part No.	RSP (RM)
1.65 mm x 15 m	DA00000003	
1.65 mm x 15 m	196148-5	
2.4 mm x 5 m	B-01971	


Multi Tool Attachments

Model	Item	Recommended power unit models	Part No.	RSP (RM)
EM403MP 	Brushcutter Cutting width: 450 mm (String trimmer head) 230mm (Brush cutter blade size) Spindle size: M10 x 1.25LH Arbor size: 25.4 mm Gear ratio EM403MP: 0.74 (14:19) High speed type	DUX60, UX01G	198760-7	
EM407MP 	Rotary scissors attach Set Cutting width: 230 mm Stone & grass antiscattering brushcutter attachment.	DUX18, DUX60, UX01G	191M57-1	
EM408MP 	Brushcutter Cutting width: 300 mm (String trimmer head) 230mm (Brush cutter blade size) Spindle size: M10 x 1.25LH Arbor size:25.4mm Gear ratio: 0.74 (14:19)	DUX18, DUX60, UX01G	191N34-9	
EM409MP 	Brushcutter (Narrow guard for String trimmer head) Cutting width: 300 mm Spindle size: M10 x 1.25LH Gear ratio: 0.74 (14:19)	DUX18, DUX60, UX01G	191N46-2	
ER400MP 	String trimmer attachment Cutting width: 410 mm Spindle size: M8 x 1.25RH	DUX18, DUX60, UX01G	196073-0	
EN424MP 	Ground trimmer Effective cutting length: 330 mm	DUX18, DUX60, UX01G	1913D1-6	
WA400MP 	Standard equipment: Weeding blade 220 set, blade cover assembly, cap, hex wrench	UX01G, DUX60, DUX18	1913T9-2	
Weeding blade 220 set *Optional accessories for WA400MP 	Weeding operation in large areas Working width: 220 mm Working depth: 35 mm	UX01G, DUX60, DUX18	1913L5-4	
Weeding blade 80 set *Optional accessories for WA400MP 	Weeding operation in tight areas Working width: 80 mm Working depth: 50 mm	UX01G, DUX60, DUX18	1913L6-2	
Cultivator blade 170 set *Optional accessories for WA400MP *with Blade cover assembly 	Weeding operation while deeply digging into the soil Working width: 170 mm Working depth: 50 mm	UX01G, DUX60, DUX18	1913L7-0	
UB400MP 	Blower Max. Air volume: 16.6 m ³ /min (UX01G)	DUX18, DUX60, UX01G	191F68-4	
UB401MP 	Blower Max. Air volume: 16.4 m ³ /min (UX01G)	DUX18, DUX60, UX01G	191P75-7	
UB402MP 	Blower Max. Air volume: 6.2 m ³ /min (UX01G)	DUX18, DUX60, UX01G	1912R9-2	
EY403MP 	Pole saw Guide bar length: 30 cm (12') Saw chain: 90PX-46links or 91PX-46links Motor Mount:A41	DUX18, DUX60, UX01G	191T41-8	
EN401MP 	Pole hedge trimmer angle adjustment Effective cutting length: 490 mm	DUX18, DUX60, UX01G	196341-1	
EN402MP 	Pole hedge trimmer Effective cutting length: 500 mm	DUX18, DUX60, UX01G	1912U0-1	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Model	Item	Recommended power unit models	Part No.	RSP (RM)
EN410MP	 Pole hedge trimmer straight Effective cutting length: 490 mm	DUX18, DUX60, UX01G	197742-6	
EN420MP	 Ground trimmer Effective cutting length: 250 mm	DUX18, DUX60, UX01G	198061-3	
KR400MP	 Cultivator Cultivating width: 160 mm	DUX18, DUX60, UX01G	195716-1	
			195707-2	
KR401MP	 Cultivator Cultivating width: 220 mm * Rotor LR set: Part No: 199204-0	DUX18, DUX60, UX01G	199185-8	
BR400MP	 Power brush Working width: 600 mm * Brush wheel (1pc) Part No: XNR0000548	DUX18, DUX60, UX01G	199323-2	
SW400MP	 Power sweep Working width: 590 mm * Sweeper wheel (1pc) Part No: XNR0000549	DUX18, DUX60, UX01G	199344-4	
EJ400MP	 Coffee harvester	DUX18, DUX60, UX01G	197163-2	
EE400MP	 Edger attachment Blade size diameter: 203 mm Hole diameter: 25.4 mm	DUX18, DUX60, UX01G	196752-0	
PF400MP	 Pump Attachment Hose size (Inner diameter) : 25 mm / 1" DUX18 : Max. lift height: 11 m Max, flow rate: 120 l/min DUX60 : Max. lift height: 14 m Max, flow rate: 145 l/min UX01G : Max. lift height: 15 m Max, flow rate: 150 l/min	DUX18, DUX60, UX01G	PF400MP	
LE400MP	 Shaft extension attachment 1.08 m (42-1/2") For Pole saw, Pole hedge trimmer and Coffee harvester	DUX18, DUX60, UX01G	191E23-0	

Saw Chain and Guide Bar




A Guide Bar Length

Guide bar's length is represented by cutting length, which is different from its total length.



B Drive Link

The length of saw chain is determined by counting the number of drive links in the saw chain.




C Chain Pitch

Chain pitch is the size of the chain and it is defined by the distance between any three consecutive rivets divided by two. Pitch is important because the drive sprocket must be the same pitch as the chain.



D Gauge

Chain Gauge is thickness of drive link which will fit into the guide bar groove. Chain gauge must be the same as guide bar gauge.



E Depth Gauge

Depth gauge determines how deep the cutting teeth gets into the wood. Cutting depth can be checked by the gap between top of cutter and depth gauge.



General Saw Chain Character

Chain Pitch	Gauge	Cutting speed			
		Fast	←	→	Slow
		0.043" (1.1mm)	0.050" (1.3mm)	0.058" (1.5mm)	0.063" (1.6mm)
Fine	1/4"		25AP 25F		
	.325"LP	80			
Surface condition	3/8"LP	90PX	91PX 91F 91VXL		
	.325"		20BPX 95VPX	21BPX 21LPX	22BPX 22LPX
Coarse	3/8"		72LPX 72V	73DPX 73LGX 73LPX	75LPX 75LPX
	.404"				27X 59AC

Guide Bar Type

Sprocket Nose Bars

Sprocket nose bars have a rotating sprocket mounted at the tip of the bar. As the chain moves along the bar, the sprocket teeth carry the chain around the tip smoothly with less friction.



Hard Nose Bars (Solid Bar)

High wear resistant stellite has been welded onto the tip. Hard nose bars are made for special applications, such as fire-damaged forests, deserts, or sandy environments.



Carving Bars

Carving bars are made of high-quality steel and high wear resistant stellite has been welded onto the tip. Bar tip is designed to have small radius for precision cutting. The carving bars are made for especially pruning and carving.



Guide Bar Maintenance

Chain Tension

Check the chain tension before use. The saw chain may become loose after many hours of use.



File Bar Edge

File bar edge with a flat file to keep it 90° once a week.




Clean Guide Bar

Clean out chips and sawdust every time when you sharpen or replace saw chain.



Bar Nose Grease

Lubricate a whole sprocket regularly so that the saw chain can rotate with less friction.




Sharpening Saw Chain

Round File and File holder




The file can be guided more easily if a file holder is employed. The file holder has markings for the correct sharpening angle of 30° (align the markings parallel to the saw chain) and limits the depth of penetration (to 4/5 of the file diameter).




Depth gauge jointer

After sharpening the chain, check the height of the depth gauge using the chain gauge tool.



Flat file



Chain Saws

Guide Bar/ Saw Chain/ Guide Bar Cover/ Drive Sprocket

*Cutter type: CC Chamfer chisel, SC: Semi chisel, MC ; Micro chisel, FC: Full chisel



Guide Bar					Saw Chain									Bar Cover		Drive Sprocket					
Bar length	Motor Mount	Type	Drive tooth	Part No.	RSP (RM)	No. of drive links	Gauge	Pitch	Type	Cutter type	Part No. (Carton)	RSP (RM)	Low kickback saw chain (ANSI / CSA)	Part No.	RSP (RM)	Type	Part No.	RSP (RM)			
Pole Saws Model No: DUA200																					
20 cm/ 8"	A041	Sprocket nose bar	-	1914S3-3		38	1.1 mm/ .043"	.325" LP	80TXL	MC	1914S1-7		-	413G28-5		Sprocket .325"LP	1911W5-9				
Pole Saws Model No: *EY402MP, *EY403MP (Pole saw attachment) DUA300, DUA301, UA003G, UA004G																					
30 cm/ 12"	A041	Sprocket nose bar	7	191G15-1		46	1.1 mm/ .043"	3/8" LP	90PX	CC	191H01-8		YES	419288-5		Sprocket 3/8"LP	226992-7				
30 cm/ 12"			7	191G23-2		46	1.3 mm/ .050"	3/8" LP	91PX		191H10-7										
Cordless Chain Saws Model No: DUC101, UC100D																					
10 cm/ 4"	-	without sprocket	-	1910W0-3		26	1.1 mm/ .043"	.325" LP	80TXL	MC	1910V6-4		-	413M40-1		.325"LP	227947-5				
Cordless Chain Saws Model No: DUC254																					
25 cm/ 10"	A041	Sprocket nose bar	-	191T85-8		46	1.1 mm/ .043"	.325" LP	80TXL	MC	191T89-0		-	452093-7		.325"LP	1911W6-9				
25 cm/ 10"			-	161846-0		40		3/8" LP	90PX	CC	191H00-0		-	452093-7		Sprocket 3/8"LP	221464-7				
30 cm/ 12"			7	191G15-1		46	1.3 mm/ .050"				91PX	CC	191H01-8		-	419288-5		Sprocket 3/8"LP	199063-2		
30 cm/ 12"			-	191G23-2		46		191H10-7		-			413G23-5								
Cordless Chain Saws Model No: UC022G																					
35 cm/ 14"	A041	Sprocket nose bar	-	191T87-4		59	1.1 mm/ .043"	.325" LP	80TXL	MC	191T91-3		-	419288-5 413G23-5	Sprocket .325"LP"	191V91-5					
40 cm/ 16"			-	191T88-2		56		90PX	CC	191T92-1		-	419242-9 413G21-9								
30 cm/ 12"			-	191G15-1		46	3/8" LP			CC	191H01-8		-	419288-5 413G23-5	Sprocket 3/8"LP	191V90-7					
35 cm/ 14"			-	191G16-9 165246-6		52		91PX	CC		191H02-6		-	419288-5 413G23-5							
40 cm/ 16"			-	191G17-7		56	1.3 mm/ .050"			91PX	191H03-4		-	419242-9 413G21-9							
30 cm/ 12"			-	191G23-2		46		191H10-7			-	419288-5 413G23-5									
35 cm/ 14"			-	191G24-0		52	191H11-5		-	419288-5 413G23-5											
40 cm/ 16"			-	191G25-8		56	191H12-3		-	419242-9 413G21-9											
Cordless Chain Saws Model No: UC004G																					
25 cm/ 10"	A041	Sprocket nose bar	-	191T85-8		46	1.1 mm/ .043"	.325" LP	80TXL	MC	191T89-0		YES	452093-7				Sprocket .325"LP"	191V91-5		
35 cm/ 14"			8	191T87-4		59		90PX	CC	191T91-3											
30 cm/ 12"			7	191G15-1		46	1.3 mm/ .050"			91PX	191H01-8			419288-5	Sprocket 3/8"LP	191V90-7					
30 cm/ 12"			7	191G23-2		46		191H10-7													
Cordless Chain Saws Model No: DUC356, DUC406																					
25 cm/ 10"	A041	Sprocket nose bar	-	191T85-8		46	1.1 mm/ .043"	.325" LP	80TXL	MC	191T89-0		YES	452093-7		Sprocket .325"LP	191V91-5				
35 cm/ 14"			8	191T87-4		59		90PX	CC	191T91-3											
30 cm/ 12"			7	191G15-1		46	1.3 mm/ .050"			91PX	191H01-8			419288-5	Sprocket 3/8"LP	199063-2					
30 cm/ 12"			7	191G23-2		46		191H10-7													

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Guide Bar						Saw Chain								Bar Cover		Drive Sprocket			
Bar length	Motor Mount	Type	Drive tooth	Part No.	RSP (RM)	No. of drive links	Gauge	Pitch	Type	Cutter type	Part No. (Carton)	RSP (RM)	Low kickback saw chain (ANSI / CSA)	Part No.	RSP (RM)	Type	Part No.	RSP (RM)	
Cordless Chain Saws Model No: DUC307																			
30 cm/ 12"	A041	Sprocket nose bar	-	191G15-1		46	1.1 mm/ .043"	90PX	3/8" LP	CC	191H01-8	-	419288-5	Sprocket 3/8"LP	199063-2				
35 cm/ 14"			-	191G16-9		52					191H02-6	-	413G23-5						
40 cm/ 16"			-	165246-6		56					191H03-4	-	419288-5						
30 cm/ 12"			-	191G17-7		56	191H10-7	-			419242-9								
35 cm/ 14"			-	191G23-2		46	191H11-5	-			413G21-9								
40 cm/ 16"			-	191G24-0		52	191H12-3	-			419288-5								
35 cm/ 14"				191G25-8		56	1.3 mm/ .050"	91PX				-	413G23-5						
40 cm/ 16"				191G25-8		56						-	419242-9						
				165202-6		56						-	413G21-9						
Cordless Chain Saws Model No: DUC353, DUC355																			
35 cm/ 14"	A041	Sprocket nose bar	8	191T87-4		59	1.1 mm/ .043"	.325" LP	80TXL	MC	191T91-3		YES	419288-5	Sprocket .325"LP	1911W5-9			
40 cm/ 16"			8	191T88-2		64					191T92-1			419242-9					
30 cm/ 12"			7	191G15-1		46	1.3 mm/ .050"	3/8" LP	90PX	CC	191H01-8		419288-5	Sprocket 3/8"LP	199063-2				
30 cm/ 12"			7	191G23-2		46					191H10-7								
40 cm/ 16"			7	191G25-8		56					191H12-3								
				165202-6		56						-	419242-9						
Cordless Chain Saws Model No: UC016G																			
35 cm/ 14"	A041	Sprocket nose bar	8	191T87-4		59	1.1 mm/ .043"	.325" LP	80TXL	MC	191T91-3		YES	419288-5	Sprocket .325"LP	191V91-5			
40 cm/ 16"			8	191T88-2		64					191T92-1			419242-9					
30 cm/ 12"			7	191G15-1		46	1.3 mm/ .050"	3/8" LP	90PX	CC	191H01-8		419288-5	Sprocket 3/8"LP	191V90-7				
30 cm/ 12"			7	191G23-2		46					191H10-7								
40 cm/ 16"			7	191G25-8		56					191H12-3								
				165202-6		56						-	419242-9						
Electric Chain Saws Model No: DUC121, DUC122																			
11.5 cm/ 4-1/2"	-	without sprocket	-	158476-6		42	1.3mm/ .050"	1/4"	25AP	MC	191G95-7		-	416311-7		Sprocket 1/4"	221527-9		
Electric Chain Saws Model No: UC3041A, UC3541A, UC4041A																			
30 cm/ 12"	A041	Sprocket nose bar	7	191G15-1		46	1.1 mm/ .043"	3/8" LP	90PX	CC	191H01-8		YES	419288-5	Sprocket 3/8"LP	221526-1			
30 cm/ 12"			7	191G23-2		46	1.3 mm/ .050"	3/8" LP	91PX		191H10-7								
Electric Chain Saws Model No: UC3050A, UC3550A, UC4050A, UC4550A, UC3051A, UC3551A, UC4051A, UC4551A																			
30 cm/ 12"	A041	Sprocket nose bar	7	191G23-2		46	1.3 mm/ .050"	3/8" LP	91PX	CC	191H10-7		YES	419288-5		Sprocket 3/8"LP	221521-1		
Electric Chain Saws Model No: 5016B																			
40 cm/ 16"	-	-	-	341650-5		59	1.3 mm/ .050"	3/8" LP	91PX	SC	196521-9		-	-		-	-		

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Round File, File Holder

For Model: Chain saw *with handle



Saw chain type	Round file				File and File handle and File holder	
	Size	Part No.	Qty	RSP (RM)	Part No.	RSP (RM)
25F, 25AP, 91P, 91PX, 91PXL, 91VXL, M91VXL	4.0 mm	*744003-1	1		-	
			-		D-70948	
90PX, 90SG	4.5 mm		-		198457-8	
95VPX, 95TXL, 20BPX, 21BPX, 22BPX, 20LPX, 21LPX, 22LPX, 082, 086, 686, 484	4.8 mm		-		D-70954	
72DPX, 73DPX, 75DPX, 72LPX, 73LPX, 75LPX	5.2 mm		-		D-70960	
72V, 73V, 75V, 72APX, 72DPX, 73DPX, 75DPX, 72EXL, 73EXL, 75EXL, 72EXJ, 73EXJ, 75EXJ, 72LGX, 73LGX, 75LGX, 72JGX, 73JGX, 75JGX, 72JPX, 73JPX, 75JPX, 72LPX, 73LPX, 75LPX, 72RD, 73RD, 75RD, 496, 093, 099	5.5 mm		-		D-70976	
					D-70982	

Flat File, Depth Gauge

For all saw chain
Depth gauge: .025" / 0.64 mm

Flat file and File handle and Depth gauge	
Part No.	RSP (RM)
D-70998	



Conversion from Hedge Trimmer to Grass Shear



Model No.	Cutting Width	Item	Part No.	RSP (RM)
UH201D	160 mm	Blade Assembly	195267-4	
	110 mm		191N23-4	

Chain Oil

Item	Size	Part No.	RSP (RM)
With Makita chain oil, chain oiling is formulated to adhere to the bar and chain and to reduce wear. Adhesion additive helps keep sap and pitch from clinging to the bar and chain. (Not available in Austria)	100 ml	182229-1	
		199897-3	
	1 L	195093-1	



Conversion from Grass Shear to Hedge Trimmer



Model No.	1. Blade Assembly			2. Blade Cover		3. Chip Receiver	
	Surface Treat	Part No.	RSP(RM)	Part No.	RSP(RM)	Part No.	RSP(RM)
DUM111 DUM604 UM600D	NICKEL PLATING	198408-1		458342-0		198401-5	

Angled Attachment Set for Pole Saw



Model No.	Part No.	RSP (RM)
UA003G, UA004G, DUA300, DUA301	1910J6-0	

Long Attachment Handle

Extension Handle kit
*with grass shear blade



Model No.	Part No.	RSP (RM)
DUM604, UM110D, DUM111, UM600D, *UH201D	198486-1	
	195187-2	

Hook Holder for Extension Cord



Type	Description	Part No.	RSP (RM)
A	Arm band complete set	194679-8	
B	Cord holder complete set	194677-2	
C	Hook complete	158024-1	

Weeding Nozzle with Cover



Model No.	Part No.	RSP (RM)
DUS054, US053D	AB45127080	

Shear Blade & Blade Cover for Grass Shear



Model No.	Cutting width	1. Blade Assembly		2. Blade Cover		3. Grass Receiver	
		Part No.	RSP (RM)	Part No.	RSP (RM)	Part No.	RSP (RM)
DUM168 DUM604 UM600D	160 mm	195267-4		452055-5		457426-1	


*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Shear Blade & Blade Cover

Blade type

A: Curving blade

Optimum blade shape for smooth cutting



B: High grade blade

Upper/ Lower blade teeth with 3

sharpened edges for clean cut.



C: Stain-free blade

Non-electrolyzed nickel plating

Evenly and strongly adhered surface coating that features high anti-abrasion surface for long lasting coating.



Model No.	Blade size	Blade type	Blade Assembly		Blade Cover	
			Part No.	RSP (RM)	Part No.	RSP (RM)
Cordless hedge trimmer						
DUH502	500 mm	B	199598-3		459120-1	
DUH506	500 mm	C	1910H8-2		413L91-8	
DUH507	500 mm	C	1911J1-6		413L91-8	
DUH523	520 mm	C	195769-0		452685-2	
DUH601	600 mm	A	191R53-9		412911-1	
			199099-1		459121-9	
DUH651	650 mm	C	196688-3		450490-1	
DUH754S	750 mm	A	191Y05-2		459122-7	
UH020G	500 mm	-	1914G4-7		-	
UH004G	600 mm	A	191R53-9		412911-1	
UH006G	600 mm	B	191R55-5		412911-1	
UH014G	750 mm	A	191Y05-2		413B99-2	
UH201D	200 mm	C	198408-1		458342-0	

Model No.	Blade size	Blade Assembly	
		Part No.	RSP (RM)
Pole Hedge trimmer (Cordless, Petrol, Multi tool attachments) *Attached to Blade assembly			
DUN461W, UN460WD	460 mm	191P00-8	
DUN500W	500 mm	191C14-9	
DUN600L	600 mm	191C13-1	
UN001G	600 mm	1914E7-7	

Grease Vessel Set


Description	Size	Part No.	RSP (RM)
For Pole hedge trimmer and Multi tool attachment (Cultivator, Power brush and Power sweep) GREASE NO.0	80 ml	197439-7	
For string trimmer, Brushcutter and Hedge trimmer (GREASE NO.2)	80 ml	199450-5	

Pruning Shear Blade

Shear blade (U)

Shear blade (L)

Do not re-use Stop Ring E-4 when reassembling, Stop Ring E-4



*With Stop Ring E-4 (P/N:961011-9)

**Hex socket button head screw M3x6 P/N:266183 & Shoulder bolt M8 P/N:251573-8 are also necessary


Model No.	Type	*Shear blade (U)		Shear blade (L)	
		Part No.	RSP (RM)	Part No.	RSP (RM)
DUP361	Standard	199748-4		197749-2	
DUP362		197366-8		197367-6	
	For hard branch	199168-8		199169-6	
	For thin branch	199314-3**		199171-9**	
UP100D	Standard	1911W2-5		1911W1-7	

Diamond File for Shear Blade



Model No.	Item	Part No.	RSP (RM)
DUP361, DUP362		794530-8	

Battery Powered Pruning Shear others Accessory



Model No.	Item	Part No.	RSP (RM)
DUP361 DUP362	Standard Harness	161377-9	
	Arm Band	166062-9	
	Cord Holder	154511-8	
	Connection Cord	661445-3	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Wheelbarrow Attachment

Model No.	Item	Part No.	RSP (RM)
DCU180		Carrier set (Pipe deck) 199116-7	
		Bucket set 198494-2	
		Auxiliary wheel attachment set 191A01-6	
DCU603 DCU604 DCU605		Dump bucket 200 set 191B69-8	
		Dump unit set 191B63-0	
		Carrier set 191B67-2	
		Flat bucket set 1911B3-6	

Optional Tire & Wheel Set for Wheelbarrow



Model No.	Item	Color	Part No.	RSP (RM)
DCU603 DCU604 DCU605	Tire 330 (single) set for pavement or concrete floor (Tire (13x5.00-6), Tube & Divided type rim set)	Black	1911K4-7	
	Gray Tire 330 (single) set for painted floor (Tire (13x5.00-6), Tube & Divided type rim set)	Gray Gray tire leaves less tire mark on painted floor compared with black one.	1911K5-5	
	Gray Tire 210 (single) set for painted floor (Tire (2.00-4), Tube & Divided type rim with hub bearingset)		1911K6-3	


Rotary Lawn Mower Blade

*High flow blade for better grass catching
**Mutching blade used without grass catcher



Cordless Lawn Mower Model No.	Size	Part No.	RSP (RM)
DLM382	380	191D41-2	
LM004G	430	1913H4-8	
		**1913H6-4	
DLM432	430	191D43-8	
DLM460	460	199367-2	
DLM462	460	191D51-9	
DLM480	480	**191Y64-6	
		191V97-3	
DLM532, DLM533, LM001C	530	191D52-7	
DLM539, LM002G, LM002J, LM004J	530	191V96-5	
DLM532, DLM533, DLM539, LM001C, LM002G, LM002J, LM004J	530	*191W87-2	
DLM532, DLM533, DLM539, LM001C, LM002G, LM002J, LM004J	530	**191Y65-4	

Blade for DLM160



Part No.	RSP (RM)
A-70334	
A-48957	

Earth Auger Bit Adapter

*Use with 191P11-3

Model No.	Item	Part No.	RSP (RM)
DDG460 DG001G *DA001G DDA460	20mm 	327684-2	
	20mm 	327687-6	

Scarifier Drum

Model No.	Item	Part No.	RSP (RM)
UV001G		Vertical cutter set 1913J5-0	
		Thatching blade set 1913J7-6	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Tape Measure

Feature:

1. Special Coating

- * "DURA COAT" makes 5 times more durable
- * "SILICA COAT" makes easier note



2. High durability of Hook

- * Installed damper absorbs the shock on the hook
- * Hook protector reduces the shock on the hook
- * Tightly fixed hook with "4 rivets + protector"




3. Convenience

- * 2-sided print
- * Hook with magnet
- * "Matte finish" makes easier to read scales
- * Standout



Makita tape measure is highly durable and convenient. When the scales are blurred or hook is lost, that would be the end of its life. This measure is for professional which has a special coated tape, hook protector and damper which absorbs shocks leads to great durability.



Tape Measure



Size	Length	Width	Part No.	RSP (RM)
cm/ inch	2 m/ 6ft	13 mm/ 1/2"	E-10590	



Size	Length	Width	Part No.	RSP (RM)
cm	3.5 m	16 mm	B-57130	




Size	Length	Width	Part No.	RSP (RM)
cm/ inch	5.5 m/ 18 ft	25 mm/ 1"	B-57211	
	7.5 m/ 25 ft	25 mm/ 1"	B-57227	



Size	Length	Width	Part No.	RSP (RM)
cm	10 m	25 m	B-57168	

Tape Measure with Holder & Safety Cord



Size	Length	Width	Part No.	RSP (RM)
cm	7.5 m	25 mm	B-57174	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Shock Driver

Makita shock driver is very useful tool which as a regular handy driver and a shock driver when you work on the stripped screw.




This handy driver can remove both crushed and stripped screws which could not be loosened by the electric tools. Applying the impact on the handle generates a torque in the rotation direction, so both crushed and stripped screws can be removed.



How to Remove


1. While applying force in the fastening direction, hold the grip securely.

2. Apply strong impact with the hammer.



The impact on the handle generates 12 degrees torque in the loosening direction and even the stripped screw will be loosened.

12 Degrees



Size	Length	Part No.	RSP (RM)
+	PH2	125	B-42438
	PH3	150	B-42444
*	PZ2	125	B-42450
	PZ3	150	B-42466

Snap-off Knife

Part No.	RSP (RM)
D-65713	



LED Pen Light (without Battery)

Battery type: AA

Part No.	RSP (RM)
D-58752	



Work Glove

Size	Part No.	RSP (RM)
L	A-68672	
M	A-68666	



Strap Belt System



System as a STRAP

Totally New on the market - unique STRAP Belt System with quick release buckles at the ends makes the belt multipurpose. Strap with comfortable soft cushioned shoulder pad makes the lifting more comfortable. Fits to all Makita Tool Bags and Cases.



System as a BELT

Strap BELT can be easily detached from any Tool Bag or Tool Case and worn on the waist as a light-duty tool belt. Strap can be adjusted, which is flexible and convenient to fit your need. Can be worn with any Makita Tool Pouch and Holder.




Over 45 products within the system

E-15388
Ultimate Adjustable Tool Case

E-15590
Ultimate Lunch Bag & Belt

E-15556
Ultimate Smartphone Holder

E-12980
Ultimate Smartphone Holder XL

E-15279
Ultimate 4-Way Electricians Holder

E-05309
Belt Loop - 3 Pack
E-05315
Belt Loop - 6 Pack

E-15338
Tape Measure Holder

E-15285
Ultimate 3-Way Hammer & Tool Holder

E-15322
Knife / Secateur Holder

E-15291
Side Gate Hammer & Tool Holder

E-15316
Universal Clip Holder

E-15300
Looped Hammer & Axe Holder

E-15562
Thermal Flask & Holder

E-15578
Thermal Mug & Holder

E-15160
Pencil Driver Holster Universal L/R Handed

E-15207
Ultimate 3 Pocket Fixing Pouch

E-15213
Roofer & General Purpose Pouch

E-15198
Ultimate 2 Pocket Fixing Pouch

E-15154
Drill Holster Universal L/R Handed

E-15182
Universal Pouch & Drill Holster L/R Handed

E-15176
Impact Driver Holster Universal L/R Handed

E-15419
Ultimate Covered Tool Tote

E-15394
Reinforced Adjustable Tool Case

E-15403
Ultimate Open Tool Tote

E-15447
Ultimate 3-Way Universal Tool Tote

E-15453
Ultimate 4-Sided Tool Tote

E-15512
Ultimate Chainsaw Bag

E-15534
Roll-Top All Weather Tube Bag

E-15431
Ultimate Wide Mouth Tool Bag

E-15540
Roll-Top All Weather Duffle Bag

E-15425
Ultimate Gate Mouth Tool Bag

E-11782
Ultimate Heavyweight Tool Bag

E-12712
Ultimate Heavyweight Tool Bag with Trolley

E-05670
1M Guide Rail Protective Holder

E-05664
1.4M / 1.5M Guide Rail Protective Holder

E-10920
1.9M Guide Rail Protective Holder

E-10936
3M Guide Rail Protective Holder

E-15475
Technician Tool & Laptop Bag

E-15469
Semi-Rigid Tool Bag

E-15344
Ultimate Chisel & Tool Holder

E-15263
Zip Top Pouch - Dual Battery or Fixings

E-15257
Fixing Pouch & Hammer Holder

E-15419
Ultimate Covered Tool Tote

E-15403
Ultimate Open Tool Tote

E-15447
Ultimate 3-Way Universal Tool Tote

E-15453
Ultimate 4-Sided Tool Tote

E-15512
Ultimate Chainsaw Bag

E-15534
Roll-Top All Weather Tube Bag

E-15431
Ultimate Wide Mouth Tool Bag

E-15540
Roll-Top All Weather Duffle Bag

E-15425
Ultimate Gate Mouth Tool Bag

E-11782
Ultimate Heavyweight Tool Bag

E-12712
Ultimate Heavyweight Tool Bag with Trolley

E-05670
1M Guide Rail Protective Holder

E-05664
1.4M / 1.5M Guide Rail Protective Holder

E-10920
1.9M Guide Rail Protective Holder

E-10936
3M Guide Rail Protective Holder

E-15475
Technician Tool & Laptop Bag

E-15469
Semi-Rigid Tool Bag

E-15344
Ultimate Chisel & Tool Holder

E-15263
Zip Top Pouch - Dual Battery or Fixings

E-15257
Fixing Pouch & Hammer Holder

Tool Holders 3rd generation Technical Solutions


STRAP/BELT SYSTEM

Strap Belt System with quick release buckles at the ends can be easily detached from the Tool Bags and worn on the waist as a light-duty tool belt. Fits all Tool Pouches and Holders as well as Tool Organizers.



3 LAYERS

3L Technology is a unique 3-layer combination of polyesters and foam that provides extra cushioning. Designed to be tough and weatherproof, these amazingly light polypropylene panels are made up of three composite layers joined securely in a desirable configuration. The innovative feature of these structured core panels means that they can be formed into any shape.



WATERPROOF BOTTOM

Waterproof Bottom is a high quality solution for tool bags – rigid, wear-resistant and waterproof it keeps tools dry and protected from damp and wet surfaces. The reinforced plastic base also helps you to keep your tool bag clean.



REAL LEATHER

Real Leather is smooth on the outside with brushed suede on the inside. Strong and tough for a long life but soft and supple enough for lasting comfort, whilst providing excellent strength with added abrasion resistance. Heavy gauge leather has been selected for use in products requiring a thicker covering - 1.8 to 2.0 mm - ensuring a top quality product.



DURABLE RIVETING

Durable Riveting gives truly unbreakable strength. Strong one piece self-punching rivets with washers used in all high stress areas. Washers for greater strength in strategical places are used on one or both sides, up and down.



ANTI SLIP

Anti-Slip Solution minimises or even avoids workplace slip and fall accidents. The high quality polypropylene tape has a rubbery surface which helps to keep you tools in place and provides additional protection to help prolong the life of your products.



ELASTIC LOOPS

Elastic Loops secures the contents and keeps your tools in place while carrying. It provides great flexibility for organizing your tools and accessories. Elastic Loops have been applied to a wide variety of our products to ensure that you get maximum usage from your kit. The loops are able to adapt to perfectly suit all tools and accessories.



SIDE-GATE SOLUTION

Side-Gate Solution lets you easily put the tool in without looking at the holder. An additional swing feature ensures your tool is kept at a comfortable angle. Made of stainless steel for product longevity and fixed by four rivets for extra strength.



Pouches & Holders

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Drill Holster Universal L/R Handed	290	170	85	✓	✓		✓	✓	✓	✓			E-15154	
Pencil Driver Holster Universal L/R Handed	320	85	60	✓					✓	✓			E-15160	
Impact Driver Holster Universal L/R Handed	235	155	75	✓	✓		✓	✓	✓	✓			E-15176	
Universal Pouch & Drill Holster L/R Handed	270	260	145	✓	✓		✓	✓	✓	✓			E-15182	
Ultimate 2 - Pocket Fixing Pouch	270	260	145	✓	✓		✓	✓	✓	✓			E-15198	
Ultimate 3 - Pocket Fixing Pouch	270	320	145	✓	✓		✓	✓	✓	✓			E-15207	
Roofer & General Purpose Pouch	270	290	145	✓	✓		✓	✓	✓	✓	✓		E-15213	
3 Pouch Tool Belt Set	270	640	145		✓		✓	✓	✓	✓	✓		E-15229	
Ultimate Heavyweight Tool Belt Set	310	880	145	✓	✓		✓	✓	✓	✓			E-15235	
Ultimate Electricians Pouch	310	250	125	✓	✓		✓	✓	✓	✓			E-15241	
Fixing Pouch & Hammer Holder	185	180	105	✓	✓		✓	✓	✓	✓			E-15257	
Zip Top Pouch - Dual Battery or Fixings	185	175	105	✓	✓			✓		✓			E-15263	
Ultimate 4 - Way Electricians Holder	205	185	55	✓			✓	✓		✓			E-15279	
Ultimate 3 - Way Hammer & Tool Holder	205	185	85	✓			✓	✓		✓			E-15285	
Side Gate Hammer & Tool Holder	165	110	70	✓	✓			✓		✓	✓		E-15291	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)	
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION				
Looped Hammer & Axe Holder	165	110	65	✓	✓				✓			✓		E-15300	
Universal Clip Holder	165	110	15	✓	✓				✓			✓		E-15316	

Pouches & Holders

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)	
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION				
Knife / Secateur Holder	200	100	50	✓	✓				✓	✓	✓			E-15322	
Tape Measure Holder	165	110	80	✓	✓				✓	✓	✓			E-15338	
Ultimate Chisel & Tool Holder	270	100	60	✓					✓	✓	✓			E-15344	

Belts & Braces

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)	
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION				
Quick Release Belt & Shoulder Strap	38	1300	-	✓										E-15350	
Belt Loop - 3pcs.	129	41	-	✓										E-05309	
Belt Loop - 6 pcs.														E-05315	
Ultimate Padded Belt with Belt Loop	100	880	30				✓	✓						E-15366	
Quick Release Belt & Belt Loop	50	1550	-											E-05337	
Ultimate Leather Belt with Belt Loop	48	1380	-				✓							E-15693	
Ultimate Padded Braces & Phone Holder	410	520	23						✓					E-15372	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE REVETTING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Leather Belt Black M	38	1130					✓						E-05359	
Leather Belt Black L	38	1330					✓						E-05365	
Leather Belt Brown M	38	1130					✓						E-05371	
Leather Belt Brown L	38	1330					✓						E-05387	
Ultimate Braces with Clips	-	50	-										E-05402	

Bags & Cases

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE REVETTING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Ultimate Adjustable Tool Case	310	510	300	✓		✓		✓			✓		E-15388	
Reinforced Adjustable Tool Case	265	505	295	✓				✓			✓		E-15394	
Ultimate Open Tool Tote	355	490	310	✓		✓		✓			✓		E-15403	
Ultimate Covered Tool Tote	360	490	310	✓		✓		✓			✓		E-15419	
Ultimate Gate Mouth Tool Bag	280	510	295	✓		✓					✓		E-15425	
Ultimate Wide Mouth Tool Bag	250	440	240	✓							✓		E-15431	
Ultimate 3-Way Universal Tool Tote	225	350	175	✓	✓				✓		✓		E-15447	
Ultimate 4-Sided Tool Tote	410	260	220	✓				✓	✓		✓		E-15453	
Semi-Rigid Tool Bag	270	520	250	✓	✓				✓		✓		E-15469	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE REVEALING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Technician Tool & Laptop Bag	350	425	170	✓	✓			✓		✓			E-15475	
Backpack Tool Organiser	490	390	230			✓				✓			E-15481	
Bucket Tote Tool Organiser	320	470	-							✓			E-15497	
Tool Organiser Wrap	195	350	45						✓	✓			E-15506	
Ultimate Chainsaw Bag	260	900	270	✓		✓				✓			E-15512	
Roll-Top All Weather Backpack	400	330	200						✓				E-15528	
Roll-Top All Weather Tube Bag	600	320	320	✓					✓				E-15534	
Roll-Top All Weather Duffle Bag	250	610	300	✓					✓				E-15540	
Ultimate Heavyweight Tool Bag	260	650	330	✓									E-11782	
Ultimate Heavyweight Tool Bag with Trolley	330	680	330	✓				✓					E-12712	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Gear & Equipment

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE FIBRE TING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Ultimate Smartphone Holder	185	100	40	✓	✓					✓			E-15556	
Ultimate Smartphone Holder XL	200	115	40	✓	✓					✓			E-12980	
Thermal Mug & Holder	200	90	85	✓	✓					✓	✓		E-15562	
Thermal Mug & Holder	175	125	100	✓	✓					✓	✓		E-15578	
Lunch Bag	210	330	180		✓								E-15584	
Ultimate Lunch Bag & Belt	230	330	200	✓	✓	✓				✓			E-15590	
Work Vest - Adjustable Pockets	640	510	-								✓		E-15609	
Knee Pad Set	240	170	30										E-15615	
Ultimate Knee Pad Set	240	170	95										E-05658	
1.4M / 1.5M Guide Rail Protective Holder	220	1565	45	✓	✓								E-05664	
1M Guide Rail Protective Holder	220	1070	45	✓	✓								E-05670	
1.9M Guide Rail Protective Holder	220	1950	45	✓	✓								E-10920	
3M Guide Rail Protective Holder	220	3050	45	✓	✓								E-10936	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.



PRINTED IN MALAYSIA 2025.04/A3

Makita Power Tools (Malaysia) Sdn. Bhd. Co. Registration No.: 201301001778 (1031615-M)

HQ & Service Centre
Lot 824, Jalan Subang 5, Subang Industrial Area,
47500 Subang Jaya, Selangor.
Tel: 03-8023 0624 (General) | Fax: 03-8022 1448
03-8022 1443 (Service)

Johor (Johor Bahru) Service Centre
No.12 & 14, Jalan Rosmerah 2/9,
Taman Johor Jaya,
81100 Johor Bahru, Johor.
Tel: 07-364 9406 | Fax: 07-364 9407

Sarawak (Kuching) Service Centre
Lot 1227, Lorong Demak Indah 2A,
Demak Laut Industrial Area, Phase 2A,
93050 Kuching, Sarawak.
Tel: 082-496 800 | Fax: 082-496 900

Sabah (Kota Kinabalu) Service Centre
Lot 19, Jalan Buah Duku,
Kolombong Light Industrial Estate, Off Jalan Kolombong,
Kolombong Zone 1, 88450 Inanam, Kota Kinabalu, Sabah.
Tel: 088-388 278 | Fax: 088-388 279



www.makita.my
✉ makita@makita.my